

UNIVERSITY OF MINNESOTA
MINNESOTA GEOLOGICAL SURVEY**GEOLOGIC MAP INDEX
OF
MINNESOTA**

By
Howard R. Dunlavy, Claire Ellen Pavlik, and G.B. Morey

First edition, November 1979



GENERAL INFORMATION

The principal maps covering the entire state are: 84 (gravity); 163 (bedrock hydrogeology); 164 (Quaternary hydrogeology); 174 (Quaternary geology); 197 (peat deposits); 236 (geomorphic regions); 248 (bedrock geology); 287 (watershed boundaries); 315 (bedrock geology); 358 (hydrologic units); 397 (aeromagnetic intensity). Full references are given in the bibliography.

The geologic map index is divided into categories such as bedrock or surficial geology, and some categories are further divided into different scale ranges. The map areas in turn are keyed to one or more bibliographic citations. Although considerable effort has been made to include in the citation list all maps pertaining to the geology of Minnesota, only those references preceded by an asterisk are outlined on the index maps. These selected maps are either the most recent maps of a given area at the specified scale or are in our judgment the best maps available. Other references included in the citation list are believed either to have general interest or to be of historic value.

The formal publications cited in this index can be consulted in most university and state survey libraries or in the several libraries of the U.S. Geological Survey. Maps published by the Minnesota Geological Survey may be obtained from Map Sales, 1633 Eustis Street, St. Paul, Minnesota, 55108. Inquiries about cost and availability of maps not published by the Minnesota Geological Survey should be directed to the individual publisher and not the Minnesota Geological Survey.

Open-file maps prepared by the Minnesota Geological Survey and cited in this index may be consulted in the Survey library at the above address or at the Department of Geology, University of Minnesota, Duluth, 55812. Theses prepared under the auspices of the University of Minnesota may be consulted at the O. Meredith Wilson Library, 309-19th Avenue S., Minneapolis, Minnesota, 55455, or at University Archives in Walter Library, University of Minnesota, Minneapolis, Minnesota 55455. Inquiries regarding theses prepared at other institutions should be directed to those institutions.

The index was printed directly from data in a computer storage and retrieval system maintained by the Minnesota Geological Survey. New entries are added to the computer system as they appear and will be included in future editions of the index. Correspondence pertaining to possible omissions or errors in the contents of this index should be directed to the Minnesota Geological Survey, 1633 Eustis Street, St. Paul, Minnesota, 55108 (telephone: 612-373-3372).

- *353. Van Voast, W.A., Broussard, W.L., and Wheat, D.E., 1972, Water resources of the Minnesota River - Hawk Creek watershed, southwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-391, sheet 2, Surficial sand and gravels, 1:250,000. HYDROLOGIC
- *354. Van Voast, W.A., Jerabek, L.A., and Novitzki, R.P., 1970, Water resources of the Redwood River watershed, southwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-345 sheet 2, Surficial sand deposits, 1:494,000. HYDROLOGIC
355. Veith, K.F., 1966, A geophysical study of a portion of the Midcontinent Gravity High: Master's thesis, University of Minnesota, 56 p., pl. 1, Bouguer anomaly, approximately 1:2,250,000. GRAVITY
- *356. Viswanathan, S., 1974, Reconnaissance geologic map of the Dewey Lake Northwest quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-18, 1:24,000. BEDROCK
- *357. Viswanathan, S., 1974, Reconnaissance geologic map of Side Lake quadrangle, Itasca and St. Louis Counties, Minnesota: Minnesota Geological Survey Miscellaneous Map M-19, 1:24,000. BEDROCK
- *358. Viswanathan, S., 1974, Reconnaissance geologic map of O'Leary Lake quadrangle, Itasca County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-21, 1:24,000. BEDROCK
- *359. Viswanathan, S., 1974, Reconnaissance geologic map of Dark Lake quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-23, 1:24,000. BEDROCK
- *370. Viswanathan, S., and Ojakangas, R.W., 1974, Reconnaissance geologic map of Stingy Lake quadrangle, Itasca and St. Louis Counties, Minnesota: Minnesota Geological Survey Miscellaneous Map M-20, 1:24,000. BEDROCK
- *371. Viswanathan, S., and Ojakangas, R.W., 1974, Reconnaissance geologic map of Dewey Lake quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-22, 1:24,000. BEDROCK
372. Weiblen, P.W., 1965, A funnel-shaped gabbro-troctolite intrusion in the Duluth complex, Lake County, Minnesota: Ph.D. thesis, University of Minnesota, 155 p., figure 4, Bedrock geologic map of the Bald Eagle intrusion, 1:63,360. BEDROCK
- *373. Weiss, M.P., 1953, The stratigraphy and stratigraphic paleontology of the upper Middle Ordovician rocks of Fillmore County, Minnesota: Ph.D. thesis, University of Minnesota, 615 p., Structural map of the Middle Ordovician of Fillmore County, Minnesota, approximately 1:125,700. BEDROCK
- *374. Weiss, M.P., 1957, Upper Middle Ordovician stratigraphy of Fillmore County, Minnesota: Geological Society of America Bulletin, v. 68, no. 8, p. 1027-1062, pl. 1, Bedrock geologic map, 1:250,000. BEDROCK
- *375. White, D.A., 1954, The stratigraphy and structure of the Mesabi range, Minnesota: Minnesota Geological Survey Bulletin 38, pl. 4, Map of the thickness of drift, Mesabi Range, Minnesota, 1:125,000. SURFICIAL
- *376. White, D.A., 1954, The stratigraphy and structure of the Mesabi range, Minnesota: Minnesota Geological Survey Bulletin 38, pl. 2, 1:62,500. BEDROCK
377. White, W.S., 1966, Tectonics of the Keweenaw Basin, western Lake Superior Region: U.S. Geological Survey Professional Paper 524-E, map, approximately 1:1,125,000. GRAVITY, MAGNETIC
378. Winchell, Newton M., 1901, Glacial Lakes of Minnesota: Geological Society of America Bulletin, v. 12, pl. 1, Glacial lakes of Minnesota, 1:3,800,000. BEDROCK, SURFICIAL
379. Winchell, Newton M., 1901, The Geology of Minnesota: Geological Atlas with synoptical descriptions, volume 6, plate 8, Houston, 1:125,000; plate 9, Winona, 1:125,000; plate 10, Fillmore, 1:250,000; plate 11, Olmsted, 1:250,000; plate 12, Mower, 1:250,000; plate 13, Dodge, 1:200,000; plate 14, Freeborn, 1:250,000; plate 15, Steele, 1:250,000; plate 16, Blue Earth, 1:250,000; plate 17, Faribault, 1:250,000; plate 18, Watonwan and Martin, 1:250,000; plates 19 and 20, Cottonwood and Jackson, 1:250,000; plates 21 and 22, Murray and Nobles, 1:250,000; plate 23, Pipestone and Rock, 1:348,000; plates 25 and 26, Brown and Redwood, 1:250,000; plates 27 and 28, Yellow Medicine, Lyon, and Lincoln, 1:317,000; plate 29, Big Stone and Lac Qui Parle, 1:317,000; plate 30, Le Sueur, 1:190,000; plate 31, Rice, 1:190,000; plate 32, Wabasha, 1:250,000; plate 33, Goodhue, 1:317,000; plate 34, Dakota, 1:270,000; plate 35, Carver and Scott, 1:250,000; plate 36, Sibley and Nicollet, 1:317,000; plate 37, McLeod, 1:220,000; plate 38, Renville, plate 39, Swift and Chippena, 1:380,000; plate 40, Kandiyohi and Meeker, 1:317,000; plate 41, Wright, 1:250,000; plate 42, Hennepin, 1:250,000; plate 43, Ramsey, 1:100,000; plate 44, Washington, 1:190,000; plate 45, Chisago, Isanti and Anoka, 1:380,000; plate 46, Benton and Sherburne, 1:360,000; plate 47, Stearns, 1:348,000; plate 48, Douglas and Pope, 1:380,000; plate 49, Grant and Stevens, 1:380,000; plate 50, Wilkin and Traverse, 1:500,000; plate 51, Otter Tail, 1:412,000; plate 52, Wadena and Todd, 1:500,000; plate 53, Crow Wing and Morrison, 1:380,000; plate 54, Mille Lacs and Kanabec, 1:360,000; plate 55, Pine, 1:380,000; plate 56, Carlton, 1:250,000; plate 57, Aitkin, 1:348,000; plate 58, Cass and part of Crow Wing, 1:475,000; plate 59, Hubbard and the northwestern portion of Cass, 1:270,000; plate 60, Becker, 1:360,000; plate 61, Clay, 1:317,000; plate 62, Polk and Norman, 1:412,000; plate 63, Kittson, Roseau and Marshall, 1:380,000; plate 64, Beltrami, 1:500,000; plate 65, Itasca, 1:500,000; plate 66, South part of St. Louis, 1:380,000; plate 67, North part of St. Louis, 1:380,000; plate 68, Lake, 1:380,000; plate 69, Cook, 1:330,000, Counties, Minnesota. BEDROCK, SURFICIAL
380. Winter, Thomas C., 1973, Hydrogeology of glacial drift, Mesabi Iron range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 2029-A, fig. 3, Surficial geology, 1:1,000,000. HYDROLOGIC
381. Winter, Thomas C., 1973, Hydrogeology of glacial drift, Mesabi Iron Range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 2029-A, pl. 3, Geohydrologic maps of glaciofluvial sediments between bouldery and surficial tills, Mesabi Iron Range, northeastern Minnesota, 1:250,000. HYDROLOGIC
- *382. Winter, T.C., Bidwell, L.E., and Maclay, R.W., 1969, Water resources of the Otter Tail River watershed, west-central Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-296, sheet 3, Groundwater, 1:250,000. HYDROLOGIC
- *383. Winter, T.C., Bidwell, L.E., and Maclay, R.W., 1970, Water resources of the Wild Rice River watershed, northwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-339, sheet 2, Availability map, 1:250,000. HYDROLOGIC
384. Winter, T.C., Cotter, R.D., and Young, H.L., 1974, Petrography and stratigraphy of glacial drift, Mesabi-Vermilion Iron Range, northeastern Minnesota: U.S. Geological Survey Bulletin 1331-C, pl. 1, Maps showing geomorphic features and surficial geology, Mesabi-Vermilion Iron Range, northeastern Minnesota, fig. A, Geomorphic features, fig. B, Surficial geology, 1:250,000. SURFICIAL
- *385. Winter, T.C., Maclay, R.W., and Pike, G.M., 1967, Water resources of the Roseau River watershed, northwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-241, sheet 1, Physical setting and water management, 1:250,000. HYDROLOGIC
386. Woyski, M.S., 1949, Intrusives of central Minnesota: Geological Society of America Bulletin, v. 60, pl. 1, Areal geologic map of central Minnesota, 1:1,250,000. BEDROCK
387. Wright, Herbert E., 1956, Glacial geology of eastern Minnesota: IN: Schwartz, G.M., and Wright, H.E., eds., Field trip no. 3, Glacial geology of eastern Minnesota: Geological Society of America, Annual Meeting, Minneapolis, Minnesota, 1956, fig. 1, Index map of eastern Minnesota showing certain glacial features, 1:1,647,000. SURFICIAL
388. Wright, Herbert E., 1962, Role of the Wadena lobe in the Wisconsin glaciation of Minnesota: Geological Society of America Bulletin, v. 73, p. 73-99, fig. 4, Wadena drumlin field and environs, 1:1,426,000. SURFICIAL
389. Wright, Herbert E., 1962, Role of the Wadena lobe in the Wisconsin glaciation of Minnesota: Geological Society of America Bulletin, volume 73, pages 73-99, figure 5, Wadena drumlin field, mapped from aerial photographs, 1:500,000. SURFICIAL
- *390. Wright, Herbert E., 1965, Wisconsin glaciation of Minnesota: Midwest Friends of the Pleistocene, 15th Annual Field Conference, eastern Minnesota: Minnesota Geological Survey, and Department of Geology and Geophysics, University of Minnesota, Regional geomorphic map of parts of Carlton and St. Louis Counties, 1:250,000. SURFICIAL
391. Wright, Herbert E., 1972, Physiography of Minnesota: IN: Sims, P.K., and Morey, G.B., eds., Geology of Minnesota: a centennial volume, p. 561-578: Minnesota Geological Survey, fig. VII-28, Map of physiographic areas of Minnesota, 1:3,300,000. SURFICIAL
392. Wright, Herbert E., Mattson, L.A., and Thomas, J.A., 1970, Geology of the Cloquet quadrangle, Carlton County, Minnesota: Minnesota Geological Survey, Geologic Map Series GM-3, figure 9, Map of the major morphologic features near the Cloquet quadrangle, 1:348,000. BEDROCK, SURFICIAL
393. Wright, H.E., and Watts, W.A., 1969, Glacial vegetational history of northeastern Minnesota: Minnesota Geological Survey Special Publication SP-11, pl. 1, Map of a part of northeastern Minnesota showing major geomorphic features, 1:317,000. SURFICIAL
- *394. Zarth, R.J., 1977, The quaternary geology of the Wrenshall and Frogner quadrangles, northeastern Minnesota: Master's thesis, University of Minnesota, 93 p., Quaternary geologic map of the Wrenshall quadrangle, 1:24,000. SURFICIAL
- *395. Zarth, Rande, 1975, Quaternary geology of the Wrenshall quadrangle, Minnesota: Minnesota Geological Survey, unpublished map, 1:24,000. SURFICIAL
396. Zeltz, I., 1964, A magnetic anomaly of possible economic significance in southeastern Minnesota: U.S. Geological Survey Circular number 489, figure 2, Aeromagnetic map of parts of Fillmore and Houston Counties, Minnesota, 1:250,000. MAGNETIC
397. Zietz, I., and Kirby, J.R., 1970, Aeromagnetic map of Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-725, 1:1,000,000. MAGNETIC
398. Zumberge, James H., 1952, The Lakes of Minnesota, their origin and classification: Minnesota Geological Survey Bulletin 35, figure 3, Glacial lakes, 1:6,800,000. SURFICIAL
399. Zumberge, James H., 1952, The Lakes of Minnesota, their origin and classification: Minnesota Geological Survey Bulletin 35, figure 48, Map of Minnesota showing major lake areas, 1:5,200,000. SURFICIAL

* INDICATES OUTLINE IS PLOTTED

311. Schulz, K.J., 1974, Differentiated mafic-ultramafic sills in the Archean Vermilion district, northeastern Minnesota: Master's thesis, University of Minnesota, 212 p., plate 1, Geologic map of a part of the Newton Lake Formation, 1:12,000. BEDROCK
312. Schwartz, G.M., 1925, A guidebook to Minnesota trunk highway no. 1: Minnesota Geological Survey Bulletin no. 20, Route map no. 1, Highway 1 through Freeborn and Steele Counties, 1:440,000; Route map no. 2, Highway 1 through Rice and Dakota Counties, 1:440,000; Route map no. 3, the Twin City region, 1:160,000; Route map no. 4, Highway 1 from St. Paul through Chisago County, 1:412,000; Route map no. 5, Highway 1 through Pine County, 1:380,000; Route map no. 6, Highway 1 through Carlton County, 1:350,000; Route map no. 7, The Duluth region, 1:160,000; Route map no. 8, Highway 1 along the North Shore...near Two Harbors, 1:160,000; Route map no. 9, Highway 1 along the North Shore...near Beaver Bay, 1:160,000; Route map no. 10, Highway 1 along the North Shore...near Little Marais and Tofte, 1:160,000; Route map no. 11, Highway 1 along the North Shore...near Luvsen and Grand Marais, 1:160,000; Route map no. 12, Highway 1 along the North Shore...near Grand Portage, 1:160,000; Route map no. 13, North end of the Gunflint Trail, 1:160,000. BEDROCK
313. Sharma, B., 1964, The vertical gradient of gravity in gravitational interpretation: Master's thesis, University of Minnesota, 225p, 1:160,000. GRAVITY
314. Sharp, Robert P., 1953, Shorelines of the Glacial Great Lakes in Cook County, Minnesota: American Journal of Science, v. 251, p. 109-139, fig. 4, Shoreline features in Good Harbor Bay area, 1:750,000. SURFICIAL
315. Sims, P.K., 1970, Geologic map of Minnesota - bedrock geology: Minnesota Geological Survey Miscellaneous Map M-14, 1:1,000,000. BEDROCK
- *316. Sims, P.K., 1973, Geologic map of western part of Vermilion district, northeastern Minnesota: Minnesota Geological Survey Miscellaneous Map M-13, 1:48,000. BEDROCK
- *317. Sims, Paul K., 1974, Reconnaissance geologic map of Biwabik N.W., quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-15, 1:24,000. BEDROCK
- *318. Sims, P.K., and Austin, G.S., 1963, Geologic interpretation of magnetic map of McLeod County, Minnesota: Minnesota Geological Survey Report of Investigations RI-1, plate 1, Magnetic map of McLeod County, approximately 1:78,700. BEDROCK, MAGNETIC
- *319. Sims, P.K., and Austin, G.S., 1963, Geologic interpretation of magnetic map of McLeod County, Minnesota: Minnesota Geological Survey Report of Investigations RI-1, plate 2, Magnetic map of the Hutchinson area, Minnesota, approximately 1:43,140. BEDROCK, MAGNETIC
- *320. Sims, P.K., Austin, G.S., and Ikola, R.J., 1965, Interpretation of Lake Washington magnetic anomaly, Meeker County, Minnesota: Minnesota Geological Survey Report of Investigations RI-4, Magnetic map of southeastern part of Meeker County, approximately 1:48,650. BEDROCK, MAGNETIC
- *321. Sims, P.K., Morey, G.B., Ojakangas, R.W., and Griffin, W.L., 1968, Preliminary geologic map of the Vermilion district and adjacent areas, northern Minnesota: Minnesota Geological Survey Miscellaneous Map M-5, 1:125,000. BEDROCK
- *322. Sims, P.K., Morey, G.B., Ojakangas, R.W., and Viswanathan, S., 1970, Geologic map of Minnesota: Hibbing sheet: Minnesota Geological Survey, 1:250,000. BEDROCK
- *323. Sims, P.K., and Mudrey, M.G., Jr., 1978, Geologic map of the Shagawa Lake quadrangle, St. Louis County, Minnesota: U.S. Geological Survey Geologic Quadrangle Map GQ-1423, 1:24,000. BEDROCK
- *324. Sims, P.K., and Ojakangas, R.W., 1973, Geologic map of Minnesota: Roseau sheet: Minnesota Geological Survey open-file map, 1:250,000. BEDROCK
- *325. Sims, P.K., and Viswanathan, S., 1974, Reconnaissance geologic map of the Britt quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-16, 1:24,000. BEDROCK
- *326. Sims, P.K., and Zeltz, I., 1967, Aeromagnetic and inferred Precambrian paleogeologic map of east-central Minnesota and part of Wisconsin: U.S. Geological Survey Geophysical Investigations Map GP-563, 1:250,000, text. MAGNETIC
327. Skillman, M.W., 1945, Some silicic intrusives of eastern central Minnesota: Master's thesis, University of Minnesota, 99p., plate 1, Surficial geology of a part of east-central Minnesota, 1:500,000; plate 2, Areal geology of a part of east-central Minnesota, 1:500,000. BEDROCK
328. Sloan, R.E., 1964, The Cretaceous system in Minnesota: Minnesota Geological Survey Report of Investigations RI-5, plate 1, Map showing approximate border of Cretaceous rocks, 1:2,000,000; plate 2, Map showing contour of the pre-Cretaceous unconformity in Minnesota, 1:2,000,000. BEDROCK
- *329. Sloan, R.E., and Austin, G.S., 1966, Geologic map of Minnesota: St. Paul sheet: Minnesota Geological Survey, 1:250,000. BEDROCK
- *330. Sloan, R.E., and Danes, Z.F., 1962, A geologic and gravity survey of the Belle Plaine area, Minnesota: Minnesota Academy of Science, Proceedings, v. 30, n.1, p.49-52, figures 3 and 4, gravity maps, 1:1,000,000. GRAVITY
331. Snider, H.I., 1962, Subsurface geology of the Mt. Simon - Precambrian contact in southeastern Minnesota: Master's thesis, University of Minnesota, 86 p., Structural maps of the Mt. Simon - Precambrian contact, approximately 1:507,000. BEDROCK
332. Soper, E.K., 1914, The buried rock surface and pre-glacial river valleys of Minneapolis and vicinity: Master's thesis University of Minnesota, 30 p., Topographic map of Minneapolis showing buried rock surface and pre-glacial river channels, approximately 1:14,500. BEDROCK
333. Soper, Edgar K., 1915, The buried rock surface and pre-glacial river valleys of Minneapolis and vicinity: Journal of Geology, v. 23, p. 444-460, fig. 1, topographic map, city of Minneapolis showing buried rock surface and pre-glacial river channels, 1:100,000. BEDROCK
334. Soper, Edgar K., 1919, The peat deposits of Minnesota: Minnesota Geological Survey Bulletin 16, plate II, The peat deposits of Beltrami County, Minnesota, 1:300,000. SURFICIAL
335. Soper, Edgar K., 1919, The peat deposits of Minnesota: Minnesota Geological Survey Bulletin 16, plate I, Peat deposits of the northern half of Minnesota, 1:1,000,000. SURFICIAL
336. Soper, Edgar K., 1919, The peat deposits of Minnesota: Minnesota Geological Survey Bulletin 16, plate 3, Peat deposits of Koochiching County, Minnesota, 1:250,000. SURFICIAL
337. Soper, Edgar K., 1919, The peat deposits of Minnesota: Minnesota Geological Survey Bulletin 16, plate 4, Map showing peat deposits of Itasca County, Minnesota, 1:300,000. SURFICIAL
338. Souris-Red-Rainy River Basins Commission, 1972, Souris-Red-Rainy River Basins comprehensive study, v. 2: Souris-Red-Rainy River Basins Commission, pl.6, Generalized map of glacial geology, Red River Basin, 1:1,200,000. SURFICIAL, HYDROLOGIC
- *339. Southwick, D.L., and Ojakangas, R.W., 1973, Geologic map of Minnesota (bedrock geology): International Falls sheet: Minnesota Geological Survey, open-file map, 1:250,000. BEDROCK
- *340. Stark, James R., 1974, Reconnaissance surficial geologic map of the Hoyt Lakes-Kawishi area, St. Louis and Lake Counties, Minnesota: Minnesota Geological Survey open-file map, 1:48,000. SURFICIAL
341. Stevenson, R.J., 1974, A mafic layered intrusion of Keweenaw age near Finland, Lake County, Minnesota: Master's thesis, University of Minnesota, 160 p., plate 1, Bedrock geologic map of the Sonju Lake intrusion and surrounding rock, 1:12,000. BEDROCK
342. Stone, John E., 1965, Reconnaissance map of the surficial geology of the Minneapolis-St. Paul area: Minnesota Geological Survey, open-file map, 1:254,000. SURFICIAL
- *343. Stone, John E., 1966, Surficial geology of the New Brighton quadrangle, Minnesota: Minnesota Geological Survey Geologic Map GM-2, fig. 2, Generalized map of the present surface morphology of the New Brighton quadrangle, 1:89,000. SURFICIAL
- *344. Stone, John E., 1970, Surficial geology of the Centerville quadrangle: Minnesota Geological Survey, unpublished map, 1:24,000. SURFICIAL
- *345. Taylor, Richard B., 1963, Bedrock geology of Duluth and vicinity, St. Louis County, Minnesota: Minnesota Geological Survey Geologic Map GM-1, 1:24,000. BEDROCK
346. Taylor, R. B., 1964, Geology of the Duluth Gabbro Complex near Duluth, Minnesota: Minnesota Geological Survey Bulletin 44, pl. 1, 1:24,000. BEDROCK
347. Thomas, John A., 1959, Geology of the Cloquet area, northeastern Minnesota: Master's thesis, University of Minnesota, fig. 8, Area relations of physiographic features of the Cloquet quadrangle, 1:270,000. BEDROCK, SURFICIAL
- *348. Thompson, Gerald, 1965, Hydrology of melt-water channels in southwest Minnesota: U.S. Geological Survey Water-Supply Paper 1809-K, pl. 3, Map of Marshall area, Minnesota, showing thickness of saturated coarse grained aquifer, 1:6,400. SURFICIAL, HYDROLOGIC
- *349. Tyler, S.R., 1956, Geology of the Hudson quadrangle: Master's thesis, University of Minnesota, 195 p., Bedrock geologic map of the Hudson quadrangle, 1:24,000. BEDROCK
350. Union Carbide, 1979, Hydrogeochemical and stream sediment reconnaissance basic data for St. Cloud NTMS Quadrangle, Minnesota: Union Carbide Report No. K/UR-118, plate 8, Generalized bedrock geologic map 1:250,000. BEDROCK, SURFICIAL
351. Union Carbide, 1979, Hydrogeochemical and stream sediment reconnaissance basic data for St. Cloud NTMS Quadrangle, Minnesota: Union Carbide Report No. K/UR-118, plate 9, Approximate glacial drift isopach map, 1:250,000. BEDROCK, SURFICIAL
352. Upham, W., 1900, Giants' Kettles eroded by Moulin Torrents: Geological Society of America Bulletin, v. 12, pl. 1, Map of St. Croix Interstate Park showing location of giants' Kettles, 1:3,000. SURFICIAL
353. U.S. Department of Agriculture, Soil Conservation Service, 1972, General soil map and geomorphic surfaces of Bois de Sioux-Mustinka River Basin of Minnesota: U.S. Department of Agriculture, Soil Conservation Service, sheet 1, Bois de Sioux-Mustinka River watershed, 1:250,000. SOIL ATLAS
- *354. U.S. Department of the Interior, U.S. Geological Survey, 1968, Aeromagnetic map of the Kabetogama Lake-Grassy Lake area, St. Louis County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-616, 1:250,000. MAGNETIC
- *355. U.S. Department of the Interior, U.S. Geological Survey, 1968, Aeromagnetic map of central Pine County, Minnesota and adjacent parts of Wisconsin: U.S. Geological Survey Geophysical Investigations Map GP-636, 1:62,500. MAGNETIC
- *356. U.S. Department of the Interior, U.S. Geological Survey, 1969, Aeromagnetic map of the McNair-Grand Portage area, northeastern Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-639, 1:125,000. MAGNETIC
- *357. U.S. Department of the Interior, U.S. Geological Survey, 1970, Aeromagnetic map of a part of western Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-692, 1:250,000. MAGNETIC
358. U.S. Department of the Interior, U.S. Geological Survey, 1976, Hydrologic unit map 1974, State of Minnesota: U.S. Geological Survey and U.S. Water Resources Council, 1:500,000. HYDROLOGIC
359. Van Hise, C.R., and Leith, C.K., 1911, The Geology of the Lake Superior Region: U.S. Geological Survey Monograph 52, pl. I, Geologic map of the Lake Superior Region, 1:1,000,000. BEDROCK
360. Van Hise, C.R., and Leith, C.K., 1911, The Geology of the Lake Superior Region: U.S. Geological Survey Monograph 52, pl. 8, 1:62,500. BEDROCK
361. Van Voast, W.A., 1971, Ground water for irrigation in the Brooten-Belgrade area, west-central Minnesota: U.S. Geological Survey Water-Supply Paper 1899-E, Hydrologic maps of the Brooten-Belgrade area, approximately 1:250,000. HYDROLOGIC
362. Van Voast, W.A., 1971, Ground water for irrigation near Lake Emily, Pope County, west-central Minnesota: U.S. Geological Survey Water-Supply Paper 1899-J, Hydrologic maps of the Lake Emily area, approximately 1:123,600. HYDROLOGIC

- *259. Moss, C.M., 1977, The surficial and environmental geology of the French River quadrangle, St. Louis County, Minnesota; Master's thesis, University of Minnesota, 69 p., plate 1, Quaternary geology, 1:24,000; plate 2, Surficial materials and economic geology, 1:24,000; plate 3, Depth to bedrock, 1:24,000. SURFICIAL
260. Mossler, John H., 1972, Subdrift topography of east-central Minnesota; Minnesota Geological Survey, unpublished map, 1:250,000. BEDROCK
- *261. Mossler, John H., 1973, Isopach map of unconsolidated materials, Roseau and Thief River Falls topographic sheets; Minnesota Geological Survey open-file map, 1:250,000. SURFICIAL
- *262. Mossler, John H., 1976, Surficial geology of south-central Minnesota; Minnesota Geological Survey unpublished map, 1:24,000. SURFICIAL
263. Mossler, John H., 1978, Results of subsurface investigations in northwestern Minnesota, 1972; Minnesota Geological Survey Report of Investigations RI-19, fig. 1, Generalized bedrock geologic map of northwestern Minnesota, 1:1,250,000. BEDROCK
- *264. Mudrey, M.G., 1977, Reconnaissance geology of the Pigeon Point quadrangle, Cook County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-36, 1:24,000. BEDROCK
265. Nathan, H.O., 1969, The geology of a portion of the Duluth complex, Cook County, Ph.D. thesis, University of Minnesota, 198 p., plate 1, Geologic map of the Duluth complex in the Gunflint quadrangle, 1:24,000; plate 2, Geologic map of the Duluth complex in the South Lake quadrangle, 1:24,000; plate 3, Geologic map of the Duluth complex in the Hungry Jack Lake quadrangle, 1:24,000. BEDROCK
266. Neuschel, S.K., 1969, Natural gamma aeroradioactivity map of the Minneapolis-St. Paul area, Minnesota-Wisconsin; U.S. Geological Survey Geophysical Investigations Map GP-658, 1:250,000. RADIOACTIVITY
- *267. Norvitch, R.F., 1962, Geology of the Vermilion end moraine, Nett Lake Indian Reservation, Minnesota; U.S. Geological Survey Professional Paper 450-D, fig. 158.1, Surficial geology of the Nett Lake Indian Reservation, 1:200,000. SURFICIAL
268. Norvitch, Ralph F., 1964, Geology and groundwater resources of Nobles and part of Jackson Counties, Minnesota; U.S. Geological Survey Water-Supply Paper 1749, pl. 1, Map of the Nobles-Jackson County area, Minnesota, 1:125,000. HYDROLOGIC
- *269. Norvitch, R.F., Schneider, Robert, and Godfrey, R. G., 1963, Geology and hydrology of the Elk River, Minnesota, nuclear-reactor site; U.S. Geological Survey Bulletin 1133-C, pl. 1, 1:24,000. HYDROLOGIC
270. Norvitch, R.F., and Walton, M.S., 1979, Geologic and hydrologic aspects of tunneling in the Twin Cities area, Minnesota; U.S. Geological Survey Miscellaneous Investigations Series 1-1157, pl. 2, Surficial geology, 1:24,000; pl. 3, Bedrock geology, 1:24,000. BEDROCK, SURFICIAL
271. Norvitch, R.F., and Walton, M.S., 1979, Geologic and hydrologic aspects of tunneling in the Twin Cities area, Minnesota; U.S. Geological Survey Miscellaneous Investigations Series 1-1157, pl. 7, Dewatering characteristics, 1:48,000. HYDROLOGIC
- *272. Novitzki, R.P., Van Voast, W.A., and Jerabek, L.A., 1969, Water resources of the Yellow Medicine River watershed, southwestern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-320, sheet 2, Sand and gravel deposits, 1:500,000. HYDROLOGIC
- *273. Oakes, Edward L., 1964, Bedrock topography of the eastern and central Mesabi Range, northeastern Minnesota; U.S. Geological Survey Miscellaneous Geological Investigations Map I-389, 1:24,000. BEDROCK
274. Oakes, Edward L., 1970, Geology and groundwater resources of the Grand Rapids area, north-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-322, sheet 1, Geology and groundwater occurrence, 1:48,000. HYDROLOGIC
- *275. Oakes, Edward L., and Bidwell, L.E., 1968, Water resources of the Mississippi Headwaters watershed, north-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-278 sheet 2, Surficial (Pleistocene) geology, 1:250,000. HYDROLOGIC
- *276. Djakangas, R.W., Meineke, D.G., and Listerud, W.H., 1977, Geology, sulfide mineralization and geochemistry of the Birchdale-Indus area, Koochiching County northwestern Minnesota; Minnesota Geological Survey Report of Investigations RI-17, pl. 1, Bedrock geologic map of the Birchdale-Indus area, Minnesota, 1:31,680. BEDROCK
- *277. Djakangas, R.W., and Sims, P.K., 1976, Geologic map of Lost Lake quadrangle, St. Louis County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-17, 1:24,000. BEDROCK
- *278. Djakangas, R.W., Sims, P.K., and Hooper, P.R., 1978, Geologic map of the Tower quadrangle, St. Louis County, Minnesota; U.S. Geological Survey Map GQ-1457, 1:24,000. BEDROCK
279. Diccott, P.G., Ericson, D.W., Felsheim, P.E., and Broussard, W.L., 1976, Water resources of the Lake Superior watershed, northeastern Minnesota; U.S. Geological Survey open-file Report 76-276, sheet 1, Geology and groundwater, 1:500,000. HYDROLOGIC
- *280. Diccott, P.G., Ericson, D.W., Felsheim, P.E., Broussard, W.L., 1978, Water resources of the Lake Superior watershed, northeastern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-582, sheet 1, geology and groundwater, 1:500,000. HYDROLOGIC
281. Parham, Walter E., and Hogberg, R.K., 1964, Kaolin clay resources of the Minnesota River valley, Brown, Redwood and Renville Counties, a preliminary report; Minnesota Geological Survey Report of Investigations RI-3, Map of sample locations and described sections, 1:62,500. BEDROCK
- *282. Payne, C.M., 1965, Bedrock geologic map, Minneapolis, St. Paul, and vicinity; Minnesota Geological Survey Miscellaneous Map M-1, 1:24,000. BEDROCK
283. Perry, E.C., Jr., Tan, F.C., and Morey, G.B., 1973, Geology and stable isotope geochemistry of the Biwabik iron formation, northern Minnesota; Economic Geology, volume 68, page 1110, figure 1, generalized geologic map of the Mesabi range, 1:1,000,000. BEDROCK
- *284. Philbin, P.W., and Gilbert, F.P., 1966, Aeromagnetic map of southeastern Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-559, 1:250,000. MAGNETIC
- *285. Philbin, P.W., and Gilbert, F.P., 1966, Aeromagnetic map of southwestern Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-560, 1:250,000. MAGNETIC
- *286. Phinney, W.C., 1967, Bedrock geologic map of the Kangas Bay quadrangle, St. Louis and Lake Counties, Minnesota; Minnesota Geological Survey open file map, 1:24,000. BEDROCK
287. Quan, D., 1979, State of Minnesota watershed boundaries; Minnesota Department of Natural Resources, 1:500,000. HYDROLOGIC
- *288. Quaschnick, R.K., 1959, The geology of the Marine quadrangle and the Falls Creek area; Master's thesis, University of Minnesota, 89 p., Geologic map of the Marine quadrangle, 1:24,000; Outcrop map of the Falls Creek area, approximately 1:4,750. BEDROCK
289. Reeder, H.O., 1972, Availability of ground water for irrigation in the Perham area, Otter Tail County, Minnesota; U.S. Geological Survey Water-Supply Paper 2003, Hydrologic maps of the Perham area, 1:125,000. HYDROLOGIC
- *290. Reid, David F., 1974, The quaternary geology of the Lake Johanna region, west-central Minnesota; Master's thesis, University of Minnesota, fig. 22, Distribution of eskers in the Lake Johanna quadrangle, 1:24,000. SURFICIAL
- *291. Reid, David F., 1974, The quaternary geology of the Lake Johanna region, west-central Minnesota; Master's thesis, University of Minnesota, pl. 1, Areal geology of the Lake Johanna region, Minnesota, 1:125,000. SURFICIAL
292. Ripley, E.M., 1973, The ore petrology and structural geology of the lower Precambrian Deer Lake complex, Effie, Itasca County, Minnesota; Master's thesis, University of Minnesota, 143 p., Bedrock geologic and ground magnetic maps of a portion of the Deer Lake complex, 1:4,800. BEDROCK, MAGNETIC
293. Ripley, E.M., 1978, Sulfide minerals in the layered sills of the Deer Lake Complex, Itasca County, Minnesota; Minnesota Geological Survey Report of Investigations RI-208, figure 2, Geologic map of part of the Deer Lake Complex, 1:40,000. BEDROCK
294. Rodis, H.G., 1961, Availability of ground-water, Lyon County, Minnesota; U.S. Geological Survey Circular 444, 1:300,000. HYDROLOGIC
295. Rodis, H.G., and Schneider, R., 1960, Occurrence of ground waters of low hardness and of high chloride content in Lyon County, Minnesota; U.S. Geological Survey circular 423, 1:125,000. HYDROLOGIC
- *296. Ropes, L.H., Brown, R.F., and Wheat, D.E., 1969, Reconnaissance of the Red Lake River, Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-299, sheet 1, Surficial geologic map, 1:250,000. HYDROLOGIC
297. Ruhe, Robert V., and Gould, L.M., 1954, Glacial geology of the Dakota County area, Minnesota; Minnesota Geological Society of America Bulletin, v. 65, p. 769-792, pl. 1, Glacial drifts of the Dakota County area, Minnesota; pl. 2, Outwash terraces of the Dakota County area, Minnesota, 1:400,000. SURFICIAL
298. Ruhe, Robert V., and Gould, L.M., 1954, Glacial geology of the Dakota County area, Minnesota; Minnesota Geological Society of America Bulletin, v. 65, p. 769-792, fig. 3, Drift distribution in southeastern Minnesota, 1:2,000,000. SURFICIAL
- *299. Sackreiter, Donald K., 1975, Quaternary geology of the southern part of the Grand Forks-Bemidji quadrangles; Ph.D. dissertation, University of North Dakota, pl. 1, Surficial sediments of the southern part of the Grand Forks and Bemidji quadrangles, 1:250,000. SURFICIAL
300. Sanders, C.W., 1926, The composite stock of Snowbank Lake in northeastern Minnesota; Master's thesis, University of Minnesota, 62 p., plate 3, Bedrock geologic map of the Snowbank Lake area, 1:31,250; figure 1, Geologic map of Snowbank Lake and vicinity, 1:62,500. BEDROCK
- *301. Sansome, C.J., 1972, Minnesota geology: A laboratory and field manual for a first course in geology with an elaboration on the Ordovician stratigraphy of Sogn quadrangle, Goodhue County; Master's thesis, University of Minnesota, 288 p., Bedrock geologic map of the Sogn quadrangle, 1:24,000. BEDROCK
- *302. Schiner, George R., and Schneider, R., 1964, Geology and groundwater conditions of the Redwood Falls area, Redwood County, Minnesota; U.S. Geological Survey Water-Supply Paper 1669-R, pl. 2, Map of Redwood Falls area, Redwood County, Minnesota, showing surficial geology and Precambrian basement rock, 1:34,000. HYDROLOGIC
303. Schmidt, R.G., 1958, Bedrock geology of the southwestern part of the North Range, Cuyuna district, Minnesota; U.S. Geological Survey Mineral Investigations Field Studies Map MF-181, 1:7,200. BEDROCK
- *304. Schmidt, R.G., 1959, Bedrock geology of the northern and eastern parts of the North Range, Cuyuna district, Minnesota; U.S. Geological Survey Mineral Investigations Field Studies Map MF-182, 1:7,200. BEDROCK
305. Schmidt, R.G., 1963, Geology and ore deposits of the Cuyuna North range, Minnesota; U.S. Geological Survey Professional Paper 407, pl. 2, 1:31,680. BEDROCK
306. Schmidt, R.G., and Dutton, C.E., 1957, Bedrock geology of the south-central part of the North Range, Cuyuna district, Minnesota; U.S. Geological Survey Mineral Investigations Field Studies Map MF-99, 1:7,200. BEDROCK
307. Schneider, Allan F., 1956, Pleistocene geology of central Minnesota; In: Schwartz, G.M., and Wright, H.E., eds., Field trip no. 3, Glacial geology of eastern Minnesota; Geological Society of America, Annual Meeting, Minneapolis, 1956, fig. 4, End moraines and drumlins of central Minnesota, 1:1,000,000. SURFICIAL
308. Schneider, A.F., 1957, Pleistocene geology of part of central Minnesota; Ph.D. thesis, University of Minnesota, 216 p., Map of the Pleistocene geology of the Randall region, 1:62,500. SURFICIAL
- *309. Schneider, Allan F., 1961, Pleistocene geology of the Randall region, central Minnesota; Minnesota Geological Survey Bulletin 40, pl. 1, The Pleistocene geology of the Randall region, Minnesota, 1:62,500. SURFICIAL
- *310. Schneider, Robert, and Rodis, H.G., 1959, Aquifers in melt-water channels along the southwest flank of the Des Moines lobe, Lyon County, Minnesota; U.S. Geological Survey Water-Supply Paper 1539-F, fig. 3, Map of Lyon County showing drainage pattern and surficial glacial deposits, 1:316,800. HYDROLOGIC

- *207. McGinnis, L.O., Carlson, D.R., Pederson, R., and Schafersman, J.S., 1977, Simple Bouguer gravity map of Minnesota; Stillwater sheet; Minnesota Geological Survey Miscellaneous Map M-35, 1:250,000. GRAVITY
- *208. McGinnis, L.O., Durfee, G., and Ikola, R.J., 1973, Simple Bouguer gravity map of Minnesota; Roseau sheet; Minnesota Geological Survey Miscellaneous Map M-12, 1:250,000. GRAVITY
- *209. McGinnis, L.O., Jackson, J.K., and Ervin, C.P., 1978, Simple Bouguer gravity map of Minnesota; Brainerd sheet; Minnesota Geological Survey Miscellaneous Map M-40, 1:250,000. GRAVITY
- *210. McGinnis, L.O., Steffy, D.A., and Ervin, C.P., 1978, Simple Bouguer gravity map of Minnesota; Bemidji sheet; Minnesota Geological Survey Miscellaneous Map M-41, 1:250,000. GRAVITY
- *211. Melchior, Robert, 1977, Field trip guide to the glacial geology of the Bemidji region; Bemidji State University, pl. 1, Glacial features of the Bemidji area, 1:63,000. SURFICIAL
- *212. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of northern Lake of the Woods and northeastern Roseau Counties, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-128, 1:63,360. MAGNETIC
- *213. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of northern Beltrami and southern Lake of the Woods Counties, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-129, 1:63,360. MAGNETIC
- *214. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of north-central Beltrami and northeastern Clearwater Counties, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-130, 1:63,360. MAGNETIC
- *215. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of northwestern Koochiching County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-131, 1:63,360. MAGNETIC
- *216. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of southwestern Koochiching County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-132, 1:63,360. MAGNETIC
- *217. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of northeastern Koochiching County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-133, 1:63,360. MAGNETIC
- *218. Meuschke, J.L., Books, K.G., Henderson, J.R., Jr., and Schwartz, G.M., 1957, Aeromagnetic and geologic map of southwestern Koochiching County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-134, 1:63,360. MAGNETIC
- *219. Meuschke, J.L., and Henderson, J.R., Jr., 1952, Total intensity aeromagnetic and geologic map of part of southeastern St. Louis County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-91, 1:63,360. MAGNETIC
- *220. Meuschke, J.L., and Henderson, J.R., Jr., 1952, Total intensity aeromagnetic and geologic map of east-central St. Louis County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-92, 1:63,360. MAGNETIC
- *221. Meuschke, J.L., and Henderson, J.R., Jr., 1952, Total intensity aeromagnetic and geologic map of part of northeastern St. Louis County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-93, 1:63,360. MAGNETIC
- *222. Meuschke, J.L., and Henderson, J.R., Jr., 1952, Total intensity aeromagnetic and geologic map of part of southwestern St. Louis County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-94, 1:63,360. MAGNETIC
- *223. Meuschke, J.L., and Henderson, J.R., Jr., 1952, Total intensity aeromagnetic and geologic map of west-central St. Louis County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-95, 1:63,360. MAGNETIC
- *224. Meuschke, J.L., and Henderson, J.R., Jr., 1952, Total intensity aeromagnetic and geologic map of part of northwestern St. Louis County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-96, 1:63,360. MAGNETIC
- *225. Meuschke, J.L., and Henderson, J.R., Jr., 1953, Total intensity aeromagnetic and geologic map of northeastern Itasca and southeastern Koochiching Counties, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-97, 1:63,360. MAGNETIC
- *226. Meuschke, J.L., and Henderson, J.R., Jr., 1953, Total intensity aeromagnetic and geologic map of east-central Itasca County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-98, 1:63,360. MAGNETIC
- *227. Meuschke, J.L., and Henderson, J.R., Jr., 1953, Total intensity aeromagnetic and geologic map of southeastern Itasca County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-99, 1:63,360. MAGNETIC
- *228. Meuschke, J.L., and Henderson, J.R., Jr., 1953, Total intensity aeromagnetic and geologic map of northern Itkin County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-100, 1:63,360. MAGNETIC
- *229. Meuschke, J.L., and Henderson, J.R., Jr., 1953, Total intensity aeromagnetic and geologic map of southern Itkin County and northern Mille Lacs County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-101, 1:63,360. MAGNETIC
- *230. Meuschke, J.L., and Henderson, J.R., Jr., 1953, Total intensity aeromagnetic and geologic map of parts of Kanabec, Mille Lacs, and Pine Counties, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-102, 1:63,360. MAGNETIC
- *231. Meuschke, J.L., Tyson, N.S., et al., 1963, Aeromagnetic map of the northern part of Lake County, Minnesota; U.S. Geological Survey Geophysical Investigations Map GP-360, 1:63,360. MAGNETIC
232. Miller, T.P., 1961, A study of the Sioux formation of the New Ulm area; Master's thesis, University of Minnesota, 75 p., plate 2, Outcrop map of New Ulm area, approximately 1:5,000. BEDROCK
- *233. Minnesota, University of, Soil Science Department, 1969, Minnesota Soil Atlas, Brainerd sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, Miscellaneous Report 90-1969, 1:250,000. SOIL ATLAS
- *234. Minnesota, University of, Soil Science Department, 1971, Minnesota Soil Atlas, Hibbing sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, Miscellaneous Report 110-1971, 1:250,000. SOIL ATLAS
- *235. Minnesota, University of, Soil Science Department, 1973, Minnesota Soil Atlas, St. Paul sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, Miscellaneous Report 120-1973, 1:250,000. SOIL ATLAS
236. Minnesota, University of, Soil Science Department, 1975, Geomorphic regions map of Minnesota; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, unpublished map, 1:500,000. SURFICIAL
- *237. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, Bemidji sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
- *238. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, Duluth sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
- *239. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, International Falls sheet, Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
- *240. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, New Ulm sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
- *241. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, Roseau sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
- *242. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, St. Cloud sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
- *243. Minnesota, University of, Soil Science Department, unpublished, Minnesota Soil Atlas, Two Harbors sheet; Soil Science Department, Agriculture Experimental Station, University of Minnesota, St. Paul, 1:125,000. SOIL ATLAS
244. Morey, G.B., 1965, The sedimentology of the Precambrian Rove formation in north-eastern Minnesota; Ph.D. thesis, University of Minnesota, plate 1, Geology of a part of Cook County, Minnesota, approximately 1:184,320. BEDROCK
245. Morey, G.B., 1967, Stratigraphy and petrology of the type Fond du Lac Formation, Duluth, Minnesota; Minnesota Geological Survey Report of Investigations RI-7, pl. 1, 1:22,000. BEDROCK
246. Morey, G.B., 1974, Cyclic sedimentation of the Solor Church formation, southeastern Minnesota; Minnesota Geological Survey Reprint no. 30, from Journal of Sedimentary Petrology, v. 44, pp. 872-884, fig. 1, Generalized bedrock geologic map of east-central Minnesota and the inferred sub-Paleozoic rocks in southeastern Minnesota, 1:1,689,000. BEDROCK
- *247. Morey, G.B., 1975, Geologic map of Minnesota; Duluth sheet; Minnesota Geological Survey open-file map, 1:250,000. BEDROCK
248. Morey, G.B., 1976, Geologic map of Minnesota; Bedrock geology; Minnesota Geological Survey Miscellaneous Map M-24, 1:3,168,000. BEDROCK
249. Morey, G.B., 1977, Revised Keweenaw subsurface stratigraphy, southeastern Minnesota; Minnesota Geological Survey Report of Investigations RI-16, fig. 2, Pre-Paleozoic geologic map of the southern part of the Hudson-Afton horst, 1:380,000. BEDROCK
250. Morey, G.B., 1977, Geology and Mineral Resources of East-Central Minnesota -- some new perspectives; Minnesota Geological Survey Reprint Series RP-37, reprinted from the Proceedings 38th Annual Mining Symposium, University of Minnesota, January 13-14, 1977, figure 1, Generalized bedrock geologic map of east-central Minnesota, 1:900,000. BEDROCK
251. Morey, G.B., 1977, Geology and Mineral resources of east-central Minnesota -- some new perspectives; Minnesota Geological Survey Reprint Series RP-37, reprinted from the Proceedings 38th Annual Mining Symposium, University of Minnesota, January 13-14, 1977, figure 6, Generalized geologic map showing the location of identified, hypothetical, and speculative mineral resources in east-central Minnesota, 1:1,250,000. BEDROCK
252. Morey, G.B., 1978, Lower and Middle Precambrian stratigraphic nomenclature for east-central Minnesota; Minnesota Geological Survey Report of Investigations RI-21, plate 1, Generalized bedrock geologic map of east-central Minnesota, 1:500,000. BEDROCK
253. Morey, G.B., Green, J.C., Ojakangas, R.W., and Sims, P.K., 1970, Stratigraphy of the Lower Precambrian rocks in the Vermilion district, northeastern Minnesota; Minnesota Geological Survey Report of Investigations RI-14, pl. 2, 1:250,000. BEDROCK
- *254. Morey, G.B., Green, J.C., Ojakangas, R.W., and Sims, P.K., 1970, Stratigraphy of the lower Precambrian rocks in the Vermilion district, northeastern Minnesota; Minnesota Geological Survey Report of Investigations RI-14, pl. 3, 1:125,000. BEDROCK
- *255. Morey, G.B., and Nathan, H.D., 1977, Reconnaissance geologic map of South Lake quadrangle, Cook County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-38, 1:24,000. BEDROCK
- *256. Morey, G.B., and Nathan, H.D., 1978, Geologic map of the Gunflint Lake quadrangle, Cook County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-42, 1:24,000. BEDROCK
- *257. Morey, G.B., and Olsen, B.M., 1975, Geology of the Stillwater sheet; Minnesota Geological Survey, open-file map, 1:250,000. BEDROCK
- *258. Morey, G.B., Welblen, P.W., Papike, J.J., Anderson, D.H., 1969, Bedrock geologic map of the Long Island Lake quadrangle, Cook County, Minnesota; Minnesota Geological Survey open file map, 1:24,000. BEDROCK


- *158. Ikola, R.J., 1968, Simple Bouguer gravity map of southern part of the Duluth Complex and adjacent areas, Minnesota; Minnesota Geological Survey Miscellaneous Map M-4, 1:125,000. GRAVITY
- *159. Ikola, R.J., 1969, Preliminary Bouguer gravity map, New UIm sheet, Minnesota; Minnesota Geological Survey open-file Map, 1:250,000. GRAVITY
- *160. Ikola, R.J., 1970, Simple Bouguer gravity map of Minnesota; Two Harbors sheet; Minnesota Geological Survey Miscellaneous Map M-9, 1:250,000. GRAVITY
161. Irving, R.D., 1883, The copper-bearing rocks of Lake Superior; U.S. Geological Survey Monograph 5, pl. I, Geologic map of the Lake Superior Basin, 1:2,000,000. BEDROCK
- *162. Jones, J.R., Akin, P.O., and Schneider, R., 1963, Geology and groundwater conditions in the southern part of Camp Ripley Military Reservation, Morrison County, Minnesota; U.S. Geological Survey Water-Supply Paper 1669-A, pl. 1, Surficial deposits in the southern part of the Camp Ripley Military Reservation, Minnesota, 1:24,000. HYDROLOGIC
163. Kanivetsky, R., 1978, Hydrogeologic map of Minnesota, Bedrock hydrogeology; Minnesota Geological Survey State Map Series, Map S-2, 1:500,000. BEDROCK, HYDROLOGIC
164. Kanivetsky, R., 1979, Hydrogeologic map of Minnesota, Quaternary hydrogeology; Minnesota Geological Survey State Map Series, Map S-3, 1:500,000. SURFICIAL, HYDROLOGIC
165. Kendall, H.F., 1928, The Keweenaw diabase intrusives of northeastern Minnesota; Master's thesis, University of Minnesota, 48 p., Geologic map of the Rove State area, Minnesota, 1:31,680. BEDROCK
- *166. Kilburg, J.A., and Morey, G.B., 1974, Reconnaissance geologic map of the Esko quadrangle, St. Louis and Carlton Counties, Minnesota; Minnesota Geological Survey Miscellaneous Map M-25, 1:24,000. BEDROCK
167. King, E.R., Zletz, Isidore, 1971, Aeromagnetic study of the midcontinent Gravity high of the central United States; Geological Society of America Bulletin, v. 82 no. 8, p. 2187-2208, fig. 2, composite aeromagnetic map, 1:1,500,000. MAGNETIC
- *168. Kirby, J.R., and Petty, A.J., 1966, Regional aeromagnetic map of western Lake Superior and adjacent parts of Minnesota, Michigan and Wisconsin; U.S. Geological Survey Geophysical Investigations Map GP-556, 1:250,000. MAGNETIC
169. Kirwin, P.H., 1963, Subsurface stratigraphy of the upper Keweenaw redbeds in southeastern Minnesota; Master's thesis, University of Minnesota, 81 p., Basement structural contour maps of southeastern Minnesota, approximately 1:497,000. BEDROCK
- *170. Kohls, D.W., 1958, Geology of the Prescott quadrangle; Master's thesis, University of Minnesota, 138 p., Surficial geologic and bedrock outcrop maps, 1:24,000. BEDROCK, SURFICIAL
- *171. Krenz, K.A., and Ervin, C.P., 1977, Simple Bouguer gravity map of Minnesota; Duluth sheet; Minnesota Geological Survey Miscellaneous Map M-37, 1:250,000. GRAVITY
172. Leverett, Frank, 1915, Surface formations and agricultural conditions in northwestern Minnesota; Minnesota Geological Survey Bulletin 12, sheet 1, Map of the surface formations of Minnesota (northwest quarter of state -- published in 1914), 1:500,000. SURFICIAL
173. Leverett, Frank, 1929, Moraines and shorelines of the Lake Superior region; U.S. Geological Survey Professional Paper 154-A, pl. 1, Map of the surficial deposits of the Lake Superior region; pl. 2, Map showing areas formerly covered by glacial lakes of northern Minnesota, northern Wisconsin, and the northern peninsula of Michigan, 1:1,000,000. SURFICIAL
174. Leverett, Frank, 1932, Quaternary geology of Minnesota and parts of adjacent states; U.S. Geological Survey Professional Paper 161, pl. 1, Map of the northern part of Minnesota showing surficial deposits; pl. 2, Map of southern part of Minnesota showing surficial deposits, 1:500,000. SURFICIAL
175. Leverett, Frank, and Sardeson, F.W., 1917, Surface formations and agricultural conditions of Minnesota; Minnesota Geological Survey Bulletin 13, sheet 2, Map of surface formations of Minnesota (northeastern quarter of state), 1:500,000. SURFICIAL
176. Leverett, Frank, and Sardeson, F.W., 1919, Surface formations and agricultural conditions of the south half of Minnesota; Minnesota Geological Survey Bulletin 14, sheet 3, Surface formations of Minnesota (southern half of state), 1:500,000. SURFICIAL
177. Liesch, B.A., and Norvitch, R.F., 1961, Map of the Chisholm-Dewey Lake area, Minnesota, showing surficial geology and contours of the piezometric surface; U.S. Geological Survey open-file map, 1:24,000. SURFICIAL
178. Lindholm, Gerald F., 1968, Geology and water resources of the Hibbing area, northeastern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-280, sheet 2, Groundwater, 1:250,000. HYDROLOGIC
179. Lindholm, G. F., 1970, An appraisal of ground water for irrigation in the Wadena area, central Minnesota; U.S. Geological Survey Water - Supply Paper 1983, Hydrologic maps of the Wadena area, 1:63,360. HYDROLOGIC
- *180. Lindholm, G.F., Ericson, D.W., Broussard, W.L., and Hult, M.F., 1979, Water resources of the St. Louis River watershed, northeastern Minnesota; U.S. Geological Survey Hydrologic Investigations Atlas HA-586, sheet 2, Groundwater and geology, 1:500,000. HYDROLOGIC
- *181. Lindholm, Gerald F., Farrell, D.F., and Helgesen, J.O., 1974, Water resources of the Crow River watershed, south-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-528, sheet 2, Glacial drift, 1:500,000. HYDROLOGIC
- *182. Lindholm, Gerald F., Helgesen, J.O., Broussard, W.L., and Ericson, D.W., 1974, Water resources of the Snake River watershed, east-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-488, sheet 2, Surficial geology, 1:250,000. HYDROLOGIC
- *183. Lindholm, G.F., Helgesen, J.O., and Ericson, D.W., 1974, Water resources of the Big Fork River watershed, north-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-549, sheet 1, Groundwater, 1:500,000. HYDROLOGIC
- *184. Lindholm, Gerald F., Helgesen, J.O., Broussard, W.L., and Farrell, D.F., 1974, Water resources of the Lower St. Croix River watershed, east-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-490, sheet 2, Glacial deposits, 1:250,000. HYDROLOGIC
- *185. Lindholm, Gerald F., Helgesen, J.O., and Mossler, J.H., 1972, Bedrock topography of east-central Minnesota; Minnesota Geological Survey open-file map, 1:250,000. BEDROCK
- *186. Lindholm, G.F., Oakes, E.L., Ericson, D.W., and Helgesen, J.O., 1972, Water resources of the Crow Wing River watershed, central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-380, sheet 2, Groundwater, 1:250,000. HYDROLOGIC
187. Listerud, W.H., 1974, Geology of a sulfide deposit in lower Precambrian meta-volcanic - metasedimentary rocks near Birchdale, Koochiching County, Minnesota; Master's thesis, University of Minnesota, 108 p., figure 4, Outcrop map of Birchdale area, 1:6,000. BEDROCK
188. Lucia, F.J., 1954, Igneous geology of the Enger Tower area, Duluth, Minnesota; Master's thesis, University of Minnesota, 31 p., Geologic map of the Enger Tower area, approximately 1:7,100. BEDROCK
- *189. Lund, E.H., 1956, Igneous and metamorphic rocks of the Minnesota River valley; Geological Society of America Bulletin, v. 67, no. 11, pps. 1475-1490, plates 1, 2 and 3, 1:24,000. BEDROCK
- *190. Maclay, Robert W., 1966, Reconnaissance of the geology and groundwater resources in the Aurora area, St. Louis County, Minnesota; U.S. Geological Survey Water-Supply Paper 1809-U, pl. 1, Geology and groundwater occurrence near Aurora, St. Louis County, Minnesota, 1:48,000. SURFICIAL, HYDROLOGIC
- *191. Maclay, Robert W., Bidwell, L.E., and Winter, T.C., 1969, Water resources of the Buffalo River watershed, west-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-307 sheet 1, Physical setting, 1:250,000. HYDROLOGIC
192. Maclay, Robert W., and Schiner, G.W., 1962, Aquifers in buried shore and glaciofluvial deposits along the Gladstone Beach of Glacial Lake Agassiz near Stephen, Minnesota; IN: Short Papers in geology, hydrology, and topography, articles 120-179, Geological Survey research; U.S. Geological Survey Professional Paper 450-D, article 170, p. 170-172, fig. 170.1, Map of northwestern Minnesota showing areas of groundwater investigations and trends of several beaches of Glacial Lake Agassiz, 1:500,000. SURFICIAL, HYDROLOGIC
193. Maclay, Robert W., Winter, T.C., and Bidwell, L.E., 1972, Water resources of the Red River of the North Drainage Basin in Minnesota; U.S. Geological Survey Water Resources Investigations 1-72, fig. 5, Glacial deposits, fig. 14, Thickness of glacial drift, 1:2,000,000. SURFICIAL, HYDROLOGIC
- *194. Maclay, R.W., Winter, T.C., Bidwell, L.E., 1968, Water resources of the Mustinka-Bois de Sioux Rivers watershed west-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-272, sheet 3, Geology and groundwater, 1:500,000. HYDROLOGIC
- *195. Maclay, Robert W., Winter, T.C., and Pike, G.M., 1965, Water resources of the Middle River watershed, northwestern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-201 sheet 1, Groundwater, 1:250,000. HYDROLOGIC
- *196. Maclay, Robert W., Winter, T.C., and Pike, G.M., 1967, Water resources of the Two Rivers watershed, northwestern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-237 sheet 1, Physical setting and water budget, 1:250,000. HYDROLOGIC
197. Maiterer, Thomas, Farnham, R.S., and Grigal, D., 1976, General map of peat deposits of Minnesota; Soil Science Department, University of Minnesota, circulated but unpublished, 1:500,000. SURFICIAL
198. Marmaduke, R.C., 1941, The geology of the Grand Marais Township; Master's thesis, University of Minnesota, 30 p., plate 3, Bedrock geologic map of the Grand Marais Township, 1:15,840. BEDROCK
- *199. Matsch, Charles L., 1962, Pleistocene geology of the St. Paul Park and Prescott quadrangles, southeastern Minnesota; Master's thesis, University of Minnesota, 49 p., Bedrock geologic maps, 1:24,000. BEDROCK
200. Matsch, Charles L., 1971, Pleistocene stratigraphy of the New UIm region, southwestern Minnesota; Ph.D. dissertation, University of Minnesota, fig. 3, Glacial map of southern Minnesota and adjacent South Dakota moraines selected and modified from Leverett, 1:2,800,000. SURFICIAL
201. Matsch, Charles L., 1972, Quaternary geology of southwestern Minnesota, IN: P.K. Sims and G.B. Morey, eds., The Geology of Minnesota; A centennial volume; Minnesota Geological Survey, fig. VII-23, Areal geology of southwestern Minnesota, 1:2,500,000. SURFICIAL
202. Matsch, Charles L., Rufford, R.H., and Tipton, M.J., 1972, Quaternary geology of northeastern South Dakota and southwestern Minnesota; IN: Field trip guidebook for geomorphology and Quaternary stratigraphy of western Minnesota and eastern South Dakota; Minnesota Geological Survey Guidebook Series no. 7, fig. 2, Generalized configuration of the top of the bedrock of northeastern South Dakota and southwestern Minnesota, 1:500,000. SURFICIAL
203. Matsch, Charles L., Rufford, R.H., and Tipton, M.J., 1972, Quaternary geology of northeastern South Dakota and southwestern Minnesota; IN: Field trip guidebook for geomorphology and Quaternary stratigraphy of western Minnesota and eastern South Dakota; Minnesota Geological Survey Guidebook Series no. 7, fig. 3, Glacial lobes and moraines of eastern South Dakota, southern Minnesota, and northern Iowa, 1:250,000. SURFICIAL
204. Mattson, L.A., 1959, Structure and stratigraphy of the Thomson formation, Carlton-Thomson area, Carlton County, Minnesota; Master's thesis, University of Minnesota, Geologic map of the Carlton-Thomson area, Carlton County, Minnesota, 1:12,000. BEDROCK
- *205. Mattson, L.A., Thomas, J.A., and Wright, H.E., Jr., 1970, Geologic map of Cloquet quadrangle, Carlton County, Minnesota; Minnesota Geological Survey Geological Map GM-3, pl. 1, 1:24,000. BEDROCK
- *206. Mathez, E.A., Nathan, H.O., and Morey, G.B., 1977, Reconnaissance geology of the Hungry Jack Lake quadrangle, Cook County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-39, 1:24,000. BEDROCK

104. Eng, Morris, 1960, Aerial interpretation of the sand and gravel and other surficial deposits of northern Itasca, 1:62,500, 1967; Dakota, 1:125,000, 1965; Clay, 1:62,500, 1965; Freeborn, 1:62,500, 1964; part of Mower, 1:62,500, 1964; western Yellow Medicine, 1:62,500, 1963; Lyon, 1:62,500, 1963; Redwood, 1:62,500, 1963; southern Brown, 1:62,500, 1963; part of Becker, 1:62,500, 1961; and Pipestone, 1:62,500, 1960, Counties, Minnesota; Minnesota Department of Highways, unpublished maps. SURFICIAL
105. Eng, Morris, 1963, Drainage of the Brainerd and Pierz lobes from Pillager-Swanville as interpreted from aerial photographs; Minnesota Department of Highways, unpublished map, 1:62,500. HYDROLOGIC
- *106. Ericson, D.W., Lindholm, G.F., and Helgesen, J.O., 1974, Water resources of the Rum River watershed, east-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-509, sheet 2, Surficial deposits, 1:250,000. HYDROLOGIC
- *107. Ericson, D.W., Lindholm, G.F., and Helgesen, J.O., 1976, Water resources of the Rainy Lake watershed, northeastern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-556, sheet 1, Groundwater, 1:500,000. HYDROLOGIC
108. Ervin, C.P., and Mudrey, M.G., Jr., 1976, Extension of a northern Minnesota lamprophyre province by geophysical studies; Journal of Geophysical Research, v.81, n.26, p.4917-4922, fig.2, Bouguer anomaly, fig.4, total intensity anomaly, 1:150,000. GRAVITY, MAGNETIC
109. Farnham, R.S., 1956, Geology of the Anoka Sand Plain; Schwartz, G.M., and Wright, H.E., eds., Field trip no. 3, Glacial geology of eastern Minnesota; Geological Society of America Guidebook Series, Fig. 1, Anoka sand plain, 1:700,000. SURFICIAL
110. Farnham, R.S., 1964, A late-Wisconsin buried soil near Aitkin, Minnesota, and its paleo-botanical setting; American Journal of Science, v. 262, fig. 1, Map of part of northeastern Minnesota showing location of main Aitkin site, 1:3,000,000. SURFICIAL
- *111. Farrell, D.F., Broussard, W.L., Anderson, H.W., and Hult, M.F., 1975, Water resources of the Cedar River watershed, southeastern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-552, sheet 3, Surficial deposits, 1:500,000. HYDROLOGIC
- *112. Feirn, W.C., 1977, The geology of the early Precambrian rocks of the Jasper Lake area, Cook County, northeastern Minnesota; Master's thesis, University of Minnesota, 146 p., Bedrock geologic map of the Jasper Lake area, 1:3,765. BEDROCK
- *113. Fogelson, D.E., 1956, A gravity survey of a portion of the Redwood Falls area, Minnesota; Master's thesis, University of Minnesota, pl.1, Bouguer anomaly map, 1:63,360. GRAVITY
114. Foose, M.P., and Cooper, R.W., 1978, Preliminary geologic report on the Harris Lake area, northeastern Minnesota; U.S. Geological Survey open file Report 78-385, 24 p., Map, 1:12,000. BEDROCK
115. Frey, M.G., 1937, Geology of the Red Wing District; Master's thesis, University of Minnesota, 33 p., Geologic map of the Red Wing region, 1:12,672. BEDROCK
- *116. Gelineau, W.J., 1959, Pleistocene geology of the Inver Grove and St. Paul SW quadrangles, Minnesota; Master's thesis, University of Minnesota, 77 p., Pleistocene geologic map of the Inver Grove and St. Paul SW quadrangles, 1:24,000. SURFICIAL
117. Gladen, L.W., 1978, Geology of lower Precambrian rocks and associated sulfide mineralization in an area south of Indus, Koochiching County, northern Minnesota; Master's thesis, University of Minnesota, 111 p., plate 1, Bedrock geologic map of an area south of Indus, 1:12,000. BEDROCK
118. Green, John C., 1970, Reconnaissance geologic map of Ely 7 1/2 minute quadrangle, St. Louis and Lake Counties, Minnesota; Minnesota Geological Survey, open-file map, 1:24,000. BEDROCK
119. Green, John C., 1972, Bedrock geologic map of Lake and parts of St. Louis Counties, Minnesota; Minnesota Geological Survey, unpublished map, 1:250,000. BEDROCK
- *120. Green, J.C., Jirsa, M.A., and Moss, C.M., 1977, Environmental geology of the North Shore; Minnesota Geological Survey Miscellaneous publication, Bedrock geologic, surficial geologic and economic geologic maps, approximately 1:72,000. BEDROCK, SURFICIAL
- *121. Green, John C., Phinney, W.C., and Weiblen, P.W., 1966, Geologic map of the Gabbro Lake quadrangle, Lake County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-2, 1:31,680. BEDROCK
- *122. Green, John C., Schulz, Klaus J., 1974, Bedrock geologic map of the Ely quadrangle, St. Louis and Lake Counties, Minnesota; Minnesota Geological Survey open file map, 1:24,000. BEDROCK
123. Griffin, W.L., 1967, Geology of the Babbitt - Embarrass area, St. Louis County, Minnesota; Ph.D. thesis, University of Minnesota, 253 p., Geologic map of the Babbitt - Embarrass area, 1:24,000. BEDROCK
- *124. Griffin, W.L., 1969, Geologic map of the Embarrass quadrangle, St. Louis County, Minnesota; Minnesota Geological Survey Miscellaneous Map M-6, 1:24,000. BEDROCK
- *125. Griffin, W.L., Morey, G.B., 1969, The geology of the Isaac Lake quadrangle, St. Louis County, Minnesota; Minnesota Geological Survey Special Publication SP-8, pl. 1, Geologic map of the Isaac Lake quadrangle, 1:24,000. BEDROCK
126. Grout, Frank F., Sharo, R.P., and Schwartz, G.M., 1959, The geology of Cook County, Minnesota; Minnesota Geological Survey Bulletin 39, pl. 1, Glacial features of Cook County, Minnesota, 1:316,000; pl. 2, Geology of Cook County, 1:316,000. BEDROCK
127. Grout, F.F., Sharp, R.P., and Schwartz, G.M., 1959, The geology of Cook County, Minnesota; Minnesota Geological Survey Bulletin 39, pls. 6-16, 1:31,680. BEDROCK
128. Grout, Frank F., and Soper, E.K., 1914, Preliminary report on the clays and shales of Minnesota; Minnesota Geological Survey Bulletin 11, pl. 1, Map of Minnesota showing the distribution of the clay minerals and points at which worked, 1:1,500,000. BEDROCK
129. Grout, F.F., and Wolff, J.F., Sr., 1955, The geology of the Cuyuna district, Minnesota; Minnesota Geological Survey Bulletin 36, pl. 2, 1:24,000. BEDROCK
130. Grout, F.F., and Wolff, J.F., Sr., 1955, The geology of the Cuyuna district, Minnesota; Minnesota Geological Survey Bulletin 36, pl. 5, 1:48,000. BEDROCK
- *131. Gruner, J.W., 1941, Structural geology of the Knife Lake Area of northeastern Minnesota; Geological Society of America Bulletin, v. 52, pp. 1577-1642, Bedrock geologic map, 1:42,240. BEDROCK
- *132. G-yc, G., 1942, The Keweenaw geology of the Grand Portage Indian Reservation; Master's thesis, University of Minnesota, 54 p., plate 1, Bedrock geologic map of the area, 1:15,840. BEDROCK
133. Hall, C.W., 1900, Keewatin of eastern and central Minnesota; Geological Society of America Bulletin, v. 12, pl. 29, Map of east-central Minnesota, 1:750,000. BEDROCK
134. Hall, Christopher W., MeInzer, O.E., and Fuller, M.L., 1911, Geology and underground waters of southern Minnesota; U.S. Geological Survey Water-Supply Paper 256, pl. II, Map of southern Minnesota showing thickness and character of surficial deposits, 1:750,000. SURFICIAL, HYDROLOGIC
135. Hall, C.W., and Sardeson, F.W., 1892, Paleozoic formations of southeastern Minnesota; Geological Society of America Bulletin, v. 3, pl. 10, southeastern Minnesota, 1:2,300,000. BEDROCK
136. Hall, C.W., and Sardeson, F.W., 1895, The Magnesian series of the northwestern States; Geological Society of America Bulletin, v. 6, pl. 12, Map showing distribution of the Magnesian series in the northwestern states, 1:3,000,000. BEDROCK
- *137. Harris, Kenneth L., 1975, Pleistocene geology of the Grand Forks-Bemidji area, northwest Minnesota; Ph.D. dissertation, University of North Dakota, pl. 1, The surficial sediments of the Grand Forks-Bemidji area, Minnesota, 1:250,000. SURFICIAL
138. Harris, Kenneth L., Moran, S.R., and Clayton, Lee, 1974, Late Quaternary stratigraphic nomenclature, Red River Valley, North Dakota and Minnesota; North Dakota Geological Survey Miscellaneous Series 52. SURFICIAL
139. Helgesen, J.O., 1973, Appraisal of ground water for irrigation in the Little Falls area, Morrison County, Minnesota; U.S. Geological Survey Water - Supply Paper 2009-D, Hydrologic maps of the Little Falls area, 1:126,720. HYDROLOGIC
- *140. Helgesen, J.O., Ericson, D.W., and Lindholm, G.F., 1975, Water resources of the Mississippi and Sauk Rivers watershed, central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-534, sheet 2, Surficial deposits, 1:250,000. HYDROLOGIC
- *141. Helgesen, J.O., Lindholm, G.F., Broussard, W.L., and Ericson, D.W., 1973, Water resources of the Kettle River watershed, east-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-437, sheet 2, Geology and groundwater, 1:250,000. HYDROLOGIC
- *142. Helgesen, J.O., Lindholm, G.F., and Ericson, D.W., 1975, Water resources of the Lake of the Woods watershed, north-central Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-544, sheet 2, Geology and groundwater, 1:500,000. HYDROLOGIC
- *143. Helgesen, J.O., Lindholm, G.F., and Ericson, D.W., 1976, Water resources of the Little Fork watershed, northeastern Minnesota; U.S. Geological Survey Hydrological Investigations Atlas HA-551, sheet 1, Groundwater, 1:500,000. HYDROLOGIC
- *144. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the western part of Morrison County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *145. Henderson, J.R., Hill, M.E., Meuschke, J.L., 1949, Total intensity aeromagnetic map of the southern part of Cass County, Minnesota; U.S. Geological Survey Geophysical Investigations Map, 1:63,360. MAGNETIC
- *146. Henderson, J.R., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the eastern part of Morrison County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *147. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the southern part of Crow Wing County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *148. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the northern part of Crow Wing County and part of Cass County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *149. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of part of Hubbard County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *150. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the central part of Cass County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *151. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the northern part of Cass County, Minnesota; U.S. Geological Survey Geophysical Investigations Map, 1:63,630. MAGNETIC
- *152. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the southern part of Beltrami County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *153. Henderson, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of the western part of Itasca County, Minnesota; U.S. Geological Survey, Geophysical Investigations Map, 1:63,360. MAGNETIC
- *154. Himmelberg, G.R., 1968, Geology of Precambrian rocks, Granite Falls-Montevideo area, southwestern Minnesota; Minnesota Geological Survey Special Publication SP-5, pl.1, 1:24,000. BEDROCK
155. Hoefft, D.R., 1959, The lithostratigraphy of the Glenwood and Platteville formations of southeastern Minnesota; Master's thesis, University of Minnesota, 306 p., plate 3, Isopach map of Glenwood formation, southeastern Minnesota, 1:500,000. BEDROCK
- *156. Ikola, R.J., 1967, A geophysical investigation of the geologic structure of Carlton County, Minnesota; Master's thesis, University of Minnesota, 80 p., map, 1:253,440. GRAVITY
- *157. Ikola, R.J., 1968, Simple Bouguer gravity map of Minnesota; Hibbing sheet; Minnesota Geological Survey Miscellaneous Map M-3, 1:250,000. GRAVITY

- * 52. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Demsey, W.J., 1958, Aeromagnetic map of central Marshall and western Pennington Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-144, 1:63,360. MAGNETIC
- * 53. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Demsey, W.J., 1958, Aeromagnetic map of western Marshall and northwestern Polk Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-145, 1:63,360. MAGNETIC
- * 54. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Demsey, W.J., 1958, Aeromagnetic map of parts of Pennington, Red Lake, Beltrami, Clearwater, and Polk Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-146, 1:63,360. MAGNETIC
- * 55. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Demsey, W.J., 1958, Aeromagnetic map of western Red Lake and central Polk Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-147, 1:63,360. MAGNETIC
- * 56. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Demsey, W.J., 1958, Aeromagnetic map of western Polk County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-148, 1:63,360. MAGNETIC
57. Bradley, Refa, 1972, Map of the surficial geology of Minnesota: Minnesota Geological Survey, unpublished map, 1:750,000. SURFICIAL
- * 58. Broussard, W.L., Anderson, H.W., and Farrell, D.F., 1973, Water resources of the Cottonwood River watershed, southwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-466, sheet 2, Pleistocene glacial deposits, 1:500,000. HYDROLOGIC
- * 59. Broussard, W.L., Farrell, D.F., Anderson, H.W., and Felsheim, P.E., 1975, Water resources of the Root River watershed, southeastern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-548, sheet 2, Glacial deposits, 1:500,000. HYDROLOGIC
60. Brown, N. J., 1956, The geology of the Stillwater, Minnesota quadrangle: Master's thesis, University of Minnesota, 161 p., Geologic map of the Stillwater quadrangle, 1:24,000. BEDROCK
61. Burnell, J.R., 1976, Petrology and structural relations of the Brule Lake intrusions, Cook County, Minnesota: Master's thesis, University of Minnesota, 105 p., Bedrock geologic map of the Brule Lake area, 1:24,000. BEDROCK
62. Bury, C.A., 1958, The geology of the Cedar Mountain complex, Minnesota River valley: Master's thesis, University of Minnesota, 31 p., Geologic map of the Cedar Mountain area, 1:7,920. BEDROCK
- * 63. Chamberlin, Rollin T., 1905, The glacial features of the St. Croix Dales region: Journal of Geology, v. 13, p. 238-256, fig. 2, The geology of the St. Croix Dales quadrangle, 1:250,000. SURFICIAL
64. Chamberlin, Thomas C., 1883, Preliminary paper on the terminal moraine of the second glacial epoch, section on Moraine of the Lake Superior Glacier: U.S. Geological Survey Third Annual Report 1881-1882, pl. XXXV, Map of a portion of the terminal moraine of the second glacial epoch, 1:3,800,000. SURFICIAL
65. Chamberlin, T.C., and Salisbury, R.D., 1885, The Driftless Area: U.S. Geological Survey, Sixth Annual Report, 1885, pl. xxvii, Quaternary map of the driftless area and environs, 1:1,000,000. SURFICIAL
66. Chamberlin, T.C., and Salisbury, R.D., 1885, The Driftless Area: U.S. Geological Survey, Sixth Annual Report, 1885, pl. xxiv, Geologic map of the driftless area and environs, 1:950,400. BEDROCK
67. Clements, J.M., 1903, The Vermillion Iron-bearing district of Minnesota: IN: U.S. Geological Survey, Monograph 45, pl. 2, General geologic map of the Vermillion Iron-bearing district of Minnesota, 1:12,000. BEDROCK
68. Cooper, R. W., 1977, Outcrop map of the Hoyt Lakes - Kawishiwi area, St. Louis and Lake Counties, Minnesota: Minnesota Geological Survey, open file map, 1:48,000. BEDROCK
- * 69. Cotter, R.D., and Bidwell, L.E., 1966, Water resources of the Pomme De Terre River watershed, west-central Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-220, sheet 2, Glacial drift, 1:250,000. HYDROLOGIC
- * 70. Cotter, R.D., and Bidwell, L.E., 1968, Water resources of the Lac Qui Parle River watershed, southwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-269, sheet 2, Areas of sand and gravel, 1:250,000. HYDROLOGIC
- * 71. Cotter, R.D., Bidwell, L.E., Oakes, E.L., and Hollenstien, G.H., 1966, Water resources of the Big Stone Lake watershed, west-central Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-213, sheet 1, Near surface sand and gravel, 1:250,000. HYDROLOGIC
- * 72. Cotter, R.D., Bidwell, L.E., Van Voast, W.A., and Novitzki, R.P., 1968, Water resources of the Chippewa River watershed, west-central Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-286, sheet 2, Outwash and recent alluvium, 1:250,000. HYDROLOGIC
73. Cotter, R.D., and Rogers, J.E., 1961, Exploratory drilling for groundwater in the Mountain Iron - Virginia area, St. Louis County Minnesota: U.S. Geological Survey Water - Supply Paper 1539-A, Hydrologic maps of the Mountain Iron - Virginia area, 1:24,000. HYDROLOGIC
- * 74. Cotter, R.D., and Rogers, J.E., 1964, Glacial geology of the Mountain Iron - Virginia - Eveleth area, Mesabi Iron Range, Minnesota: U.S. Geological Survey Professional Paper 501-C, fig. 1, Surficial geology of the Mountain Iron - Virginia - Eveleth area, St. Louis County, Minnesota, 1:250,000. SURFICIAL
- * 75. Cotter, R.D., Young, H.L., Petri, L.R., and Prior, C.H., 1965, Ground and surface water in the Mesabi and Vermilion Iron Range area, northeastern Minnesota: U.S. Geological Survey, Water - Supply Paper 1759-A, pl. 1, Map showing physiographic regions, trace of geologic section, and hydrologic features, Mesabi - Vermilion Iron Range area, northeastern Minnesota, 1:300,000. HYDROLOGIC
76. Cotter, R.D., Young, H.L., Petri, L.R., and Prior, C.H., 1965, Water resources in the vicinity of municipalities on the western Mesabi Iron Range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 1759-B, pl. 1, 1:48,000. HYDROLOGIC
77. Cotter, R.D., Young, H.L., Petri, L.R., and Prior, C.H., 1965, Water resources in the vicinity of municipalities on the west-central Mesabi Iron Range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 1759-C, pl. 1, 1:48,000. HYDROLOGIC
78. Cotter, R.D., Young, H.L., Petri, L.R., and Prior, C.H., 1965, Water resources in the vicinity of municipalities on the central Mesabi Iron Range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 1759-D, pl. 1, 1:48,000. HYDROLOGIC
79. Cotter, R.D., Young, H.L., Petri, L.R., and Prior, C.H., 1965, Water resources in the vicinity of municipalities on the east-central Mesabi Iron Range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 1759-E, pl. 1, 1:48,000. HYDROLOGIC
80. Cotter, R.D., Young, H.L., Petri, L.R., and Prior, C.H., 1965, Water resources in the vicinity of municipalities on the eastern Mesabi Iron Range and the Vermilion Iron Range, northeastern Minnesota: U.S. Geological Survey Water-Supply Paper 1759-F, pl. 1, 1:48,000. HYDROLOGIC
- * 81. Cotter, R.D., Young, H.L., and Winter, T.C., 1964, Preliminary surficial geologic map of the Mesabi-Vermilion Iron Range area, northeastern Minnesota: U.S. Geological Survey Miscellaneous Geological Investigations Map I-403, 1:125,000. SURFICIAL
82. Cowie, R.H., 1941, Geology of the Zumbro River valley, Goodhue and Wabasha Counties, Minnesota: Ph.D. thesis, University of Minnesota, 125 p., Magnetic and bedrock geologic maps of the Zumbro River valley, 1:63,360. BEDROCK, MAGNETIC
83. Craddock, C., 1972, Bouguer gravity map showing Midcontinent Gravity High: IN: Sims, P.K., and Morey, G.B., Geology of Minnesota, a centennial volume, 1972, 1:3,000,000. GRAVITY
84. Craddock, C., Mooney, H.M., and Kofehmainen, V., 1970, Simple Bouguer gravity map of Minnesota and northwestern Wisconsin: Minnesota Geological Survey Miscellaneous Map M-10, 1:1,000,000. GRAVITY
- * 85. Craddock, C., Thiel, E.C., and Gross, B., 1963, A gravity investigation of the Precambrian of southeastern Minnesota and Wisconsin: Journal of Geophysical Research, v. 68, p. 6015-6032, fig. 3, map of regional anomaly, 1:2,000,000. GRAVITY
- * 86. Crain, W.E., 1957, Areal geology of the Red Wing quadrangle: Master's thesis, University of Minnesota, 105 p., Areal geologic map of the Red Wing quadrangle, 1:62,500. SURFICIAL
- * 87. Davidson, D.M., Jr., 1969, Geologic map of the Perent Lake quadrangle, Lake County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-8, 1:24,000. BEDROCK
- * 88. Davidson, D.M., Jr., 1969, Geologic map of the Kawishiwi Lake quadrangle, Lake and Cook Counties, Minnesota: Minnesota Geological Survey Miscellaneous Map M-7, 1:24,000. BEDROCK
- * 89. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Beth Lake quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-26, 1:24,000. BEDROCK
- * 90. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Kelso Mountain quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-27, 1:24,000. BEDROCK
- * 91. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Eagle Mountain quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-28, 1:24,000. BEDROCK
- * 92. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Brule Lake quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-29, 1:24,000. BEDROCK
- * 93. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Cherokee Lake quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-30, 1:24,000. BEDROCK
- * 94. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Pine Mountain quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-31, 1:24,000. BEDROCK
- * 95. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Lima Mountain quadrangle, Cook County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-32, 1:24,000. BEDROCK
- * 96. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Alice Lake quadrangle, Lake County, Minnesota: Minnesota Geological Survey Miscellaneous Map M-33, 1:24,000. BEDROCK
- * 97. Davidson, D.M., Jr., 1977, Reconnaissance geologic map of the Lake Polly quadrangle, Lake and Cook Counties, Minnesota: Minnesota Geological Survey Miscellaneous Map M-34, 1:24,000. BEDROCK
98. Dawson, George M., 1875, On the surficial geology of the central region of North America: Geological Society of London Quaternary Journal, v. 31, p. 603-623, pl. 32, Map and section of part of the interior of North America, 1:11,000,000. SURFICIAL
- * 99. Eginton, Charles W., 1975, Geology of the White Bear Lake West quadrangle, Minnesota: Master's thesis, Oklahoma State University, Stillwater, Fig. 7, Generalized map of the present surface morphology of the White Bear Lake West quadrangle, Minnesota, 1:45,000. SURFICIAL
100. Ellis, M.J., Adolphson, D.G., and West, R.E., 1969, Hydrology of a part of the Big Sioux drainage basin, eastern South Dakota: U.S. Geological Survey Hydrological Investigations Atlas HA-311, 1:125,000. HYDROLOGIC
101. Eng, Morris, in prep., An aerial evaluation of peat resources, fen patterns, and other surficial deposits in Koochiching County: Minnesota Department of Natural Resources, Division of Waters, Soils, and Minerals, maps: no. 1, western half, and no. 2, eastern half, 1:62,500. SURFICIAL
- * 102. Eng, Morris, 1970, A reconnaissance map of surficial geology in Anoka, Isanti, and Chisago Counties, Minnesota: Minnesota Department of Natural Resources, Division of Waters, Soils, and Minerals, unpublished map, 1:62,500. SURFICIAL
103. Eng, Morris, 1959, Aerial interpretation of the sand and gravel of Norman, 1:62,500, 1966; central and southeastern Polk, 1:62,500, 1966; eastern Douglas, 1:62,500, 1964; northwestern Stearns, 1:62,500, 1964; northeastern Pope, 1:62,500, 1964; Pine, 1:62,500, 1962; St. Louis, 1:62,500 and 1:125,000, 1962; northern Chisago, 1:62,500, 1962; Otter Tail, 1:62,500, 1960; eastern Hubbard, 1:62,500, 1960; Martin, 1:62,500, 1960; and part of Wright, 1:62,500, 1959, Counties, Minnesota: Minnesota Department of Highways, unpublished maps. SURFICIAL


1. Ackroyd, E.A., Walton, W.C., and Hills, D.C., 1967, Groundwater contribution to streamflow and its relation to basin characteristics in Minnesota: Minnesota Geological Survey Report of Investigations RI-6, fig. 8, Map showing major glacial lakes and rivers, 1:5,000,000; fig. 9, Map showing major surficial deposits, 1:5,000,000; fig. 10, Map of major drainage basins, 1:5,000,000. SURFICIAL, HYDROLOGIC
2. Akin, P.D., and Jones, J.R., 1951, Geology and groundwater resources of the Cloquet area, Carlton County, Minnesota: Minnesota Department of Conservation, Bulletin 6, fig. 2, Geologic map of the Cloquet area, Minnesota, 1:39,600. SURFICIAL, HYDROLOGIC
3. Allison, Ira S., 1932, The geology and water resources of northwestern Minnesota: Minnesota Geological Survey, Bulletin 22, maps showing glacial drift deposits and well records -- fig. 9, Becker, 1:570,000; fig. 10, Beltrami, 1:860,000; fig. 11, western Cass, 1:7,700,000; fig. 12, Clay, 1:490,000; fig. 13, Clearwater, 1:600,000; fig. 14, Douglas, 1:440,000; fig. 15, Grant, 1:400,000; fig. 16, Hubbard, 1:490,000; fig. 17, Kittson, 1:620,000; fig. 19, Lake of the Woods, 1:750,000; fig. 20, Mahanomen, 1:79,000; fig. 21, Marshall, 1:570,000; fig. 22, western Morrison, 1:79,000; fig. 23, Norman, 1:540,000; fig. 24, Otter Tail, 1:890,000; fig. 25, Pennington, Polk, and Red Lake, 1:1,045,000; fig. 27, Pope, 1:440,000; fig. 29, Roseau, 1:630,000; fig. 30, Stearns, 1:590,000; fig. 31, Stevens, 1:440,000; fig. 32, Todd and western Morrison, 1:630,000; fig. 33, Traverse, 1:480,000; fig. 34, Wadena, 1:380,000; fig. 35, Wilkin, 1:460,000, Counties, Minnesota. SURFICIAL, HYDROLOGIC
- * 4. Anderson, Curtis, 1976, Pleistocene geology of the Comstock-Sebeka area, west-central Minnesota: Master's thesis, North Dakota University, pl. 1, Surficial sediment of the Comstock-Sebeka area, west-central Minnesota, 1:250,000. SURFICIAL
5. Anderson, H.W., 1976, Surficial sand aquifers: U.S. Geological Survey, St. Paul, Minnesota, unpublished map, 1:1,000,000. SURFICIAL, HYDROLOGIC
- * 6. Anderson, H.W., Broussard, W.L., Farrell, D.F., and Felsheim, P.E., 1975, Water resources of the Rock River watershed, southwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-555, sheet 2, Groundwater, 1:500,000. HYDROLOGIC
- * 7. Anderson, H.W., Broussard, W.L., Farrell, D.F., and Hult, M.F., 1976, Water resources of the Des Moines River watershed, southwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-553, sheet 2, Geology and groundwater, 1:500,000. HYDROLOGIC
- * 8. Anderson, H.W., Farrell, D.F., and Broussard, W.L., 1974, Water resources of the Blue Earth River watershed, south-central Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-525, sheet 2, Glacial deposits, 1:500,000. HYDROLOGIC
- * 9. Anderson, H.W., Farrell, D.F., and Broussard, W.L., 1974, Water resources of the Lower Minnesota watershed, south-central Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-526, sheet 2, Glacial deposits, 1:500,000. HYDROLOGIC
- * 10. Anderson, H.W., Farrell, D.F., Broussard, W.L., and Felsheim, P.E., 1974, Water resources of the Cannon River watershed southeastern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-522, sheet 2, Glacial deposits, 1:500,000. HYDROLOGIC
- * 11. Anderson, H.W., Farrell, D.F., Broussard, W.L., and Hult, M.F., 1975, Water resources of the Zumbro River watershed, southeastern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-543, sheet 2, Surficial deposits, 1:500,000. HYDROLOGIC
- * 12. Anderson, L.A., Hawkins, D., et al, 1963, Aeromagnetic map of parts of Wilkin, Otter Tail, Grant, and Traverse Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-328, 1:63,360. MAGNETIC
- * 13. Anderson, L.A., Petrafeso, F., et al, 1962, Aeromagnetic map of parts of Clay, Wilkin, and Otter Tail Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-327, 1:63,360. MAGNETIC
- * 14. Anderson, L.A., Tyson, N.S., et al, 1963, Aeromagnetic map of the northwestern part of Cook County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-361, 1:63,360. MAGNETIC
- * 15. Anderson, L.A., Zandle, G.L., et al, 1962, Aeromagnetic map of Norman and part of Mahanomen Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-325, 1:63,360. MAGNETIC
- * 16. Anderson, L.A., Zandle, G.L., et al, 1963, Aeromagnetic map of parts of Clay and Becker Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-326, 1:63,360. MAGNETIC
17. Andrews, G.W., 1958, Windrow formation of upper Mississippi valley region -- a sedimentary and stratigraphic study: Journal of Geology, v. 66, no. 6, p. 597-621, fig. 1, Index map of localities of the Windrow formation and related deposits, 1:4,400,000. BEDROCK
18. Arndt, B.M., and Moran, S.R., 1974, Physical data for land-use planning, Cass County, North Dakota and Clay County, Minnesota: North Dakota Geological Survey Report Investigations 54, map 2, Surface materials of Cass County, North Dakota, and Clay County, Minnesota, 1:250,000. SURFICIAL
- * 19. Austin, G.S., 1963, Geology of clay deposits Red Wing area, Goodhue and Wabasha Counties, Minnesota: Minnesota Geological Survey Report of Investigations RI-2, pl. 1, Geologic map (bedrock geology) of Red Wing area, Goodhue and Wabasha Counties, 1:125,000. BEDROCK
- * 20. Austin, G.S., Grant, J.A., Ikola, R.J., and Sims, P.K., 1970, Geologic map of Minnesota: New Ulm sheet: Minnesota Geological Survey, 1:250,000. BEDROCK
- * 21. Baker, R.G., 1964, Late Wisconsin glacial and vegetational history of the Alborn area, St. Louis County, Minnesota: Master's thesis University of Minnesota, 44 p., Quaternary geologic map of the Alborn and Brookston NW quadrangles, 1:24,000. SURFICIAL
- * 22. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of Todd County, Minnesota: U.S. Geological Survey Geophysical Investigations Map, 1:63,360. MAGNETIC
- * 23. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1949, Total intensity aeromagnetic map of Wadena County and part of Hubbard County, Minnesota: U.S. Geological Survey Geophysical Investigations Map, 1:63,360. MAGNETIC
- * 24. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1951, Total intensity aeromagnetic map of parts of Clearwater, Polk, and Red Lake Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-46, 1:63,360. MAGNETIC
- * 25. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1951, Total intensity aeromagnetic map of parts of Clearwater and Mahanomen Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-47, 1:63,360. MAGNETIC
- * 26. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1951, Total intensity aeromagnetic map of part of Becker County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-48, 1:63,360. MAGNETIC
- * 27. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1951, Total intensity aeromagnetic map of the northern part of Otter Tail County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-49, 1:63,360. MAGNETIC
- * 28. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1951, Total intensity aeromagnetic map of the southern part of Otter Tail County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-50, 1:63,360. MAGNETIC
- * 29. Balsley, J.R., Jr., Hill, M.E., and Meuschke, J.L., 1951, Total intensity aeromagnetic map of Douglas County and part of Grant County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-51, 1:63,360. MAGNETIC
- * 30. Barazangi, M.N., 1967, Geophysical investigation of the Hudson-Afton Horst, Dakota County, Minnesota: Master's thesis, University of Minnesota, 75 p., Total intensity magnetic map of Hastings area, Minnesota, approximately 1:12,500. MAGNETIC
31. Barton, Robert H., 1957, Periglacial features in the Lake City area, Southeastern Minnesota: Master's thesis, University of Minnesota, fig. 3, Drift borders of southeastern Minnesota, 1:1,045,000. SURFICIAL
- * 32. Bath, G.D., Schwartz, G.M., and Gilbert, F.P., 1964, Aeromagnetic and geologic map of northwestern Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-471, 1:250,000. MAGNETIC
- * 33. Bath, G.D., Schwartz, G.M., and Gilbert, F.P., 1964, Aeromagnetic and geologic map of east-central Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-474, 1:250,000. MAGNETIC
- * 34. Bath, G.D., Schwartz, G.M., and Gilbert, F.P., 1965, Aeromagnetic and geologic map of northeastern Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-472, 1:250,000. MAGNETIC
- * 35. Bath, G.D., Schwartz, G.M., and Gilbert, F.P., 1965, Aeromagnetic and geologic map of west-central Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-473, 1:250,000. MAGNETIC
36. Bath, G.D., 1962, Magnetic anomalies and magnetizations of the Biwabik iron-formation, Mesabi area, Minnesota: Geophysics, v. 27, no. 5, p. 627-650, fig. 11, Aeromagnetic-geologic map, 1:230,400. MAGNETIC
37. Bath, G.D., 1962, Magnetic anomalies and magnetizations of the Biwabik iron-formation, Mesabi area, Minnesota: Geophysics, v. 27, no. 5, p. 627-650, fig. 6, Aeromagnetic-geologic map, 1:253,440. MAGNETIC
38. Bayer, T.N., 1959, The subsurface bedrock stratigraphy of northeastern Minnesota: Master's thesis, University of Minnesota, 77 p., Pre-Pleistocene topographic and geologic map of northwestern Minnesota: approximately 1:141,450. BEDROCK
39. Berkley, John L., 1972, Geology of the Deer Lake gabbro-peridotite complex, Itasca County, Minnesota: Minnesota Geological Survey and Minnesota Department of Natural Resources, unpublished report, 1:9,600. BEDROCK
- * 40. Berkley, J.L., and Himmelberg, G.R., 1978, Cumulus mineralogy and petrology of the Deer Lake Complex, Itasca County, Minnesota: Minnesota Geological Survey Report of Investigations RI-20A, figure 2, Bedrock geologic map of the Deer Lake complex, approximately 1:38,170. BEDROCK
- * 41. Bidwell, L.E., Winter, T.C., and MacLay, R.W., 1970, Water resources of the Red Lake River watershed, northwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA-346, sheet 1, Physical setting, 1:500,000. HYDROLOGIC
- * 42. Bonnicksen, Bill, 1968, General geology and petrology of the metamorphosed Biwabik Iron Formation, Dunka River Area, Minnesota: Ph.D. thesis, University of Minnesota, 240 p., Bedrock geologic map, approximately 1:7,100. BEDROCK
- * 43. Bonnicksen, Bill, 1970, Bedrock geologic map of the Allen quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey open file map, 1:24,000. BEDROCK
- * 44. Bonnicksen, Bill, 1970, Bedrock geologic map of the Babbitt quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey open file map, 1:24,000. BEDROCK
- * 45. Bonnicksen, Bill, 1970, Bedrock geologic map of the Babbitt SE quadrangle, St. Louis County, Minnesota: Minnesota Geological Survey open file map, 1:24,000. BEDROCK
- * 46. Bonnicksen, Bill, 1970, Bedrock geologic map of the Babbitt NE quadrangle, St. Louis and Lake Counties, Minnesota: Minnesota Geological Survey open file map, 1:24,000. BEDROCK
- * 47. Bonnicksen, Bill, 1971, Outcrop map of southern part of Duluth complex and associated Keweenaw rocks, St. Louis and Lake Counties, Minnesota: Minnesota Geological Survey Miscellaneous Map M-11, 1:125,000. BEDROCK
- * 48. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Dempsey, W.J., 1958, Aeromagnetic map of eastern Roseau County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-140, 1:63,360. MAGNETIC
- * 49. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Dempsey, W.J., 1958, Aeromagnetic map of western Roseau County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-141, 1:63,360. MAGNETIC
- * 50. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Dempsey, W.J., 1958, Aeromagnetic map of Kittson County, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-142, 1:63,360. MAGNETIC
- * 51. Books, K.G., Schwartz, G.M., Meuschke, J.L., and Dempsey, W.J., 1958, Aeromagnetic map of eastern Marshall and northwestern Beltrami Counties, Minnesota: U.S. Geological Survey Geophysical Investigations Map GP-143, 1:63,360. MAGNETIC

UNIVERSITY OF MINNESOTA
MINNESOTA GEOLOGICAL SURVEY
MATT WALTON, DIRECTOR




SIMPLE BOUGUER GRAVITY MAPS






AEROMAGNETIC MAPS AT SCALES SMALLER THAN 1:63,360






AEROMAGNETIC MAPS AT SCALES 1:63,360 OR LARGER







HYDROLOGIC ATLAS SERIES



HYDROLOGIC MAPS




SOIL ATLAS SHEETS




SURFICIAL MAPS AT SCALES 1:63,360 OR LARGER

UNIVERSITY OF MINNESOTA
MINNESOTA GEOLOGICAL SURVEY
MATT WALTON, DIRECTOR




SURFICIAL MAPS AT SCALES 1:63,360 OR LARGER


UNIVERSITY OF MINNESOTA
MINNESOTA GEOLOGICAL SURVEY
MATT WALTON, DIRECTOR



1:250,000 GEOLOGIC ATLAS SHEETS



BEDROCK MAPS FROM SCALE 1:63,360 THROUGH 1:250,000



BEDROCK MAPS AT SCALES 1:63,360 OR LARGER

