

Title: So your doctor wants to give you on a blood thinner

Author: Yosef Wexler

Date: 1/05/10

Key words: Warfarin, Dabigatran, blood clot, blood thinner.

Abstract: Dabigatran is as safe and effective as Warfarin with the additional benefit of not having to consider the multitude of other drug interactions, food interactions that Warfarin has. Therefore, there is no need for aggressive blood monitoring. This pamphlet discusses and compares two types of blood thinners, Warfarin and Dabigatran.

This document was created by a medical student enrolled in the Primary Care Clerkship at the University of Minnesota Medical School as part of the course project. The aim of the project is to present information on a medical topic in the format of a patient education handout. It does not necessarily reflect the views of the University of Minnesota Medical School physicians and faculty. These materials are provided for informational purposes only and are in no way intended to take the place of the advice and recommendations of your personal health care provider. The information provided may no longer be up to date since it has not been reviewed since the date of creation. The information provided should not be used to diagnose a health problem or disease, or as a means of determining treatment. In the event of a medical emergency, immediately contact a doctor or call 911.

So your doctor wants to give you a blood thinner

If you recently had a confirmed blood clot in your leg or in your lungs, your doctor will want to put you on a blood thinner.

Different blood thinners work in several ways, but they all decrease the potential for more clots in your blood.*




Developed by: Yosef Wexler

A University of Minnesota Primary Care Clerkship Patient Education Tool

This pamphlet discusses two types of blood thinners

1. Warfarin- also known by the brand names of Coumadin or Jantoven.
2. Dabigatran.



The beginning of a blood clot, as visualized through a digital cartoon.**

Side Effects of Blood thinners

1. Bleeding
2. Destruction of skin cells (necrosis)
3. Hair loss (Warfarin)
4. Headache
5. Swelling
6. Feeling Queasy

Before starting, tell your doctor if

- + Bruise or bleed easily
- + Have kidney or liver damage
- + Have cancer
- + Have stomach/ nutrition issues

Warfarin



Checking blood levels of Warfarin***

Advantages

1. Cheaper
2. Insurance coverage
3. Older (physicians aware of side effects and other issues)

Disadvantages

1. Many interactions with other medications.
2. Interactions with some drinks.
3. Need to check blood routinely to ensure that Warfarin is at therapeutic levels.

Dabigatran

Advantages

1. No need to routinely check blood.
2. As safe and effective as Warfarin.
3. Consistent levels of drug in blood stream.

Disadvantages

1. Newer drug, not as well known to doctors
2. Cost
3. Insurance coverage

More information/resources

MedlinePlus

1. <http://www.nlm.nih.gov/medlineplus/deepveinthrombosis.html>
2. <http://www.nlm.nih.gov/medlineplus/pulmonaryembolism.html>
3. <http://www.ahrq.gov/consumer/btpills.htm>

References/Images

1. NEJM Volume 361 — December 10, 2009 — Number 24
2. *<http://images.google.com/images?hl=en&um=1&ie=UTF-8&q=blood+thinners&sa=N&start=40&ndsp=20>
3. **<http://images.google.com/images?hl=en&um=1&ie=ISO-8859-1&sa=1&q=blood+clot>
4. ***<http://images.google.com/images?hl=en&um=1&ie=ISO-8859-1&sa=1&q=blood+from+fingertip>