

## INDEX

### A

*Acer rubrum*. See maple, red  
*Acer saccharum*. See maple, sugar  
ADEHABITAT package, 99, 133, 177  
aerial photographs, 133, 143, 149 (figure), 150 (figure)  
age-specific movement capability, 133–134  
agriculture, 5, 31, 41, 49 (table), 50 (table), 52, 53 (table),  
55 (table), 57 (table), 59–60, 113, 129, 207,  
209, 211, 221  
Akaike  
  Information Criterion (AIC), 114–115, 116 (table), 119  
  (table), 120 (table), 132, 135, 136 (figure), 145,  
  196–197, 198 (table)  
  weight, 114, 120 (table), 132, 135, 198 (table)  
alerting mechanisms, predator, 69  
allopatric populations, 70, 73–74, 221  
Amplified Fragment Length Polymorphisms, 73  
*Anas platyrhynchos*. See Mallard  
*Anas rubripes*. See Black Duck, American  
annual cycle, 4, 30, 193, 213, 223–224  
Appalachian Mountains Bird Conservation Region, 82  
apple, naturalized (*Malus* spp.), 83  
ArcMap, 85–86, 131, 133  
ash (*Fraxinus* spp.), 50 (figure), 51 (figure), 52–53, 54  
  (figure), 59, 82, 111  
ash, black (*Fraxinus nigra*), 131  
ash, green (*Fraxinus pennsylvanica*), 129  
ash, white (*Fraxinus americana*), 83  
aspen (*Populus* spp.), 41, 48, 50 (figure), 51 (figure), 52–53,  
54 (figure), 59, 111, 129  
aspen, quaking (*Populus tremuloides*), 49, 143  
autumn-olive (*Elaeagnus umbellata*), 82–83

### B

bare ground, 84, 89 (table), 90 (table), 98, 100, 102 (table),  
113, 115–116, 117 (figure), 120, 121 (table), 122  
  (table), 123  
*Basileuterus culivorous*, 185 (table)  
*Basileuterus rufifrons*, 185 (table)  
*Basileuterus tristriatus*, 185 (table)

basswood (*Tilia* spp.), 51 (figure), 52, 54 (figure), 55, 56  
  (figure), 58 (figure)  
basswood, American (*Tilia americana*), 129  
beech (*Fagus* spp.), 50 (figure), 51 (figure), 52, 54 (figure),  
55, 56 (figure), 58 (figure), 59  
behavior, breeding adult  
  feeding, 69, 83–84, 105, 137  
  feeding/provisioning fledglings, 131, 162, 164  
  foraging, 81, 91, 97–100, 101 (figure), 103–105, 131,  
  137, 175–178, 183–184, 186 (figure), 187  
  (figure), 188–189, 211, 219–220, 222  
  nest-site choice/selection, 110, 111 (figure), 114,  
  116 (table), 119 (table), 120 (table), 121–123,  
  136, 169  
  perching, 83–84, 98  
  feeding/provisioning nestlings, 96, 161  
  singing, 11, 70, 83–84, 91, 98, 131, 169, 178  
behavior, fledgling  
  age-specific movement capability, 133 (figure), 134  
  begging, 131  
  flying, 137  
  foraging, 131, 137  
  sitting quietly, 131  
  travelling, 131  
behavior, non-breeding adult  
  energy expenditure, 175, 185  
  foraging, specialized, 188  
  gleans, 178, 184, 186 (figure), 188  
  defense, flock and territory, 185, 188–189, 211  
  mixed-species flocks, 176, 178, 183, 185, 188–189,  
  211–212, 222–223  
  nuclear species, 183, 188  
  predator avoidance, 176, 189  
  probes, 178, 184  
  response to broadcast vocalizations, 177–178, 180–181  
  space use, 175, 177, 185  
Belize, 17–18, 21–22, 201, 222–223  
*Betula allegheniensis*. See birch, yellow  
*Betula lenta*. See birch, sweet  
*Betula papyrifera*. See birch, paper  
*Betula* spp. See birch  
BIOMOD, 46–47, 52–53, 61, 63

birch (*Betula* spp.), 52–53, 54 (figure), 83  
 birch, paper (*Betula papyrifera*), 50 (figure), 51 (figure), 129  
 birch, sweet (*Betula lenta*), 97, 99, 101 (table), 102, 103 (figure)  
 birch, yellow (*Betula allegheniensis*), 50 (figure), 51 (figure), 52, 54 (figure), 56 (figure), 58 (figure), 59  
 Black Duck, American (*Anas rubripes*), 68  
 blackberry (*Rubus* spp.), 82–83, 89 (table), 90 (table), 97, 99–101, 102 (table), 103 (figure), 104–105, 113 (table), 115–116, 120 (table), 121 (table), 122 (table), 123  
 blueberry (*Vaccinium* spp.), 83, 97, 99–101, 102 (table), 103 (figure), 105  
 Bluebird, Eastern (*Sialia sialis*), 137  
 bootstrapping, 114, 117 (figure), 118 (figure)  
 Bunting, Indigo (*Passerina cyanea*), 156  
 Bush-tanager, Common (*Chlorospingus ophthalmicus*), 183

## C

*Calcarius lapponicus*. See Longspur, Lapland  
*Cannabis sativa*. See marijuana  
 canopy cover, 84, 86, 89 (table), 90 (table), 91, 129, 131–132, 135  
 Capitonidae, 188  
 capture methods  
   decoys, 83, 177–178, 181, 185  
   mist-nets, 143, 163  
   passive netting, 143, 163  
   target netting, 83, 112  
   vocalization playback, 5, 83, 112, 180, 185, 195  
*Cardellina canadensis*. See Warbler, Canada  
*Cardellina pusilla*. See Warbler, Wilson's  
 Caribbean slope, 18, 20, 222  
 caterpillars, 96–97, 99–100, 102, 103 (figure), 104  
   leaf-roller, 103, 137, 219  
*Catharus bicknelli*. See Thrush, Bicknell's  
*Catharus ustulatus*. See Thrush, Swainson's  
*Cecropia* spp., 184  
 cherry, black (*Prunus serotina*), 50 (figure), 83, 99, 101 (figure), 102, 103 (figure), 104  
 cherry, pin (*Prunus pensylvanica*), 97, 99–100, 101 (figure), 102, 103 (figure), 104–105  
 chi-square test of independence, 86  
 Chickadee, Black-capped (*Poecile carolinensis*), 68  
 Chickadee, Carolina (*Poecile atricapillus*), 68, 75  
 Chickadee, Mountain (*Poecile gambeli*), 68  
*Chlorospingus ophthalmicus*. See Bush-tanager, Common  
 chokecherry (*Prunus virginiana*), 97, 102  
 cinquefoil, common (*Potentilla simplex*), 83  
 classification tree, 43, 46–47, 48 (figure), 60–61  
 climate change, 22, 36, 209, 223  
 Colombia, 6, 17–18, 20–22, 194–195, 197 (figure), 199, 200 (figure), 201, 208, 211, 213, 222  
 compositional analysis, 99, 101 (figure), 133–134  
*Comptonia peregrina*. See fern, sweet  
 Connecticut, 8–9, 11, 22  
 conservation  
   breeding grounds, 15, 22, 59–60, 74, 76, 82, 123, 136, 158, 209–210, 220, 223  
   migration stopover sites, 4, 193, 212  
   non-breeding grounds, 4, 23, 30–36, 175–176, 184, 211–212, 223  
 conservation recommendations, 104, 209–211  
 core use areas, 91

*Cornus racemosa*. See dogwood, gray  
*Cornus sericea*. See dogwood, red osier  
*Corylus* spp. See hazel  
 Costa Rica, 6, 17–18, 20–22, 30–33, 36, 177–178, 179 (figure), 180 (figure), 181 (figure), 182 (figure), 183 (figure), 184 (figure), 185 (table), 186 (figure), 187 (figure), 188, 195, 197 (figure), 198 (figure), 199, 200 (figure), 201, 211, 222  
 cover-type selection, 128, 130 (table), 133 (figure), 134, 136–137, 219  
 Cowbird, Brown-headed (*Molothrus ater*), 96  
*Crataegus* spp. See hawthorn  
 cross validation, 46, 157–158  
 cryptic hybrid, 13, 70, 71 (figure), 72 (figure), 73, 76  
 curvilinear model, 114

## D

daily distance  
   from edge of natal patch, 164, 165 (figure)  
   from nest, 164, 165 (figure)  
   maximum, 133  
   minimum, 163  
 daily estimated availability, 133  
 darning needles, devil's (*Clematis virginiana*), 83  
 DeLorme atlas page sample area, 5, 14 (figure)  
 diet  
   central Pennsylvania, 96, 99, 103 (figure)  
   prey abundance, 96, 103 (figure), 105, 219  
   prey availability, 95–96, 103  
   western Great Lakes, 105, 219  
 digital orthophoto quadrangles, 133, 143, 163  
 distribution model, 5–6, 43–44, 46–47, 49, 61  
 distribution, breeding  
   abundance, 6, 9, 13, 16, 23  
   Appalachian breeding segment, 10 (figure), 12, 15–16, 22, 96, 104–105, 110, 114, 123, 138, 199–200, 208–211, 220, 223–224  
   Canada, 11, 70, 72 (figure), 221  
   density, 82, 219  
   distribution shift and contraction, 4, 11–13, 22  
   geographically imbalanced abundance, 210  
   Golden-winged Warbler Atlas Project, 5  
   Great Lakes breeding segment, 10 (figure), 12, 16, 22, 110, 123, 138, 208, 210, 223  
   high-elevation populations, 3, 12, 15, 60, 210  
   historic distribution expansion and contraction, 7, 8 (figure), 9, 17 (table), 22  
   Michigan Breeding Bird Atlas, 11  
   modeled future distribution, 45 (figure), 46, 48 (figure)  
   Ontario Breeding Bird Survey, 11  
   phenotypically pure and hybrid *Vermivora*, 4, 13, 14 (figure), 69, 72 (figure), 76, 222  
   United States of America, 4  
 distribution, non-breeding  
   abundance, 7, 30, 36, 176, 222  
   density, 189  
   inferring distribution from citizen reports, 18, 19 (figure)  
   modeling abundance, 17 (figure)  
 dogwood, gray (*Cornus racemosa*), 82  
 dogwood, red osier (*Cornus sericea*), 82

## E

eBird, 5–7, 10 (figure), 11–12, 18, 19 (figure), 21–22, 43, 201, 224

ecology, nesting

- early successional forest, 162
- egg laying, 112, 143
- extra-territory movements, 83
- force fledged nestlings, 131
- forest, 134, 135 (figure), 136–137, 142, 146 (table)
- mature forest, 134
- nest construction, 112
- nest distance to shrubland-forest edge, 132, 134, 135 (figure)
- nest parasitism, 96
- nest site and fledgling survival, 60, 122, 128, 132, 135–136, 145, 169, 209
- nest site and nest success, 122, 136, 169, 218, 220
- nest-site characteristics, 110, 115, 123
- nest-site selection, 110, 111 (figure), 113 (table), 114, 116 (table), 119 (table), 120 (table), 121–123
- renesting rates, 145, 158
- sapling-dominated stand, 134–135, 136 (figure), 137–138, 144 (table), 169
- shrubland, 134, 135 (figure), 136–137
- territory, 82–84, 86, 87 (table), 88 (figure), 98, 112, 116, 122, 169, 218
- territory overlap, 86, 87 (table), 88 (figure), 91

ecology, non-breeding grounds

- arthropods, large-bodied, 184, 188–189
- epiphytes, 176, 178, 188, 222
- foraging behavior, 175–178, 183–184, 186 (figure), 188–189, 211, 222
- foraging height, 178, 184, 186, 187 (figure), 188
- forest types, 18, 176
- frugivorous, 178
- habitat requirements, 194, 211
- hanging dead leaves, 30, 33, 176, 184, 188–189, 222
- home-range overlap, 177–180, 181 (figure), 185–186, 188
- home-range size, 177–179, 180 (figure), 181, 184 (figure), 185
- insectivorous, 189
- migrant and resident species, 183, 185 (table)
- mixed-species flocks, 176, 178, 183, 185, 188–189, 211–212, 222–223
- population density, 21, 176–177, 189, 222
- predation risk, 175, 177, 180, 189
- prey density, 188
- resources, abundance and temporal variability of, 176, 185, 188–189, 223
- sexual segregation, 30, 176, 188
- site fidelity, 176–177, 180
- social system, 175–177, 185, 188–189, 217, 222
- tree height, 30, 36, 178, 184
- vine tangles, 30, 33, 189, 211

ecology, postfledging

- age-specific survival, 132, 134, 135 (figure), 136 (figure), 137
- brood division, 128, 162, 164, 166, 168
- cover-type-specific survival, 135, 223–224
- early postfledging period, 128, 134, 137–138, 143, 164–166, 169
- firebreak, 130 (table), 131, 133, 136, 144 (table)

- fledgling cover-type selection, 128, 130 (table), 131, 133 (figure), 134, 137, 219
- fledgling survival, 128–129, 131–132, 134, 135 (figure), 136 (figure), 137–138, 142–143, 144 (table), 145, 146 (table), 147–148, 150–151, 154, 156–158, 164–166, 168–169, 208–210, 218–219, 221
- later postfledging period, 137, 164–166, 169
- mature forest, 130 (table), 134–135, 136 (figure), 137–138, 144 (table), 162, 164, 169
- older fledglings, 136
- parental care, 128, 162, 164, 169
- predation, 128, 132–134, 137–138, 142–143, 145, 150, 164–165, 169
- sapling-dominated stand, 130 (table), 134–135, 136 (figure), 137–138, 144 (table), 164, 169
- shrubland, 130 (table), 131, 134, 135 (figure), 136 (figure), 137–138, 142, 144 (table), 146 (table), 153 (figure), 154 (figure), 155, 156 (figure), 166, 169, 209, 218
- sub-brood movements, 134, 169
- subbrood, female-reared, 164, 165 (figure), 166, 167 (figure), 168 (figure), 169
- subbrood, male-reared, 164, 165 (figure), 166, 167 (figure), 168 (figure), 169
- survival related to nest site, 128, 134, 135 (figure), 136, 145
- survival to independence, 132, 134–135, 145
- young fledglings, 103, 130 (table), 136–137

edge density, 143–144, 146, 148, 151

El Salvador, 18, 179 (figure)

*Elaeagnus umbellata*. See autumn-olive

*Elaenia frantzii*, 185 (table)

elevation, 6, 8–10, 12–13, 15, 17 (figure), 18, 20–21, 23, 30–31, 35 (figure), 36, 43, 47, 48 (figure), 49 (table), 50 (table), 52, 53 (table), 55 (table), 57 (table), 59–60, 61 (table), 82–83, 96–97, 110–111, 209–211, 221–222

elm (*Ulmus* spp.), 51 (figure), 82

ensemble modeling, 46

*Euphonia hirundinacea*, 185 (table)

## F

*Fagus* spp. See beech

fallow pasture, 52, 54 (figure), 55, 56 (figure), 58 (figure)

feather samples, 195

fern, sweet (*Comptonia peregrina*), 83, 97, 99–101, 102 (table), 103 (figure)

*Ficedula albicollis*. See Flycatcher, Pied

*Ficedula hypoleuca*. See Flycatcher, Collared

fire, 113, 120

- arson, 83
- prescribed, 112, 129
- wildfire, 83

firebreak, 130 (table), 131, 133, 136, 144 (table)

fledgling tracking, 128, 132, 137, 143, 163, 164

Flycatcher, Pied (*Ficedula albicollis*), 68

Flycatcher, Collared (*Ficedula hypoleuca*), 68

Focal Statistics, 86

foraging observations, 97–98, 178

forbs, 84–85, 89 (table), 90 (table), 110, 113, 129

forest

- coniferous, 44, 49 (table), 50 (table), 59, 62 (table), 130 (table), 133, 143, 144 (table), 146 (table)

deciduous, 12, 44, 49 (table), 50 (table), 52 (figure), 53 (table), 55 (table), 57 (table), 59–60, 62 (table), 143, 144 (table), 145, 146 (table), 147–148, 151, 152 (figure), 153 (figure), 155 (figure), 156, 157 (figure)  
 early successional, 15, 42, 60, 104, 128, 136, 142, 148, 162, 210, 218–220  
 mature, 110, 113, 120–121, 129, 130 (table), 133–135, 136 (figure), 137–138, 142, 144 (table), 148, 162–164, 169  
 swamp, 52, 54 (figure), 56 (figure), 110, 142, 154  
 upland, 128–129, 142–143  
 wetland, 129  
 young, 42, 60, 96–98, 105, 110–112, 209–210

Forest Inventory Analysis, 44, 210

Formicariidae, 188

*Fragaria virginiana*. See strawberry, Virginia

*Fraxinus americana*. See ash, white

*Fraxinus nigra*. See ash, black

*Fraxinus pennsylvanica*. See ash, green

*Fraxinus* spp. See ash

Furnariidae, 188

## G

gene flow, 68, 70, 74–75, 221  
 generalized additive model, 46  
 generalized boosted regression, 46  
 genetic differentiation, 68, 75  
 genetic diversity, 22  
 genetic markers, 68, 221  
 genetic structure, 73  
 genetic swamping, 70  
 genetic variation. See genetic diversity  
 genetics, 75–76, 222  
 Geographic Information System, 85, 143, 163  
 Georgia, 8, 10–13, 15, 22, 194  
 grass, velvet (*Holcus lanatus*), 83  
 grasses, 83, 85, 110, 113, 129  
 grassland, 42, 44, 49 (table), 50 (table), 52 (figure), 56 (figure), 59, 62 (table), 112–116, 117 (figure), 118 (figure), 119 (table), 120 (table), 121 (table), 122 (table), 123, 130 (table), 131, 133, 136, 143, 144 (table), 146 (table), 148, 149 (figure), 151, 152 (figure), 153 (figure), 154 (figure), 155 (figure), 156, 157 (figure)  
 Guatemala, 17–18, 21, 23, 194, 201, 211, 222

## H

habitat

Appalachian population, 13, 48, 53, 56 (figure), 57 (table), 58 (figure), 60, 82, 84, 87–88, 89 (table), 90 (table), 91, 96, 104, 111, 113–116, 120–123, 138, 142, 208, 210, 220–221  
 lateral vegetation cover, 164–166, 167 (figure)  
 nest-habitat structure, 98, 115–116, 123, 128, 132, 148, 162, 209, 217–218  
 non-breeding grounds, 30, 33–34, 36, 176–177, 188–189  
 postfledging, 122–123, 128, 136–138, 162, 168–169, 209  
 vegetation characteristics, 82–83, 90 (table), 98, 112, 114–116, 120 (table), 128, 163–167, 169, 218  
 vegetation strata, 163–164, 166

western Great Lakes population, 128–129, 132–133, 136–138, 152, 157–158, 163, 168–169, 210, 218–220

Haldane's Rule, 68, 74

hawthorn (*Crataegus* spp.), 82–83, 111

hay field, 162

hazel (*Corylus* spp.), 129, 143

hemlock, eastern (*Tsuga canadensis*), 51 (figure), 54 (figure), 55, 57 (figure), 58 (figure)

herbaceous vegetation, 83, 98, 114, 218

high-throughput sequencing, 75

*Holcus lanatus*. See grass, velvet

Honduras, 6, 17–18, 20–23, 31, 33 (figure), 34, 35 (figure), 179 (figure), 194–195, 197 (figure), 198 (figure), 199 (figure), 201, 211

honeysuckle, bush (*Lonicera* spp.), 82

human development, 56 (figure), 59, 97, 129, 130 (table), 133, 209, 211

human disturbance, 55, 60

hybridization, 4, 13, 14 (figure), 15, 23, 42, 59, 67–70, 72–76, 96, 142, 208–210, 220–222

hydrogen isotope, 194, 196

*Hylocichla mustelina*. See Thrush, Wood

*Hylophilus decurtatus*, 185 (table)

*Hypericum prolificum*. See St. John's wort, shrubby

## I

Illinois, 7, 9–11, 13, 104

ImageJ, 131, 164

impact radius, 144–147, 150, 156

Indiana, 7, 9–11

indicator species analysis, 100, 102

insects, herbivorous, 103–105

Institute for Forest Conservation, 35

introgression, 13, 15, 68–75, 222

Iowa, 7

isotope-ratio mass spectrometry, 196

## J

*Juglans nigra*. See walnut, black

## K

k-fold cross validation, 148, 158

*Kalmia latifolia*. See laurel, mountain

Kentucky, 10, 12, 15, 22, 104

Kingbird, Eastern (*Tyrannus tyrannus*), 176

known fates module, 165

Kruskal–Wallis rank sum test, 100, 102–103

## L

land cover, 42, 44, 46, 48–49, 52 (figure), 55, 57, 59–60, 61 (table), 112

*Larix laricina*. See tamarack

laurel, mountain (*Kalmia latifolia*), 83, 97, 99–101, 102 (table), 103 (figure), 104–105

life cycle, 23, 207–208, 212–214, 223–224

*Limothlypis swainsonii*. See Warbler, Swainson's

linear models, 46, 60, 165, 196–197, 198 (table)

*Liriodendron tulipifera*. See poplar, yellow

locust, black (*Robinia pseudoacacia*), 83, 97, 99–100, 101 (table), 102, 103 (figure), 104–105

Log-odds ratios, 115  
 logistic exposure model, 136 (figure), 144 (table),  
 145, 150  
 logistic regression  
   conditional, 114  
   matched-case, 116 (table), 119 (table)  
 Longspur, Lapland (*Calcarius lapponicus*), 162  
*Lonicera* spp. See honeysuckle, bush

## M

macrohabitat characteristics in Pennsylvania and West  
 Virginia, 82, 85–87

maintenance of species, 68

Mallard (*Anas platyrhynchos*), 68

*Malus* spp. See apple, naturalized

management and conservation, breeding grounds  
   conservation implications, 59–60, 69, 72, 74–76, 82,  
   91–92, 110, 120, 123, 136, 158, 162, 207–210,  
   213, 215, 218–222  
   effects on fledglings, 138, 150–152, 162–163, 166,  
   168–169, 209, 218  
   effects on nests, 150–152  
   forest management, 60, 91, 120–121, 123, 136–138,  
   153, 158, 166, 168–169, 209–210, 218,  
   220–221, 224  
   habitat loss, 76, 209–210  
   identifying areas for, 147, 158  
   increase recruitment, 141, 201  
   landscape composition, 142, 145–146, 157  
   landscape structure, 142, 157, 218  
   managed forest landscapes, 127, 141  
   no one-size-fits-all, 153, 218  
   prescriptions, 110, 208, 218  
   provide adequate postfledging habitat, 138, 169  
   regional differences, 102  
   simulation of management effects, 150–152

management and conservation, nonbreeding grounds  
   agroforestry, 32–33, 36, 212  
   co-management, 34–35  
   coffee, 30–36, 211–212, 222  
   habitat loss, 185, 188–189, 201  
   market-based mechanisms, 33–36  
   partnerships, 211, 214  
   renewable energy, 33, 36

Manitoba, 7, 9, 11, 13, 70, 71 (figure), 72 (figure),  
 73–74, 76, 128, 136, 141, 162, 194, 198–199,  
 208, 219

  Avian Research Committee, 71–72

  Duck Mountain, 72 (figure)

  Riding Mountain National Park, 9, 71

  Sandilands Provincial Forest, 129, 130 (table), 131, 133,  
 143, 148, 150 (figure), 152, 156 (figure), 163,  
 166

Mann–Whitney U test, 100, 102 (table)

maple, red (*Acer rubrum*), 51 (figure), 83, 97, 99, 101 (table),  
 103 (figure), 112

maple spp. (*Acer* spp.), 55, 129

maple, sugar (*Acer saccharum*), 50 (figure), 51 (figure), 52–53,  
 54 (figure), 56 (figure), 58 (figure), 59, 83

marijuana (*Cannabis sativa*), 131

marking methods

  adults, 97, 112, 143

  color band, 83, 97, 112, 177

  fledglings, 131, 143

  leg band, 83, 97, 131, 143, 163, 177

  nestlings, 131, 143, 163

  radiotransmitters, 83, 131, 143, 163, 177–178

Martin, Purple (*Progne subis*), 212

Maryland, 8–9, 12–13, 15

  Allegheny Mountains, 15

mass

  adult, 83, 143, 163, 177, 194

  fledgling, 131

  nestling, 143, 163

Massachusetts, 8–9, 11

mate choice, 68–69, 74–76, 169, 219, 221–222

MAXENT, 6, 46–49, 54, 60–61

Mesoamerican Development Institute, 35

Mexico, 17–18, 21–22, 198, 201, 212

Michigan, 7, 9, 11, 22, 52, 70, 72, 128, 198–199, 222

  Breeding Bird Atlas, 11

  Lower Peninsula, 7, 9, 11, 13–14

  Upper Peninsula, 7, 9, 11

migration, 6–7, 11, 36, 42, 72 (figure), 76, 181, 194–195,  
 201, 207, 212–213, 222, 224

  carrying transmitters, 36

  circum-Gulf of Mexico, 201

  collision mortality during, 212–213

  fall, 7, 21, 201, 224

  inferred routes, 6–7, 201, 223

  lack of knowledge of, 4, 21, 194, 212, 224

  molt prior to, 83, 194

  spring, 21, 163

  trans-Caribbean, 201

  trans-Gulf of Mexico, 21–22, 201, 224

migratory connectivity, 193, 200–201, 208

  advances in methods, 212, 224

  Eurovector elemental analyzer, 196

  feathers, 194, 195 (figure), 196, 198 (table)

  geographic assignments to origin, 196–197

  geolocator, 194, 201, 212, 224

  intrinsic markers, 194

  lack of prior knowledge, 194

  panmixis, 195

  probabilistic assignment, 194

  spatial structure in connectivity, 194–195

  species-specific feather isotope, 194

  stable isotopes, 194, 196, 201, 212, 223–224

  VG Isoprime mass spectrometer, 196

May temperature, maximum, 47–48, 49 (table), 50 (table),  
 53, 55 (table)

May temperature, minimum, 43, 47, 48 (figure), 49 (table),  
 50 (table), 53, 55 (table)

minimum convex polygon, 81, 85, 98

Minnesota, 7, 9, 11, 13, 22, 52, 71, 73–74, 76, 81–82,

90, 105, 110, 113 (table), 115, 116 (table),

117 (figure), 118 (figure), 119 (table), 121

(table), 122 (table), 128–129, 130 (table),

133 (figure), 135 (figure), 136 (figure), 142–143,

162–163, 194, 199, 219, 221

  highest known breeding densities, 11, 22, 82, 89

  Rice Lake National Wildlife Refuge, 129, 130 (table),

142–143, 148, 149 (figure), 150, 151 (figure),

163, 166

  Tamarac National Wildlife Refuge, 110, 129, 130

(table), 142–143, 148, 149 (figure), 150–151, 153

(figure), 154, 163, 166

*Mionectes olivacea*, 185

Missouri, 7, 76, 222

mitochondrial DNA, 70, 71 (figure), 72 (figure)  
*Mniotilta varia*, 185  
 molecular techniques, 67–68  
 mortality, fledglings, 128, 131, 137, 142–143, 163  
   apparent starvation, 133  
   avian, 133–134  
   blowfly (*Trypocalliphora braueri*), 133  
   drowning, 133  
   exposure, 164  
   garter snakes (*radix* and *sirtalis*, *Thamnophis*), 133–134  
   hailstone, 133  
   mammals, 133–134  
   raptors, 133–134  
 moss, sphagnum (*Sphagnum papillosum*), 129  
*Motacilla alba*. See Wagtail, White  
*Multiflora rose*. See rose, multiflora  
 multivariate adaptive regression splines, 46  
*Myiarchus tuberculifer*, 185  
*Myioborus miniatus*, 185  
 Myrtaceae, 184

**N**

National Institutes of Health, 131, 164  
 National Land Cover Dataset, 86  
 Neotropical migrant, 22, 30, 96, 162, 194, 201, 207, 211–213, 222  
 nest failure, 112, 115, 122 (table), 142–143, 147, 158  
 nest fate, misidentifying, 219  
 nest finding protocols, 220  
 nest, monitored, 131, 141, 143, 150, 163  
 nest searching, 112, 131, 143, 163  
 New England, 7, 9, 11, 13  
 New Hampshire, 8–9, 11  
 New Jersey, 13, 22  
   Delaware Water Gap, 12  
   Highlands, 12, 15, 112  
   Kittatinny Ridge, 12  
 New York, 7, 9, 13, 22, 52, 55, 57 (table), 70, 74, 110, 112, 113 (table), 115, 116 (table), 117 (figure), 118 (figure), 119 (table), 121 (table), 122 (table), 142, 154, 194, 199–200, 209  
   Champlain Valley, 10–11  
   Hudson Highlands, 12, 15, 112  
   St. Lawrence Valley, 11, 14  
   Sterling Forest State Park, 12, 112  
 Nicaragua, 6, 17–18, 20–23, 30–31, 177–178, 179 (figure), 180 (figure), 181 (figure), 182 (figure), 184, 185 (table), 186, 187 (figure), 188, 195, 197 (figure), 198 (figure), 199, 200 (figure), 201, 211, 222  
 nonparametric Wilcoxon sign rank test, 86  
 North Carolina, 13, 109–111, 113 (table), 115, 116 (table), 117 (figure), 118 (figure), 119 (table), 121 (table), 122 (table)  
   Amphibolites Important Bird Area, 111  
   Blue Ridge Mountains, 3, 8, 12, 15  
   Cumberland Mountains, 15  
   Roan Mountain Important Bird Area, 111  
 nuclear DNA, 72–73

**O**

oak, (*Quercus* spp.), 8, 52, 55, 97, 111–112, 129  
 oak, chestnut (*Quercus montana*), 54 (figure), 55, 56 (figure), 58 (figure), 83, 97, 99, 102, 103 (figure)

oak, red (*Quercus rubra*), 50 (figure), 51 (figure), 56 (figure), 58 (figure), 59, 97, 102  
 oak, white (*Quercus alba*), 50 (figure), 51 (figure), 56 (figure), 58 (figure), 59, 97, 99, 101 (table), 103 (figure), 104–105  
*Ocotea* spp., 184  
 Ohio, 7, 9–11, 70  
 Ontario, 7, 9, 11, 13–14, 70–71, 73, 91, 177, 199  
   Breeding Bird Atlas, 5, 10 (figure)  
   Bruce Peninsula, 9, 11  
   Lake of the Woods, 11  
   Sudbury, 9  
*Oreothlypis peregrina*, 185  
 Ovenbird (*Seiurus aurocapilla*), 137, 176, 185

**P**

Pacific slope, 18, 20, 222  
 paired t-test, 86  
 Panama, 6, 18, 20–22, 31, 179 (figure), 222  
 parasitic infection, 74, 76, 222  
 Partners in Flight, 4, 6, 91  
*Passerina cyanea*. See Bunting, Indigo  
 Pennsylvania, 8–9, 13, 15, 22, 55, 57 (table), 84, 87 (table), 88 (figure), 89 (table), 90 (table), 91, 96, 110, 113 (table), 115, 116 (table), 117 (figure), 118 (figure), 119 (table), 121 (table), 122 (table), 199, 209, 219  
   Allegheny Plateau, 105  
   Bald Eagle State Park, 82, 86, 112  
   Delaware State Forest, 112  
   Pocono Mountains, 12  
   Sproul State Forest, 82–83, 86, 97, 101 (table), 102 (table), 103 (figure), 112  
 phenotypic characteristics, 68  
*Phlogothraupis sanguinolenta*, 185  
 photographic estimation of canopy cover, 131  
*Phylloscopus trochilus*. See Warbler, Willow  
*Picea mariana*. See spruce, black  
 Pico Pijol National Park, 31, 34, 35 (figure)  
 Pillai-M.S. Bartlett trace multivariate analysis of covariance, 165  
 pine, jack (*Pinus banksiana*), 50 (figure), 51 (figure), 52, 54 (figure), 129, 131  
 pine, red (*Pinus resinosa*), 50 (figure), 51 (figure), 102, 129  
 pine, Virginia (*Pinus virginiana*), 54 (figure), 55, 56 (figure), 58 (figure)  
 pine, white (*Pinus strobus*), 50 (figure), 51 (figure), 97, 99, 102, 103 (figure)  
*Pinus banksiana*. See pine, jack  
*Pinus resinosa*. See pine, red  
*Pinus strobus*. See pine, white  
*Pinus virginiana*. See pine, Virginia  
*Piranga rubra*, 185  
 plumage genes, 204  
*Poecile atricapillus*. See Chickadee, Carolina  
*Poecile carolinensis*. See Chickadee, Black-capped  
 poplar, yellow (*Liriodendron tulipifera*), 50 (figure), 53, 55, 56 (figure), 58 (figure)  
 population trends, 6, 208  
   global trends, 4–5, 16, 17 (table), 221  
   regional trends, 201  
   state trends, 136  
*Populus* spp. See aspen  
*Populus tremuloides*. See aspen, quaking  
 post-zygotic selection, 74

posthoc Z-test, 133  
*Potentilla simplex*. See cinquefoil, common  
 predation, 99, 112, 127–128, 132–134, 137–138, 142–143, 145, 175–176, 185, 189  
   pressure, 165, 169, 176  
 predator-prey mismatch, potential, 219  
*Premnoplex brunnescens*, 185  
 principal component analysis, 41, 47  
 probability density function, 114, 196  
 PROC LOGISTIC, 114  
 PROC NLMIXED, 132, 145  
 productivity, 142–145, 148, 162–163, 218–219, 221  
   fledgling survival, 137, 154, 168  
   full-season productivity, 128, 137, 142, 151 (figure), 152 (figure), 153 (figure), 154 (figure), 155 (figure), 156 (figure), 157 (figure), 168, 219  
   managing to increase, 142, 148, 151, 153, 155, 158  
   nest productivity, 138, 147  
   nest success, 142  
   spatially explicit productivity models, 146–148, 151–152, 158, 215  
 profile board, 132, 164  
 PROG GENMOD, 146  
 program MARK, 165  
 program R, 43, 46–47, 99–100, 114, 133, 178  
*Protonotaria citrea*. See Warbler, Prothonotary  
*Prunus pensylvanica*. See cherry, pin  
*Prunus serotina*. See cherry, black  
*Prunus virginiana*. See chokecherry  
*Psidium guajava*, 184

## Q

*Quercus alba*. See oak, white  
*Quercus montana*. See oak, chestnut  
*Quercus rubra*. See oak, red  
*Quercus* spp. See oak

## R

radio transmitters, 83, 131, 143, 163, 177  
 radiotelemetry  
   breeding females, 131, 143, 163, 220  
   breeding males, 83–84, 85 (figure), 86, 87 (figure), 88–91, 219–220  
   migrating males, 36  
   non-breeding grounds females, 187 (figure)  
   non-breeding grounds males, 30, 177–178, 180, 181 (figure), 185 (table)  
   western Great Lakes fledglings, 128, 143, 161, 163–164  
*Ramphocelus passerinii*, 185  
 raster algebra, 146  
 Rayleigh V tests for circular uniformity, 134  
 Redstart, American (*Setophaga ruticilla*), 188, 201, 213  
 realized reproductive success, 75–76, 222  
 recruitment, 74, 141, 201  
 reeds, 129  
 resource competition, 219  
 roads, 97, 131, 137, 148, 152 (figure), 155 (figure), 157 (figure)  
 Robin, American (*Turdus migratorius*), 162  
 Robin, White-throated (*Turdus assimilis*), 137  
*Robinia pseudoacacia*. See locust, black  
 rose, multiflora (*Multiflora rose*), 82–83  
*Rubus* sp. See blackberry

## S

saddlepoint approximation, 114, 123  
*Saltator maximus*, 185  
 sapling-dominated clearcut, 129, 130 (table), 133–135, 136 (figure), 137–138, 144 (table), 169  
 Saskatchewan, 10–11, 13  
   Porcupine Hills, 72 (figure)  
*sassafras* (*Sassafras albidum*), 10 (table) 83, 97, 99, 101 (table), 102, 103 (figure), 105  
*Sassafras albidum*. See sassafras  
 satellite images, 31, 44, 133, 143, 146, 163  
*Saxicola torquata*. See Stonechat  
*Scolopax minor*. See Woodcock, American  
 sedges, 113, 144 (table)  
 Selected Cores Analysis in Ranges 7, 86  
*Setophaga caerulescens*. See Warbler, Black-throated Blue  
*Setophaga cerulea*. See Warbler, Cerulean  
*Setophaga chrysoparia*. See Warbler, Golden-cheeked  
*Setophaga occidentalis*. See Warbler, Hermit  
*Setophaga pensylvanica*, 185  
*Setophaga ruticilla*. See Redstart, American  
*Setophaga townsendi*. See Warbler, Townsend's  
*Setophaga virens*, 185 (table)  
 sexual selection, 68  
 shrub-dominated clear-cut, 127, 129, 130 (table), 131, 133–135, 136 (figure), 137, 144 (table)  
 shrubs, 82–85, 89 (table), 90 (table), 97–98, 100–101, 103 (table), 104, 110, 114, 121, 129, 131, 137  
*Sialia sialis*. See Bluebird, Eastern  
 sign test, 164, 166  
 South Carolina, 8, 10  
 spatial inference, 5, 100, 120, 129, 138, 178, 196–197, 219, 221, 224  
 species at risk, 69  
 species replacement, 13, 69, 221  
*Sphagnum papillosum*. See moss, sphagnum  
 spot mapping, 81–84, 85 (figure), 86, 87 (table), 88 (figure), 89 (table), 90 (table), 91–92, 99–100, 112, 219  
 spruce, black (*Picea mariana*), 51 (figure), 52, 54 (figure)  
 St. John's wort, shrubby (*Hypericum prolificum*), 83  
 Stonechat (*Saxicola torquata*), 188  
 stopover ecology, 7, 193, 212–213  
   advances in methods, 212, 224  
   lack of knowledge of, 213  
 strawberry, Virginia (*Fragaria virginiana*), 83

## T

tamarack (*Larix laricina*), 51 (figure), 52, 54 (figure), 131  
*Tangara icterocephala*, 185 (table)  
 Tennessee, 22, 110–111, 113 (table), 115, 116 (table), 117 (figure), 118 (figure), 119 (table), 121 (table), 122 (table), 218  
   Blue Ridge Mountains, 3, 8, 12  
   Cumberland Escarpment, 8, 10  
   Cumberland Mountains, 10  
   Cumberland Plateau, 12  
   Great Smoky Mountains National Park, 10, 12  
   North Cumberland Wildlife Management Area, 112  
   Southern Blue Ridge Mountains, 8, 12  
*Thamnophis radix*, 133  
*Thamnophis sirtalis*, 133  
*Thraupis episcopus*, 185  
 Thrush, Bicknell's (*Catharus bicknelli*), 185, 188



Thrush, Swainson's (*Catharus ustulatus*), 176  
Thrush, Wood (*Hylodichla mustelina*), 35, 185  
*Tilia americana*. See basswood, American  
*Tilia* spp. See basswood  
Troglodytidae, 188  
*Tsuga canadensis*. See hemlock, eastern  
*Turdus assimilis*. See Robin, White-throated  
*Turdus grayi*, 185 (table)  
*Turdus migratorius*. See Robin, American  
*Tyrannus tyrannus*. See Kingbird, Eastern

## U

U.S. Geological Survey, 83, 97, 131, 143, 163, 177, 197  
*Ulmus* spp. See elm  
unsustainable harvest, 68  
U.S. Department of Agriculture, 208

## V

*Vaccinium* spp. See blueberry  
variable quantity map, 146  
Venezuela, 6, 17–18, 20–22, 194–195, 197 (figure), 200 (figure), 201, 211, 222  
*Vermivora cyanoptera*. See Warbler, Blue-winged  
*Vermivora* hybrid. See Warbler, Brewster's  
*Vermivora* hybrid. See Warbler, Lawrence's  
*Vermivora* spp., 83, 88  
Vermont, 8  
    Lake Champlain Valley, 11  
*Viburnum dentatum*. See viburnum, arrowwood  
viburnum, arrowwood (*Viburnum dentatum*), 82  
vine cover, 113 (table), 115–116, 120 (table), 121 (table), 122 (table), 123  
Vireo, Blue-headed (*Vireo solitarius*), 188  
*Vireo flavifrons*, 185 (table)  
*Vireo philadelphicus*. See Vireo, Philadelphia  
Vireo, Gray (*Vireo vicinior*), 188  
Vireo, Philadelphia (*Vireo philadelphicus*), 188  
Virginia, 8, 12, 15

## W

Wagtail, White (*Motacilla alba*), 188  
walnut, black (*Juglans nigra*), 82  
Warbler, Black-throated Blue (*Setophaga caerulescens*), 176, 201  
Warbler, Blue-winged (*Vermivora cyanoptera*), 48 (figure), 50 (figure), 51 (figure), 52 (figure), 53 (table), 54 (figure), 55 (table), 56 (figure), 57 (table), 58 (figure), 62 (table), 76, 83, 87, 96, 208, 221–222

association with human disturbance, 49, 57, 59–60, 209, 221  
breeding distribution, 4–5, 12–13, 14 (figure), 15, 21, 43–44, 46–47, 59, 61, 69, 75, 208–209, 222  
geographic overlap with Golden-winged Warbler, 4, 13, 15, 41, 48, 49 (table), 59, 69, 75, 221  
hybridization and genetic introgression, 4, 13, 21, 42, 69–76, 142, 194, 208–210, 220–222  
interactions with Golden-winged Warbler, 4–5, 13, 15, 23, 42, 70, 75, 208–210  
Warbler, Brewster's (*Vermivora* hybrid), 13, 69, 71  
Warbler, Canada (*Cardellina canadensis*), 188  
Warbler, Cerulean (*Setophaga cerulea*), 119, 188  
Warbler, Golden-cheeked (*Setophaga chrysoparia*), 220  
Warbler, Hermit (*Setophaga occidentalis*), 68–69  
Warbler, Hooded (*Wilsonia citrina*), 162  
Warbler, Lawrence's (*Vermivora* hybrid), 188  
Warbler, Prothonotary (*Protonotaria citrea*), 188  
Warbler, Swainson's (*Limnothlypis swainsonii*), 84  
Warbler, Townsend's (*Setophaga townsendi*), 68–69  
Warbler, Willow (*Phylloscopus trochilus*), 73  
Warbler, Wilson's (*Cardellina pusilla*), 201  
West Virginia, 3, 9, 12, 15, 22, 70, 74, 81–84, 86–87, 88 (figure), 89 (table), 90 (table), 91, 110, 112, 114 (table)  
    Allegheny Mountains, 12, 15, 105  
    Pocahontas County, 82–83, 112  
    Randolph County, 82–83, 112  
wetland shrubland, 9, 127, 129, 130 (table), 131, 133–135, 136 (figure), 142–148, 154  
Wilcoxon signed rank test, 86  
*Wilsonia citrina*. See Warbler, Hooded  
Wisconsin, 3, 7, 9, 11, 13–14, 22, 52, 73, 110–111, 113 (table), 115, 116 (table), 117 (figure), 118 (figure), 119 (table), 121 (table), 122 (table), 198, 219  
Wisconsin Glacial Episode, 13  
Woodcock, American (*Scolopax minor*), 158, 210  
woodland, 8, 44, 49 (table), 50 (table), 52 (figure), 59, 62 (table)  
woody cover, 84, 89 (table), 90 (table), 109, 119 (table), 115–116, 117 (figure), 118 (figure), 120, 121 (table), 122 (table), 123  
woody plants, 32, 82, 95, 98–105

## X

*Xiphorhynchus erythropygius*, 185 (table)



## STUDIES IN AVIAN BIOLOGY

Series Editor: Kate Huyvaert

1. Status and Distribution of Alaska Birds. Kessel, B., and D. D. Gibson. 1978.
2. Shorebirds in Marine Environments. Pitelka, F. A., editor. 1979.
3. Bird Community Dynamics in a Ponderosa Pine Forest. Szaro, R. C., and R. P. Balda. 1979.
4. The Avifauna of the South Farallon Islands, California. DeSante, D. F., and D. G. Ainley. 1980.
5. Annual Variation of Daily Energy Expenditure by the Black-billed Magpie: A Study of Thermal and Behavioral Energetics. Mugaas, J. N., and J. R. King. 1981.
6. Estimating Numbers of Terrestrial Birds. Ralph, C. J., and J. M. Scott, editors. 1981.
7. Population Ecology of the Dipper (*Cinclus mexicanus*) in the Front Range of Colorado. Price, F. E., and C. E. Bock. 1983.
8. Tropical Seabird Biology. Schreiber, R. W., editor. 1984.
9. Forest Bird Communities of the Hawaiian Islands: Their Dynamics, Ecology, and Conservation. Scott, J. M., S. Mountainspring, F. L. Ramsey, and C. B. Kepler. 1986.
10. Ecology and Behavior of Gulls. Hand, J. L., W. E. Southern, and K. Vermeer, editors. 1987.
11. Bird Communities at Sea off California: 1975 to 1983. Briggs, K. T., W. B. Tyler, D. B. Lewis, and D. R. Carlson. 1987.
12. Biology of the Eared Grebe and Wilson's Phalarope in the Nonbreeding Season: A Study of Adaptations to Saline Lakes. Jehl, J. R., Jr. 1988.
13. Avian Foraging: Theory, Methodology, and Applications. Morrison, M. L., C. J. Ralph, J. Verner, and J. R. Jehl, Jr., editors. 1990.
14. Auks at Sea. Sealy, S. G., editor. 1990.
15. A Century of Avifaunal Change in Western North America. Jehl, J. R., Jr., and N. K. Johnson, editors. 1994.
16. The Northern Goshawk: Ecology and Management. Block, W. M., M. L. Morrison, and M. H. Reiser, editors. 1994.
17. Demography of the Northern Spotted Owl. Forsman, E. D., S. DeStefano, M. G. Raphael, and R. J. Gutiérrez, editors. 1996.
18. Research and Management of the Brown-headed Cowbird in Western Landscapes. Morrison, M. L., L. S. Hall, S. K. Robinson, S. I. Rothstein, D. C. Hahn, and T. D. Rich, editors. 1999.
19. Ecology and Conservation of Grassland Birds of the Western Hemisphere. Vickery, P. D., and J. R. Herkert, editors. 1999.
20. Stopover Ecology of Nearctic–Neotropical Landbird Migrants: Habitat Relations and Conservation Implications. Moore, F. R., editor. 2000.
21. Avian Research at the Savannah River Site: A Model for Integrating Basic Research and Long-Term Management. Dunning, J. B., Jr., and J. C. Kilgo, editors. 2000.
22. Evolution, Ecology, Conservation, and Management of Hawaiian Birds: A Vanishing Avifauna. Scott, J. M., S. Conant, and C. van Riper II, editors. 2001.
23. Geographic Variation in Size and Shape of Savannah Sparrows (*Passerculus sandwichensis*). Rising, J. D. 2001.
24. The Mountain White-crowned Sparrow: Migration and Reproduction at High Altitude. Morton, M. L. 2002.
25. Effects of Habitat Fragmentation on Birds in Western Landscapes: Contrasts with Paradigms from the Eastern United States. George, T. L., and D. S. Dobkin, editors. 2002.
26. Ecology and Conservation of the Willow Flycatcher. Sogge, M. K., B. E. Kus, S. J. Sferra, and M. J. Whitfield, editors. 2003.
27. Ecology and Conservation of Birds of the Salton Sink: An Endangered Ecosystem. Shuford, W. D., and K. C. Molina, editors. 2004.
28. Noncooperative Breeding in the California Scrub-Jay. Carmen, W. J. 2004.
29. Monitoring Bird Populations Using Mist Nets. Ralph, C. J., and E. H. Dunn, editors. 2004.
30. Fire and Avian Ecology in North America. Saab, V. A., and H. D. W. Powell, editors. 2005.
31. The Northern Goshawk: A Technical Assessment of Its Status, Ecology, and Management. Morrison, M. L., editor. 2006.
32. Terrestrial Vertebrates of Tidal Marshes: Evolution, Ecology, and Conservation. Greenberg, R., J. E. Maldonado, S. Droege, and M. V. McDonald, editors. 2006.
33. At-Sea Distribution and Abundance of Seabirds off Southern California: A 20-Year Comparison. Mason, J. W., G. J. McChesney, W. R. McIver, H. R. Carter, J. Y. Takekawa, R. T. Golightly, J. T. Ackerman, D. L. Orthmeyer, W. M. Perry, J. L. Yee, M. O. Pierson, and M. D. McCrary. 2007.

34. *Beyond Mayfield: Measurements of Nest-Survival Data*. Jones, S. L., and G. R. Geupel, editors. 2007.
35. *Foraging Dynamics of Seabirds in the Eastern Tropical Pacific Ocean*. Spear, L. B., D. G. Ainley, and W. A. Walker. 2007.
36. *Status of the Red Knot (*Calidris canutus rufa*) in the Western Hemisphere*. Niles, L. J., H. P. Sitters, A. D. Dey, P. W. Atkinson, A. J. Baker, K. A. Bennett, R. Carmona, K. E. Clark, N. A. Clark, C. Espoz, P. M. González, B. A. Harrington, D. E. Hernández, K. S. Kalasz, R. G. Lathrop, R. N. Matus, C. D. T. Minton, R. I. G. Morrison, M. K. Peck, W. Pitts, R. A. Robinson, and I. L. Serrano. 2008.
37. *Birds of the US–Mexico Borderland: Distribution, Ecology, and Conservation*. Ruth, J. M., T. Brush, and D. J. Krueper, editors. 2008.
38. *Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and Its Habitats*. Knick, S. T., and J. W. Connelly, editors. 2011.
39. *Ecology, Conservation, and Management of Grouse*. Sandercock, B. K., K. Martin, and G. Segelbacher, editors. 2011.
40. *Population Demography of Northern Spotted Owls*. Forsman, E. D., et al. 2011.
41. *Boreal Birds of North America: A Hemispheric View of Their Conservation Links and Significance*. Wells, J. V., editor. 2011.
42. *Emerging Avian Disease*. Paul, E., editor. 2012.
43. *Video Surveillance of Nesting Birds*. Ribic, C. A., F. R. Thompson III, and P. J. Pietz, editors. 2012.
44. *Arctic Shorebirds in North America: A Decade of Monitoring*. Bart, J. R., and V. H. Johnston, editors. 2012.
45. *Urban Bird Ecology and Conservation*. Lepczyk, C. A., and P. S. Warren, editors. 2012.
46. *Ecology and Conservation of North American Sea Ducks*. Savard, J.-P. L., D. V. Derksen, D. Esler, and J. M. Eadie, editors. 2015.
47. *Phenological Synchrony and Bird Migration: Changing Climate and Seasonal Resources in North America*. Wood, E. M., and J. L. Kellermann, editors. 2015.
48. *Ecology and Conservation of Lesser Prairie-Chickens*. Haukos, D. A. and C. W. Boal, editors. 2016.
49. *Golden-winged Warbler Ecology, Conservation, and Habitat Management*. Henry M. Streby, David E. Andersen, David A. Buehler, editors. 2016.