

NOTE ON A GENERALIZED SYLVESTER EQUATION

By

G.W. Stewart

IMA Preprint Series # 985

May 1992

Note on a Generalized Sylvester Equation*

G. W. Stewart[†]

ABSTRACT

In this note we show how to compute the minimum-norm, least squares solution of the generalized Sylvester equation

$$AX + YB = C,$$

*This report is available by anonymous ftp from `thales.cs.umd.edu` in the directory `pub/reports`.

[†]Department of Computer Science and Institute for Advanced Computer Studies, University of Maryland, College Park, MD 20742.

Note on a Generalized Sylvester Equation

G. W. Stewart

In a personal communication, Richard I. Shrager inquired about the the problem of solving the generalized Sylvester equation

$$AX + YB = C, \tag{1}$$

for X and Y . Here A is $m \times k$, B is $l \times n$, and C is $m \times n$ with $k < m$ and $l < n$. The equation arises in a generalization of a technique for measuring chemical transitions by spectra [1].

In general the system (1) is inconsistent, and we we will ask for a least squares solution:

$$\|C - AX - YB\|^2 = \min. \tag{2}$$

Here $\|\cdot\|$ denotes the Frobenius norm defined by

$$\|C\|^2 = \sum_{i,j} \gamma_{ij}^2.$$

Since the least squares problem (2) is in general underdetermined, we shall also require that

$$\|X\|^2 + \|Y\|^2 = \min; \tag{3}$$

i.e., that the combined solution solution be of minimal norm.

The solution can be expressed in terms of the singular value decomposition of A and B . Specifically, let

$$U_A^T A V_A = \begin{pmatrix} \hat{A} & 0 \\ 0 & 0 \end{pmatrix},$$

where U_A and V_A are orthogonal and

$$\hat{A} = \text{diag}(\hat{\alpha}_i)$$

has positive diagonal entries. Similarly let

$$U_B^T B V_B = \begin{pmatrix} \hat{B} & 0 \\ 0 & 0 \end{pmatrix},$$

where U_B and V_B are orthogonal and

$$\hat{B} = \text{diag}(\hat{\beta}_i)$$

has positive diagonal entries. If (with an obvious partitioning) we write

$$V_A^T X V_B = \begin{pmatrix} \hat{X}_1 \\ \hat{X}_2 \end{pmatrix},$$

$$U_A^T Y U_B = (\hat{Y}_1 \ \hat{Y}_2),$$

and

$$U_A^T C V_B = \begin{pmatrix} \hat{C}_{11} & \hat{C}_{12} \\ \hat{C}_{21} & \hat{C}_{22} \end{pmatrix},$$

then we have

$$\begin{pmatrix} \hat{C}_{11} & \hat{C}_{12} \\ \hat{C}_{21} & \hat{C}_{22} \end{pmatrix} = \begin{pmatrix} \hat{A} & 0 \\ 0 & 0 \end{pmatrix} \begin{pmatrix} \hat{X}_1 \\ \hat{X}_2 \end{pmatrix} + (\hat{Y}_1 \ \hat{Y}_2) \begin{pmatrix} \hat{B} & 0 \\ 0 & 0 \end{pmatrix}. \quad (4)$$

From (4) we see that the values of X_2 and Y_2 do not affect the norm (2). Consequently, by (3) they must be zero.

Now let us further partition

$$\hat{X}_1 = (\hat{X}_{11} \ \hat{X}_{12})$$

and

$$\hat{Y}_1 = \begin{pmatrix} \hat{Y}_{11} \\ \hat{Y}_{21} \end{pmatrix}.$$

Then our problem becomes one finding the minimum norm solution of

$$\|\hat{C}_{11} - \hat{A}\hat{X}_{11} - \hat{Y}_{11}\hat{B}\|^2 + \|\hat{C}_{12} - \hat{A}\hat{X}_{12}\|^2 + \|\hat{C}_{21} - \hat{Y}_{21}\hat{B}\|^2 = \min.$$

Clearly, we must have $\hat{X}_{21} = \hat{A}^{-1}\hat{C}_{21}$ and $\hat{Y}_{21} = \hat{C}_{21}\hat{B}^{-1}$. Thus the problem becomes one of determining minimal \hat{X}_{11} and \hat{Y}_{11} satisfying

$$\hat{C}_{11} = \hat{A}\hat{X}_{11} - \hat{Y}_{11}\hat{B}. \quad (5)$$

Because \hat{A} and \hat{B} are diagonal, the problem (5) uncouples into the independent problems

$$\begin{aligned} &\text{minimize} \quad \hat{\xi}_{ij}^2 + \hat{\eta}_{ij}^2 \\ &\text{subject to} \quad \hat{\alpha}_i \hat{\xi}_{ij} + \hat{\eta}_{ij} \hat{\beta}_j = \hat{\gamma}_{ij}. \end{aligned}$$

But this scalar problem is easily seen to have the solution

$$\hat{\xi}_{ij} = \frac{\hat{\gamma}_{ij}\hat{\alpha}_i}{\hat{\alpha}_i^2 + \hat{\beta}_j^2} \quad \text{and} \quad \hat{\eta}_{ij} = \frac{\hat{\gamma}_{ij}\hat{\beta}_j}{\hat{\alpha}_i^2 + \hat{\beta}_j^2}.$$

This completes the solution of the original problem.

References

- [1] R. I. Shrager. Chemical transitions measured by spectra and resolved using singular value decomposition. *Chemometrics and Intelligent Laboratory System*, 1:59–70, 1986. Reference communicated by the author.

Recent IMA Preprints

#	Author/s	Title
892	E.G. Kalnins, Willard Miller, Jr. and Sanchita Mukherjee,	Models of q -algebra representations: the group of plane motions
893	T.R. Hoffend Jr. and R.K. Kaul,	Relativistic theory of superpotentials for a nonhomogeneous, spatially isotropic medium
894	Reinhold von Schwerin,	Two metal deposition on a microdisk electrode
895	Vladimir I. Oliker and Nina N. Uraltseva,	Evolution of nonparametric surfaces with speed depending on curvature, III. Some remarks on mean curvature and anisotropic flows
896	Wayne Barrett, Charles R. Johnson, Raphael Loewy and Tamir Shalom,	Rank incrementation via diagonal perturbations
898	Mingxiang Chen, Xu-Yan Chen and Jack K. Hale,	Structural stability for time-periodic one-dimensional parabolic equations
899	Hong-Ming Yin,	Global solutions of Maxwell's equations in an electromagnetic field with the temperature- dependent electrical conductivity
900	Robert Grone, Russell Merris and William Watkins,	Laplacian unimodular equivalence of graphs
901	Miroslav Fiedler,	Structure-ranks of matrices
902	Miroslav Fiedler,	An estimate for the nonstochastic eigenvalues of doubly stochastic matrices
903	Miroslav Fiedler,	Remarks on eigenvalues of Hankel matrices
904	Charles R. Johnson, D.D. Olesky, Michael Tsatsomeros and P. van den Driessche,	Spectra with positive elementary symmetric functions
905	Pierre-Alain Gremaud,	Thermal contraction as a free boundary problem
906	K.L. Cooke, Janos Turi and Gregg Turner,	Stabilization of hybrid systems in the presence of feedback delays
907	Robert P. Gilbert and Yongzhi Xu,	A numerical transmutation approach for underwater sound propagation
908	LeRoy B. Beasley, Richard A. Brualdi and Bryan L. Shader,	Combinatorial orthogonality
909	Richard A. Brualdi and Bryan L. Shader,	Strong hall matrices
910	Håkan Wennerström and David M. Anderson,	Difference versus Gaussian curvature energies; monolayer versus bilayer curvature energies applications to vesicle stability
911	Shmuel Friedland,	Eigenvalues of almost skew symmetric matrices and tournament matrices
912	Avner Friedman, Bei Hu and J.L. Velazquez,	A Free Boundary Problem Modeling Loop Dislocations in Crystals
913	Ezio Venturino,	The Influence of Diseases on Lotka-Volterra Systems
914	Steve Kirkland and Bryan L. Shader,	On Multipartite Tournament Matrices with Constant Team Size
915	Richard A. Brualdi and Jennifer J.Q. Massey,	More on Structure-Ranks of Matrices
916	Douglas B. Meade,	Qualitative Analysis of an Epidemic Model with Directed Dispersion
917	Kazuo Murota,	Mixed Matrices Irreducibility and Decomposition
918	Richard A. Brualdi and Jennifer J.Q. Massey,	Some Applications of Elementary Linear Algebra in Combinations
919	Carl D. Meyer,	Sensitivity of Markov Chains
920	Hong-Ming Yin,	Weak and Classical Solutions of Some Nonlinear Volterra Integrodifferential Equations
921	B. Leinkuhler and A. Ruehli,	Exploiting Symmetry and Regularity in Waveform Relaxation Convergence Estimation
922	Xinfu Chen and Charles M. Elliott,	Asymptotics for a Parabolic Double Obstacle Problem
923	Yongzhi Xu and Yi Yan,	An Approximate Boundary Integral Method for Acoustic Scattering in Shallow Oceans
924	Yongzhi Xu and Yi Yan,	Source Localization Processing in Perturbed Waveguides
925	Kenneth L. Cooke and Janos Turi,	Stability, Instability in Delay Equations Modeling Human Respiration
926	F. Bethuel, H. Brezis, B.D. Coleman and F. Hélein,	Bifurcation Analysis of Minimizing Harmonic Maps Describing the Equilibrium of Nematic Phases Between Cylinders
927	Frank W. Elliott, Jr.,	Signed Random Measures: Stochastic Order and Kolmogorov Consistency Conditions
928	D.A. Gregory, S.J. Kirkland and B.L. Shader,	Pick's Inequality and Tournaments
929	J.W. Demmel, N.J. Higham and R.S. Schreiber,	Block LU Factorization
930	Victor A. Galaktionov and Juan L. Vazquez,	Regional Blow-Up in a Semilinear Heat Equation with Convergence to a Hamilton-Jacobi Equation
931	Bryan L. Shader,	Convertible, Nearly Decomposable and Nearly Reducible Matrices
932	Dianne P. O'Leary,	Iterative Methods for Finding the Stationary Vector for Markov Chains
933	Nicholas J. Higham,	Perturbation theory and backward error for $AX - XB = C$
934	Z. Strakos and A. Greenbaum,	Open questions in the convergence analysis of the lanczos process for the real symmetric eigenvalue problem
935	Zhaojun Bai,	Error analysis of the lanczos algorithm for the nonsymmetric eigenvalue problem
936	Pierre-Alain Gremaud,	On an elliptic-parabolic problem related to phase transitions in shape memory alloys
937	Bojan Mohar and Neil Robertson,	Disjoint essential circuits in toroidal maps

- 939 **Bojan Mohar and Svatopluk Poljak** Eigenvalues in combinatorial optimization
- 940 **Richard A. Brualdi, Keith L. Chavey and Bryan L. Shader**, Conditional sign-solvability
- 941 **Roger Fosdick and Ying Zhang**, The torsion problem for a nonconvex stored energy function
- 942 **René Ferland and Gaston Giroux**, An unbounded mean-field intensity model:
Propagation of the convergence of the empirical laws and compactness of the fluctuations
- 943 **Wei-Ming Ni and Izumi Takagi**, Spike-layers in semilinear elliptic singular Perturbation Problems
- 944 **Henk A. Van der Vorst and Gerard G.L. Sleijpen**, The effect of incomplete decomposition preconditioning
on the convergence of conjugate gradients
- 945 **S.P. Hastings and L.A. Peletier**, On the decay of turbulent bursts
- 946 **Apostolos Hadjidimos and Robert J. Plemmons**, Analysis of p -cyclic iterations for Markov chains
- 947 **ÅBjörck, H. Park and L. Eldén**, Accurate downdating of least squares solutions
- 948 **E.G. Kalnins, Willard Miller, Jr. and G.C. Williams**, Recent advances in the use of separation of
variables methods in general relativity
- 949 **G.W. Stewart**, On the perturbation of LU, Cholesky and QR factorizations
- 950 **G.W. Stewart**, Gaussian elimination, perturbation theory and Markov chains
- 951 **G.W. Stewart**, On a new way of solving the linear equations that arise in the method of least squares
- 952 **G.W. Stewart**, On the early history of the singular value decomposition
- 953 **G.W. Stewart**, On the perturbation of Markov chains with nearly transient states
- 954 **Umberto Mosco**, Composite media and asymptotic dirichlet forms
- 955 **Walter F. Mascarenhas**, The structure of the eigenvectors of sparse matrices
- 956 **Walter F. Mascarenhas**, A note on Jacobi being more accurate than QR
- 957 **Raymond H. Chan, James G. Nagy and Robert J. Plemmons**, FFT-based preconditioners for
Toeplitz-Block least squares problems
- 958 **Zhaojun Bai**, The CSD, GSVD, their applications and computations
- 959 **D.A. Gregory, S.J. Kirkland and N.J. Pullman**, A bound on the exponent of a primitive matrix using
Boolean rank
- 960 **Richard A. Brualdi, Shmuel Friedland and Alex Pothén**, Sparse bases, elementary vectors and nonzero
minors of compound matrices
- 961 **J.W. Demmel**, Open problems in numerical linear algebra
- 962 **James W. Demmel and William Gragg**, On computing accurate singular values and eigenvalues of acyclic
matrices
- 963 **James W. Demmel**, The inherent inaccuracy of implicit tridiagonal QR
- 964 **J.J.L. Velázquez**, Estimates on the $(N - 1)$ -dimensional Hausdorff measure of the blow-up set
for a semilinear heat equation
- 965 **David C. Dobson**, Optimal design of periodic antireflective structures for the Helmholtz equation
- 966 **C.J. van Duijn and Joseph D. Fehribach**, Analysis of planar model for the molten carbonate fuel cell
- 967 **Yongzhi Xu, T. Craig Poling and Trent Brundage**, Source localization in a waveguide with unknown
large inclusions
- 968 **J.J.L. Velázquez**, Higher dimensional blow up for semilinear parabolic equations
- 969 **E.G. Kalnins and Willard Miller, Jr.**, Separable coordinates, integrability and the Niven equations
- 970 **John M. Chadam and Hong-Ming Yin**, A diffusion equation with localized chemical reactions
- 971 **A. Greenbaum and L. Gurvits**, Max-min properties of matrix factor norms
- 972 **Bei Hu**, A free boundary problem arising in smoulder combustion
- 973 **C.M. Elliott and A.M. Stuart**, The global dynamics of discrete semilinear parabolic equations
- 974 **Avner Friedman and Jianhua Zhang**, Swelling of a rubber ball in the presence of good solvent
- 975 **Avner Friedman and Juan J.L. Velázquez**, A time-dependence free boundary problem modeling
the visual image in electrophotography
- 976 **Richard A. Brualdi, Hyung Chan Jung and William T. Trotter, Jr.**, On the poset of all posets on
 n elements
- 977 **Ricardo D. Fierro and James R. Bunch**, Multicollinearity and total least squares
- 978 **Adam W. Bojanczyk, James G. Nagy and Robert J. Plemmons**, Row householder transformations for
rank- k Cholesky inverse modifications
- 979 **Chaocheng Huang**, An age-dependent population model with nonlinear diffusion in R^n
- 980 **Emad Fatemi and Faroukh Odeh**, Upwind finite difference solution of Boltzmann equation applied to
electron transport in semiconductor devices
- 981 **Esmond G. Ng and Barry W. Peyton**, A tight and explicit representation of Q in sparse QR
factorization
- 982 **Robert J. Plemmons**, A proposal for FFT -based fast recursive least-squares
- 983 **Anne Greenbaum and Zdenek Strakos**, Matrices that generate the same Krylov residual spaces
- 984 **Alan Edelman and G.W. Stewart**, Scaling for orthogonality
- 985 **G.W. Stewart**, Note on a generalized sylvester equation
- 986 **G.W. Stewart**, Updating URV decompositions in parallel