

## References Cited

- Arnell, N.W., and Gosling, S.N., 2013, The impacts of climate change on river flow regimes at the global scale: *Journal of Hydrology*, v. 486, p. 351–364, doi: 10.1016/j.jhydrol.2013.02.010.
- Arzigian, C., 2008, Minnesota Statewide Multiple Property Documentation Form for the Woodland Tradition.
- Belmont, P., Gran, K.B., Schottler, S.P., Wilcock, P.R., Day, S.S., Jennings, C., Lauer, J.W., Viparelli, E., Willenbring, J.K., Engstrom, D.R., and Parker, G., 2011b, Large shift in source of fine sediment in the Upper Mississippi River: *Environmental Science & Technology*, v. 45, p. 8804–8810, doi: 10.1021/es2019109.
- Boucher, O., Myhre, G., and Myhre, A., 2004, Direct human influence of irrigation on atmospheric water vapour and climate: *Climate Dynamics*, v. 22, p. 597–603, doi: 10.1007/s00382-004-0402-4.
- Bridge, J.S., 1993, The interaction between channel geometry, water flow, sediment transport and deposition in braided rivers: Geological Society, London, Special Publications, v. 75, p. 13–71, doi: 10.1144/gsl.sp.1993.075.01.02.
- Contact period Minnesota Department of Administration: Office of the State Archaeologist, <https://mn.gov/admin/archaeologist/educators/mn-archaeology/contact-period/> (accessed September 2024).
- DeLong, S.B., et al., 2021, Inventory of landslides in the northwestern, northeastern, southern, and southeastern parts of Minnesota: U.S. Geological Survey data release, <https://doi.org/10.5066/P94KF6OM>.
- Dikau, R., Herget, J., and Hennrich, K., 2005, Land use and climate impacts on fluvial systems during the period of agriculture in the River Rhine catchment (rhinelucifs) - an introduction: *Erdkunde*, v. 59, p. 177–183, doi: 10.3112/erdkunde.2005.03.01.
- Eaton, B.C., Church, M., and Millar, R.G., 2004, Rational regime model of alluvial channel morphology and response: *Earth Surface Processes and Landforms*, v. 29, p. 511–529, doi: 10.1002/esp.1062.
- Happ, S. C. (1940). Sedimentation Related to Flood Problems in the Whitewater River Valley, Minnesota. United States Department of Agriculture Soil Conservation Service.

- Harden, C.P., 2004, Fluvial response to land-use change in the Southern Appalachian region: A century of investigation: *Physical Geography*, v. 25, p. 398–417, doi: 10.2747/0272-3646.25.5.398.
- Holger, S., 2019, Whitewater State Park: 100 Years in Paradise: Open Rivers Rethinking Water Place & Community, doi: 10.24926/2471190x.6512.
- Home Page, 2024, Whitewater River Watershed Project, <https://www.whitewaterwatershed.org/> (accessed September 2024).
- Jones, J., 2023, Humans are Earth Too: Hydrology, Stream Restoration, and the Human Side of Earth Science [dissertation]: Proquest-Minnesota State University.
- Kallok, M.A., 2008, Restoration Success: Minnesota Conservation Volunteer, p. 74–75.
- Kelley, D.W., and Nater, E.A., 2000, Historical sediment flux from three watersheds into Lake Pepin, Minnesota, USA: *Journal of Environmental Quality*, v. 29, doi: 10.2134/jeq2000.00472425002900020026x.
- Kelly, S., and Belmont, P., 2018, High resolution monitoring of river bluff erosion reveals failure mechanisms and geomorphically effective flows: *Water*, v. 10, p. 394, doi: 10.3390/w10040394.
- Kelly, S., Takbiri, Z., Belmont, P., and Foufoula-Georgiou, E., 2017, Human amplified changes in precipitation–runoff patterns in large river basins of the Midwestern United States - accompanying data: HydroShare Resources, doi: 10.4211/hs.e10be4569cf54127bf6a225862b964ee.
- Knox, J.C., 2006, Floodplain sedimentation in the Upper Mississippi Valley: Natural versus human accelerated: *Geomorphology*, v. 79, p. 286–310, doi: 10.1016/j.geomorph.2006.06.031.
- Knuth, F., Shean, D., Bhushan, S., Schwat, E., Alexandrov, O., McNeil, C., Dehecq, A., Florentine, C., and O’Neel, S., 2023, Historical structure from Motion (HSfM): Automated processing of historical aerial photographs for long-term topographic change analysis: *Remote Sensing of Environment*, v. 285, p. 113379, doi: 10.1016/j.rse.2022.113379.
- Kohout, M.A., Larson, P.H., Jennings, C., Miller, C., and Wickert, A., 2019, Mass wasting investigation and assessment in the Midwest: Case study of the Minnesota River Valley, New Ulm to St. Peter, Minnesota, USA [dissertation].
- Lauer Wesley, J., Echterling, C., Lenhart, C., Belmont, P., and Rausch, R., 2017, Air-photo based change in channel width in the Minnesota River Basin: Modes of adjustment and

implications for sediment budget: *Geomorphology*, v. 297, p. 170–184, doi: 10.1016/j.geomorph.2017.09.005.

Libby, D., Larson, P., Belmont, P., Jang, W., and Miller, C., 2018, Assessing historical planform channel change in an altered watershed with quantification of error and uncertainty present in a GIS [thesis].

Magilligan, F.J., 1985a, Historical floodplain sedimentation in the Galena River Basin, Wisconsin and Illinois: *Annals of the Association of American Geographers*, v. 75, p. 583–594, doi: 10.1111/j.1467-8306.1985.tb00095.x.

Miller, S.O., Ritter, D.F., Kochel, R.C., and Miller, J.R., 1993, Fluvial responses to land-use changes and climatic variations within the Drury Creek watershed, Southern Illinois: *Geomorphology*, v. 6, p. 309–329, doi: 10.1016/0169-555x(93)90053-5.

O'Brien, W.P., Rathbun, M.Y., and O'Bannon, P., 1982, Gateways to commerce: The U.S. Army Corps of Engineers' 9 ..., <https://irma.nps.gov/DataStore/DownloadFile/466343> (accessed September 2024).

Peterson, T., and LaBatte, W. The land, water, and language of the Dakota, Minnesota's first people: MNopedia, Minnesota Historical Society, <https://www.mnopedia.org/land-water-and-language-dakota-minnesota-s-first-people#> (accessed September 2024).

Pfeiffer, A.M., Finnegan, N.J., and Willenbring, J.K., 2017, Sediment supply controls equilibrium channel geometry in Gravel Rivers: *Proceedings of the National Academy of Sciences*, v. 114, p. 3346–3351, doi: 10.1073/pnas.1612907114.

Rockström, J., Falkenmark, M., Allan, T., Folke, C., Gordon, L., Jägerskog, A., Kummu, M., Lannerstad, M., Meybeck, M., Molden, D., Postel, S., Savenije, H.H.G., Svedin, U., Turton, A., et al., 2014, The unfolding water drama in the anthropocene: Towards a resilience-based perspective on water for Global Sustainability: *Ecohydrology*, v. 7, p. 1249–1261, doi: 10.1002/eco.1562.

Savenije, H.H.G., 2003, The width of a bankfull channel; Lacey's formula explained: *Journal of Hydrology*, v. 276, p. 176–183, doi: 10.1016/s0022-1694(03)00069-6.

Schottler, S.P., Ulrich, J., Belmont, P., Moore, R., Lauer, J.W., Engstrom, D.R., and Almendinger, J.E., 2013, Twentieth century agricultural drainage creates more erosive rivers: *Hydrological Processes*, v. 28, p. 1951–1961, doi: 10.1002/hyp.9738.

Shellberg, J.G., Spencer, J., Brooks, A.P., and Pietsch, T.J., 2016, Degradation of the Mitchell River fluvial megafan by alluvial gully erosion increased by post-European land use change, Queensland, Australia: *Geomorphology*, v. 266, p. 105–120, doi: 10.1016/j.geomorph.2016.04.021.

Schummer, J. S., and Z. Hilgendorf, Examining the impact of historic land use change on watershed evolution, Whitewater River watershed, southeastern Minnesota.

Stark, J.R., Hanson, P.E., Goldstein, R.M., Fallon, J.D., Fong, A.L., Lee, K.E., Kroening, S.E., and Andrews, W.J., 2001, Water quality in the Upper Mississippi River Basin, Minnesota, Wisconsin, South Dakota, Iowa, and North Dakota, 1995-98: Circular, <https://pubs.er.usgs.gov/publication/cir1211> (accessed September 2024).

Sunde, M.G., He, H.S., Hubbart, J.A., and Urban, M.A., 2018, An integrated modeling approach for estimating hydrologic responses to future urbanization and climate changes in a mixed-use Midwestern watershed: *Journal of Environmental Management*, v. 220, p. 149–162, doi: 10.1016/j.jenvman.2018.05.025.

Trimble, S.W., 2016, Historical agriculture and soil erosion in the Upper Mississippi Valley Hill Country, doi: 10.1201/b13039.

Turner, R.E., and Rabalais, N.N., 2003, Linking landscape and water quality in the Mississippi River basin for 200 years: *BioScience*, v. 53, p. 563, doi: 10.1641/0006-3568(2003)053[0563:llawqi]2.0.co;2.

Wood, Jimmy, 2023, Buried in bluff country: Stream and valley sedimentation in the Whitewater River Valley, Minnesota (USA). Retrieved from the University Digital Conservancy, <https://hdl.handle.net/11299/259610>.