

**Publications from LLO Faculty and Staff
University of Minnesota Duluth
2003**

Baehr, M.M. and J. McManus. (2003). The measurement of phosphorus and its spatial and temporal variability in western Lake Superior. *Journal of Great Lakes Res.* 29(3):479-487.

[http://dx.doi.org/10.1016/S0380-1330\(03\)70452-3](http://dx.doi.org/10.1016/S0380-1330(03)70452-3) or

<http://www.sciencedirect.com/science/article/pii/S0380133003704523>

Bootsma, H. A., Hecky, R. E., Johnson, T. C., Kling, H. and Mwita, J., 2003. Inputs, outputs and internal cycling of silica in a large, tropical lake. *Journal of Great Lakes Research*, v. 29, p. 121-138. [http://dx.doi.org/10.1016/S0380-1330\(03\)70543-7](http://dx.doi.org/10.1016/S0380-1330(03)70543-7) or

<http://www.sciencedirect.com/science/article/pii/S0380133003705437>

Braucher, R., E.T. Brown, D.L. Bourlès and F. Colin. (2003). In situ produced ¹⁰Be measurements at great depths: Implications for production rates by fast muons. *Earth and Planetary Science Letters*, 211, 251-258. [http://dx.doi.org/10.1016/S0012-821X\(03\)00205-X](http://dx.doi.org/10.1016/S0012-821X(03)00205-X) or

<http://www.sciencedirect.com/science/article/pii/S0012821X0300205X>

Brown, E.T., D.L. Bourlès and F. Colin. (2003). “Quantitative evaluation of soil processes using in situ-produced cosmogenic nuclides.” *Comptes Rendus de l'Académie des Sciences Géosciences*, 335, 1161-1171. <http://dx.doi.org/10.1016/j.crte.2003.10.004> or

<http://www.sciencedirect.com/science/article/pii/S1631071303001950>

Brown, E.T., R. Bendick, D.L. Bourlès, V. Gaur, P. Molnar, G.M. Raisbeck, and F. Yiou. (2003). “Early Holocene climate recorded in geomorphological features in Western Tibet.”

Palaeogeography, Palaeoclimatology, Palaeoecology, 199, 141-151.

[http://dx.doi.org/10.1016/S0031-0182\(03\)00501-7](http://dx.doi.org/10.1016/S0031-0182(03)00501-7) or

<http://www.sciencedirect.com/science/article/pii/S0031018203005017>

Brown, E.T.; “Cosmogenic Nuclides” in *The McGraw-Hill Encyclopedia of Science and Technology*, ninth edition, vol. 4, 743-46, 2003.

<http://www.amazon.com/McGraw-Hill-Concise-Encyclopedia-Science-Technology/dp/0070455600>

Churchill, JH; Ralph, EA; Cates, AM; Budd, JW; Urban, NR. (2003). Observations of a negatively buoyant river plume in a large lake. *Limnology and Oceanography*, 48, 884-894.

<http://dx.doi.org/10.4319/lo.2003.48.2.0884> or

<http://onlinelibrary.wiley.com/doi/10.4319/lo.2003.48.2.0884/abstract>

Ferronskii, V. I., V. A. Polyakov, V. S. Brezgunov, L. S. Vlasova, Yu. A. Karpychev, A. F. Bobkov, V. V. Romaniovskii, T. C. Johnson, R. D. Ricketts, and K. A. Rasmussen, 2003. Variations in the hydrological regime of Kara-Bogaz-Gol Gulf, Lake Issyk-Kul, and the Aral Sea assessed based on data of bottom sediment studies. *Water Resources*, v. 30, p. 252-259. Translated from *Vodnye Resursy*, v. 30, 2003, p. 281-288.

<http://link.springer.com/article/10.1023%2FA%3A1023826011601#page-1>

Johnson, T. C. (editor), 2003. The SOFIS Report. A Report of the NSF-sponsored Workshop on the Science of Freshwater Inland Seas, Large Lakes Observatory Technical Report 2003-1, University of Minnesota Duluth, Duluth, 40 p.

[http://www.canamglass.org/online/events/reportThe Science of Freshwater Inland Seas.pdf](http://www.canamglass.org/online/events/reportThe_Science_of_Freshwater_Inland_Seas.pdf)

McManus, J., E.A. Heinen, M. M. Baehr. (2003). Hypolimnetic oxidation rates in Lake Superior: Impact of dissolved organic material on the lake's carbon budget. *Limnol. Oceanogr.* 48: 1624-1632. <http://dx.doi.org/10.4319/lo.2003.48.4.1624> or

<http://onlinelibrary.wiley.com/doi/10.4319/lo.2003.48.4.1624/pdf>

Ritz, J.-F., D. Bourlès, E.T. Brown, S. Carretier, J. Chéry, B. Enhtuvshin, P. Galsan, R. C. Finkel, T.C. Hanks, K.J. Kendrick, H. Philip, G. Raisbeck, A. Schlupp, D.P. Schwartz, and F. Yiou. (2003). Late Pleistocene to Holocene slip rates for the Gurvan Bulag thrust fault (Gobi-Altai Mongolia) estimated with ¹⁰Be dates. *Journal of Geophysical Research, Solid Earth*, 108(B3). <http://dx.doi.org/10.1029/2001JB000553> or

<http://onlinelibrary.wiley.com/doi/10.1029/2001JB000553/full>

Russell, J. M., Johnson, T. C., and Talbot, M. R., 2003. A 725 year cycle in the climate of central Africa during the late Holocene. *Geology*, v. 31, p. 677-680.

<http://dx.doi.org/10.1130/G19449.1> or <http://geology.gsapubs.org/content/31/8/677>

Russell, J. M., Johnson, T. C., Kelts, K. R., Laerdal, T. and Talbot, M. R., 2003. An 11,000 – year lithostratigraphic and paleohydrologic record from equatorial Africa: Lake Edward, Uganda-Congo. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 193, pp. 25-49.

[http://dx.doi.org/10.1016/S0031-0182\(02\)00709-5](http://dx.doi.org/10.1016/S0031-0182(02)00709-5) or

<http://www.sciencedirect.com/science/article/pii/S0031018202007095>

Wattrus, N.J., Rausch, D.E. and Cartwright, J.A. (2003). Soft-sediment deformation in Lake Superior: Evidence for an immature Polygonal Fault System? In: Van Rensberger, P., Hillis, R.R., Maltman, A.J., and Morley, C.K. (eds), *Subsurface Sediment Mobilization*. Geological Society, London, Special Publications, 216, 323-334.

<http://dx.doi.org/10.1144/GSL.SP.2003.216.01.21> or

[http://www.researchgate.net/publication/240675379_Soft-sediment deformation in Lake Superior evidence for an immature Polygonal Fault System](http://www.researchgate.net/publication/240675379_Soft-sediment_deformation_in_Lake_Superior_evidence_for_an_immature_Polygonal_Fault_System)

