

E-Supplement 1: Final articles retained from database searches after application of inclusion/exclusion criteria.

[No author listed]. 2007. Melamine adulterates component of pellet feeds. *J. Am. Vet. Med. Assoc.* 231:17.

[No author listed]. 2008. Liquid Feed Symposium. Analyzing Today's Marketplace and Tomorrow's Opportunities, Austin, Texas, USA, 10-12 September 2008. In: Liquid Feed Symposium. Analyzing Today's Marketplace and Tomorrow's Opportunities, Austin. American Feed Industry Association, Texas, USA.

Abbas, H. K., R. M. Zablotowicz, W. T. Shier, B. J. Johnson, N. A. Phillips, M. A. Weaver, C. A. Abel, and H. A. Bruns. 2015. Aflatoxin and fumonisin in corn (*Zea mays*) infected by common smut *Ustilago maydis*. *Plant Dis.* 99:1236–1240. 27 ref. doi:10.1094/PDIS-03-14-0234-RE

AbdElhakim, Y. M., N. I. ElSharkawy, and G. G. Moustafa. 2016. An investigation of selected chemical contaminants in commercial pet foods in Egypt. *J. Vet. Diagnostic Investig.* 28:70–75. doi:10.1177/1040638715624733

Aleman, M., K. G. Magdesian, T. S. Peterson, and F. D. Galey. 2007. Salinomycin toxicosis in horses. *J. Am. Vet. Med. Assoc.* 230:1822–1826. doi:10.2460/javma.230.12.1822

Babu, D., and P. M. Muriana. 2014. Sensitive quantification of aflatoxin B1 in animal feeds, corn feed grain, and yellow corn meal using immunomagnetic bead-based recovery and real-time immunoquantitative-PCR. *Toxins (Basel).* 6:3223–3237. doi:10.3390/toxins6123223

Behravesh, C. B., A. Ferraro, M. Deasy 3rd, V. Dato, M. Moll, C. Sandt, N. K. Rea, R. Rickert, C. Marriott, K. Warren, V. Urdaneta, E. Salehi, E. Villamil, T. Ayers, R. M. Hoekstra, J. L. Austin, S. Ostroff, I. T. Williams, and S. S. O. I. Team. 2010. Human *Salmonella* infections linked to contaminated dry dog and cat food, 2006-2008. *Pediatrics.* 126:477–483. doi:10.1542/peds.2009-3273

Benahmed, F. H., G. R. Gopinath, H. Wang, J. J. G. Beaubrun, C. Grim, C. M. Cheng, M. McClelland, S. Ayers, J. Abbott, P. Desai, J. G. Frye, G. Weinstock, T. S. Hammack, D. E. Hanes, M. A. Rasmussen, and M. K. Davidson. 2014. Whole-genome sequencing of *Salmonella enterica* subsp. *enterica* serovar *Cubana* strains isolated from agricultural sources. *Genome Announc.* 2:e01184–13.

Blount, B. C., A. Ozpinar, K. U. Alwis, S. P. Caudill, and J. R. Gillespie. 2008. Perchlorate, nitrate, thiocyanate, and iodide levels in chicken feed, water, and eggs from three farms. *J. Agric. Food Chem.* 56:10709–10715. doi:10.1021/jf8018326

Bowman, A. S., R. A. Krogwold, T. Price, M. Davis, and S. J. Moeller. 2015. Investigating the introduction of porcine epidemic diarrhea virus into an Ohio swine operation. *BMC Vet. Res.* 11:32–38. doi:10.1186/s12917-015-0348-2

Bragg, R. R., L. M. Freeman, A. J. Fascetti, and Z. Yu. 2009. Composition, disintegrative properties, and labeling compliance of commercially available taurine and carnitine dietary products. *J. Am. Vet. Med. Assoc.* 234:209–213. doi:10.2460/javma.234.2.209

Brisdon, S., E. Galanis, R. Colindres, L. Crowe, L. McIntyre, R. Baer, L. MacDougall, L. Wilcott, L. Gustafson, A. Paccagnella, L. Chui, D. Everett, D. MacDonald, A. Ellis, M. Leslie, C. E. Keys, H. Ekperigin, M. L. Collins, A. Drake, J. Koepsell, C. DeBolt, S. McKeirnan, J. Duchin, J. M. Johnson, and D. E. Farmer. 2006. An international outbreak of human salmonellosis associated

- with animal-derived pet treats - Canada and Washington State, 2005. *Canada Commun. Dis. Rep.* 32:150–155.
- Broome, M. R., M. E. Peterson, R. J. Kemppainen, V. J. Parker, and K. P. Richter. 2015. Exogenous thyrotoxicosis in dogs attributable to consumption of all-meat commercial dog food or treats containing excessive thyroid hormone: 14 cases (2008-2013). *J. Am. Vet. Med. Assoc.* 246:105–111. doi:10.2460/javma.246.1.105
- Bucher, O., R. A. Holley, R. Ahmed, H. Tabor, C. Nadon, L. K. Ng, and J. Y. D'Aoust. 2007. Occurrence and characterization of *Salmonella* from chicken nuggets, strips, and pelleted broiler feed. *J. Food Prot.* 70:2251–2258.
- Campbell, H. M., and J. F. Armstrong. 2007. Determination of zearalenone in cereal grains, animal feed, and feed ingredients using immunoaffinity column chromatography and liquid chromatography: interlaboratory study. *J. AOAC Int.* 90:1610–1622.
- Campbell, H., and G. Nayeri. 2006. Determination of monensin, narasin, and salinomycin in mineral premixes, supplements, and animal feeds by liquid chromatography and post-column derivatization: collaborative study. *J. AOAC Int.* 89:1229–1242.
- Castro, S. I. B., P. Lacasse, A. Fouquet, F. Beraldin, A. Robichaud, and R. Berthiaume. 2011. Short communication: feed iodine concentrations on farms with contrasting levels of iodine in milk. *J. Dairy Sci.* 94:4684–4689. doi:10.3168/jds.2010-3714
- Catangui, M. A., and R. K. Berg. 2006. Western bean cutworm, *Striacosta albicosta* (Smith) (Lepidoptera: Noctuidae), as a potential pest of transgenic Cry1Ab *Bacillus thuringiensis* corn hybrids in South Dakota. *Environ. Entomol.* 35:1439–1452.
- Cavallo, S. J., E. R. Daly, J. Seiferth, A. M. Nadeau, J. Mahoney, J. Finnigan, P. Wikoff, C. A. Kiebler, and L. Simmons. 2015. Human outbreak of *Salmonella* Typhimurium associated with exposure to locally made chicken jerky pet treats, New Hampshire, 2013. *Foodborne Pathog. Dis.* 12:441–446. doi:10.1089/fpd.2014.1889
- Centers for Disease Control and Prevention (CDC). 2008. Update: recall of dry dog and cat food products associated with human *Salmonella* Schwarzengrund infections--United States, 2008. *MMWR. Morbidity Mortal. Wkly. Rep.* 57:1200–1202.
- Dai, S. Y., B. Jones, K.-M. Lee, W. Li, L. Post, and T. J. Herrman. 2016. Heavy Metal Contamination of Animal Feed in Texas. *J. Regul. Sci.* 4:21–32.
- Donkersgoed, J. van, V. Bohaychuk, T. Besser, S. XinMing, B. Wagner, D. Hancock, D. Renter, and D. Dargatz. 2009. Occurrence of foodborne bacteria in Alberta feedlots. *Can. Vet. J.* 50:166–172. 20 ref.
- Edinboro, C. H., E. N. Pearce, S. Pino, and L. E. Braverman. 2013. Iodine concentration in commercial cat foods from three regions of the USA, 2008-2009. *J. Feline Med. Surg.* 15:717–724. doi:10.1177/1098612X13477855
- Farias, L. F., C. J. Oliveira, J. J. Medardus, B. Z. Molla, B. A. Wolfe, and W. A. Gebreyes. 2015. Phenotypic and Genotypic Characterization of *Salmonella enterica* in Captive Wildlife and Exotic Animal Species in Ohio, USA. *Zoonoses Public Health.* 62:438–444. doi:10.1111/zph.12170
- Finley, R., R. Reid-Smith, C. Ribble, M. Popa, M. Vandermeer, and J. Aramini. 2008. The occurrence and antimicrobial susceptibility of salmonellae isolated from commercially available

- canine raw food diets in three Canadian cities. *Zoonoses Public Health*. 55:462–469. doi:10.1111/j.1863-2378.2008.01147.x
- Freeman, L. M., N. Janecko, and J. S. Weese. 2013. Nutritional and microbial analysis of bully sticks and survey of opinions about pet treats. *Can. Vet. journal. La Rev. Vet. Can.* 54:50–54.
- Ge, B., P. C. LaFon, P. J. Carter, S. D. McDermott, J. Abbott, A. Glenn, S. L. Ayers, S. L. Friedman, J. C. Paige, D. D. Wagner, S. Zhao, P. F. McDermott, and M. A. Rasmussen. 2013. Retrospective analysis of *Salmonella*, *Campylobacter*, *Escherichia coli*, and *Enterococcus* in animal feed ingredients. *Foodborne Pathog. Dis.* 10:684–691. doi:10.1089/fpd.2012.1470
- Hejazi, R., and A. J. Danyluk. 2009. Epidemiological investigation of femoral fractures in market pigs and the associated economic implications. *Can. Vet. journal. La Rev. Vet. Can.* 50:516–518.
- Hough, S. D., S. H. Jennings, and G. W. Almond. 2015. Thiamine-responsive neurological disorder of swine. *J. Swine Heal. Prod.* 23:143–151. 21 ref.
- Jensen, J. A., A. K. Brice, J. H. Bagel, A. M. Mexas, S. Y. Yoon, and J. H. Wolfe. 2013. Hypervitaminosis D in guinea pigs with alpha-mannosidosis. *Comp. Med.* 63:156–162.
- Kelly, B. C., M. G. Ikonou, D. A. Higgs, J. Oakes, and C. Dubetz. 2008. Mercury and other trace elements in farmed and wild salmon from British Columbia, Canada. *Environ. Toxicol. Chem.* 27:1361–1370. 40 ref. doi:10.1897/07-527.1
- Kerr, K. R., K. L. Kappen, L. M. Garner, P. L. Utterback, C. M. Parsons, and K. S. Swanson. 2014. Commercially available avian and mammalian whole prey diet items targeted for consumption by managed exotic and domestic pet felines: true metabolizable energy and amino acid digestibility using the precision-fed cecectomized rooster assay. *J. Anim. Sci.* 92:4478–4485. doi:10.2527/jas.2013-7246
- Kinley, B., J. Rieck, P. Dawson, and X. Jiang. 2010. Analysis of *Salmonella* and enterococci isolated from rendered animal products. *Can. J. Microbiol.* 56:65–73. doi:10.1139/w09-108
- Kochhar, H. S. 2014. Canada: Porcine epidemic diarrhea in Canada: an emerging disease case study. *Can. Vet. journal. La Rev. Vet. Can.* 55:1048–1049.
- Krout-Greenberg, N. D., B. Puschner, M. G. Davidson, and E. J. Depeters. 2013. Preliminary study to assess mycotoxin concentrations in whole corn in the California feed supply. *J. Dairy Sci.* 96:2705–2712. doi:10.3168/jds.2012-5957
- Lenz, J., D. Joffe, M. Kauffman, Y. Zhang, and J. LeJeune. 2009. Perceptions, practices, and consequences associated with foodborne pathogens and the feeding of raw meat to dogs. *Can. Vet. journal. La Rev. Vet. Can.* 50:637–643.
- Leuschen, B., S. Ensley, and P. Plummer. 2014. Ergot toxicosis causing death in weaned beef calves. 47th Annu. Conf. Am. Assoc. Bov. Pract. Albuquerque. 48:134–138. 24 ref.
- Li, X., L. A. Bethune, Y. Jia, R. A. Lovell, T. A. Proescholdt, S. A. Benz, T. C. Schell, G. Kaplan, and D. G. McChesney. 2012. Surveillance of *Salmonella* prevalence in animal feeds and characterization of the *Salmonella* isolates by serotyping and antimicrobial susceptibility. *Foodborne Pathog. Dis.* 9:692–698. doi:10.1089/fpd.2011.1083
- Lohne, J. J., S. B. Turnipseed, W. C. Andersen, J. Storey, and M. R. Madson. 2015. Application of single-stage Orbitrap mass spectrometry and differential analysis software to nontargeted

- analysis of contaminants in dog food: detection, identification, and quantification of glycoalkaloids. *J. Agric. Food Chem.* 63:4790–4798. doi:10.1021/acs.jafc.5b00959
- Lorber, M., D. Winters, J. Ferrario, C. Byrne, and C. Greene. 2007. Survey of dioxin-like compounds in dairy feeds in the United States. *J. Agric. Food Chem.* 55:386–395. 19 ref. doi:10.1021/jf062731+
- Lordelo, M. M., S. A. Shaaban, N. M. Dale, M. C. Calhoun, P. F. Vendrel, and A. J. Davis. 2008. Near infrared reflectance spectroscopy for the determination of free gossypol in cottonseed meal. *J. Appl. Poult. Res.* 17:243–248.
- Malinak, C. M., C. C. Hofacre, S. R. Collett, H. L. Shivaprasad, S. M. Williams, H. S. Sellers, E. Myers, Y. T. Wang, and M. Franca. 2014. Tribasic copper chloride toxicosis in commercial broiler chicks. *Avian Dis.* 58:642–649. doi:10.1637/10864-051514-Case.1
- Markovich, J. E., L. M. Freeman, and C. R. Heinze. 2014. Analysis of thiamine concentrations in commercial canned foods formulated for cats. *J. Am. Vet. Med. Assoc.* 244:175–179. doi:10.2460/javma.244.2.175
- Martos, P. A., W. Thompson, and G. J. Diaz. 2010. Multiresidue mycotoxin analysis in wheat, barley, oats, rye and maize grain by high-performance liquid chromatography-tandem mass spectrometry. *World Mycotoxin J.* 3:205–223. 40 ref.
- Maule, A. G., A. L. Gannam, and J. W. Davis. 2007. Chemical contaminants in fish feeds used in federal salmonid hatcheries in the USA. *Chemosphere.* 67:1308–1315.
- McKee, M. J., G. B. Kromrey, T. W. May, and C. E. Orazio. 2008. Contaminant levels in rainbow trout, *oncorhynchus mykiss*, and their diets from Missouri coldwater hatcheries. *Bull. Environ. Contam. Toxicol.* 80:450–454. doi:10.1007/s00128-008-9374-0
- Medardus, J. J., B. Z. Molla, M. Nicol, W. M. Morrow, P. J. Rajala-Schultz, R. Kazwala, and W. A. Gebreyes. 2014. In-feed use of heavy metal micronutrients in U.S. swine production systems and its role in persistence of multidrug-resistant salmonellae. *Appl. Environ. Microbiol.* 80:2317–25. doi:10.1128/AEM.04283-13.
- Misener, M. 2015. PED - a Canadian update. In: J. H. Smith, editor. *Proceedings of the 15th London Swine Conference: Production Technologies to Meet Market Demands*. London Swine Conference, South West Ontario Veterinary Services, Ontario N5A 8A1, Canada.
- Morley, P. S., R. A. Strohmeier, J. D. Tankson, D. R. Hyatt, D. A. Dargatz, and P. J. Fedorka-Cray. 2006. Evaluation of the association between feeding raw meat and *Salmonella enterica* infections at a Greyhound breeding facility. *J. Am. Vet. Med. Assoc.* 228:1524–1532. doi:10.2460/javma.228.10.1524
- Myint, M. S., Y. J. Johnson, J. C. Paige, and D. A. Bautista. 2007. A cross-sectional study of bacterial contamination in plant-protein feed from feed stores in Northern Virginia and Maryland. (Special Issue: Advances in feed safety.). R. Blair and J. Wiseman, editors. *Anim. Feed Sci. Technol.* 133:137–148. 43 ref. doi:10.1016/j.anifeedsci.2006.08.007
- Nachman, K. E., G. Raber, K. A. Francesconi, A. Navas-Acien, and D. C. Love. 2012. Arsenic species in poultry feather meal. *Sci. Total Environ.* 417–418:183–188. doi:10.1016/j.scitotenv.2011.12.022
- Narayanappa, A. T., H. Sooryanarain, J. Deventhiran, D. J. Cao, B. A. Venkatachalam, D. Kambiranda, T. LeRoith, C. L. Heffron, N. Lindstrom, K. Hall, P. Jobst, C. Sexton, X. J. Meng,

- and S. Elankumaran. 2015. A novel pathogenic mammalian orthoreovirus from diarrheic pigs and swine blood meal in the United States. *MBio*. 6:e00593–15. 48 ref.
- Nemser, S. M., T. Doran, M. Grabenstein, T. McConnell, T. McGrath, R. Pamboukian, A. C. Smith, M. Achen, G. Danzeisen, S. Kim, Y. Liu, S. Robeson, G. Rosario, K. McWilliams Wilson, and R. Reimschuessel. 2014. Investigation of *Listeria*, *Salmonella*, and toxigenic *Escherichia coli* in various pet foods. *Foodborne Pathog. Dis.* 11:706–709. doi:10.1089/fpd.2014.1748
- Rodrigues, I., and K. Naehrer. 2012. A three-year survey on the worldwide occurrence of mycotoxins in feedstuffs and feed. *Toxins (Basel)*. 4:663–675. 11 ref.
- Rumbeiha, W., and J. Morrison. 2011. A review of class I and class II pet food recalls involving chemical contaminants from 1996 to 2008. *J. Med. Toxicol.* 7:60–66. doi:10.1007/s13181-010-0123-5
- Sanchez, C. A., B. C. Blount, L. Valentin-Blasini, S. M. Lesch, and R. I. Krieger. 2008. Perchlorate in the feed-dairy continuum of the southwestern United States. *J. Agric. Food Chem.* 56:5443–5450. doi:10.1021/jf0733923
- Schaafsma, A. W., V. LimayRios, and L. TamburicIllincic. 2008. Mycotoxins and *Fusarium* species associated with maize ear rot in Ontario, Canada. 3rd Int. Symp. *Fusarium Head Blight*. 36:525–527.
- Shappell, N. W., M. S. Mostrom, and E. M. Lenneman. 2012. E-Screen evaluation of sugar beet feedstuffs in a case of reduced embryo transfer efficiencies in cattle: the role of phytoestrogens and zearalenone. *Vitr. Cell. Dev. Biol.* 48:216–228. doi:10.1007/s11626-012-9489-9
- Sheridan, R. S., and J. L. Kemnah. 2010. Glycoalkaloid content in pet food by UPLC-tandem mass spectrometry. *J. Chromatogr. Sci.* 48:790–794.
- Singleton, C., R. Wack, and R. S. Larsen. 2012. Bacteriologic and nutritional evaluation of a commercial raw meat diet as part of a raw meat safety program. *Zoo Biol.* 31:574–585. doi:10.1002/zoo.20423
- Strohmeier, R. A., P. S. Morley, D. R. Hyatt, D. A. Dargatz, A. V. Scorza, and M. R. Lappin. 2006. Evaluation of bacterial and protozoal contamination of commercially available raw meat diets for dogs. *J. Am. Vet. Med. Assoc.* 228:537–542. 20 ref. doi:10.2460/javma.228.4.537
- Teller, R. S., R. J. Schmidt, L. W. Whitlow, and L. Kung Jr. 2012. Effect of physical damage to ears of corn before harvest and treatment with various additives on the concentration of mycotoxins, silage fermentation, and aerobic stability of corn silage. *J. Dairy Sci.* 95:1428–1436. doi:10.3168/jds.2011-4610
- Watkins, K. L., and T. L. Veum. 2010. Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine. *J. Anim. Sci.* 88:2665–73. doi:10.2527/jas.2010-2811
- Whitaker, T. B., A. B. Slate, T. W. Nowicki, and F. G. Giesbrecht. 2015. Variability and distribution among sample test results when sampling unprocessed oat lots for ochratoxin A. *World Mycotoxin J.* 8:511–524. 16 ref. doi:10.3920/WMJ2014.1858
- Yi-Cheng, H., T. L. Poole, M. Runyon, M. Hume, and T. J. Herrman. 2016. Prevalence of nontyphoidal *Salmonella* and *Salmonella* strains with conjugative antimicrobial-resistant serovars contaminating animal feed in Texas. *J. Food Prot.* 79:194–204. 42 ref. doi:10.4315/0362-028X.JFP-15-163

Zavala, G., D. A. Anderson, J. F. Davis, and L. Dufour-Zavala. 2011. Acute monensin toxicosis in broiler breeder chickens. *Avian Dis.* 55:516–521. doi:10.1637/9708-030911-Case.1

Zhang, Y., and J. Caupert. 2012. Survey of mycotoxins in U.S. distiller's dried grains with solubles from 2009 to 2011. *J. Agric. Food Chem.* 60:539–543. doi:10.1021/jf203429f

Zhang, Y., J. Caupert, P. M. Imerman, J. L. Richard, and G. C. Shurson. 2009. The occurrence and concentration of mycotoxins in U.S. distillers dried grains with solubles. *J. Agric. Food Chem.* 57:9828–9837. doi:10.1021/jf901186r