

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Ahlstedt, S. A., Fagg, M. T., Butler, R. S., Connell, J. F., & Jones, J. W. (2016). Quantitative monitoring of freshwater mussel populations from 1979-2004 in the Clinch and Powell Rivers of Tennessee and Virginia, with miscellaneous notes on the fauna. *Freshwater Mollusk Biology and Conservation*, 19(2), 1–18.
- Allard, D. J., Whitesel, T. A., Lohr, S. C., & Koski, M. L. (2017). Western Pearlshell Mussel Life History in Merrill Creek, Oregon: Reproductive Timing, Growth, and Movement. *Northwest Science*, 91(1), 1–14. <https://doi.org/10.3955/046.091.0103>
- Allen, D. C., Sietman, B. E., Kelner, D. E., Hove, M. C., Kurth, J. E., Mike Davis, J., Weiss, J. L., & Hornbach, D. J. (2007). Early Life-history and Conservation Status of *Venustaconcha Ellipsiformis* (Bivalvia, Unionidae) in Minnesota. *The American Midland Naturalist*, 157(1), 74–91. [https://doi.org/10.1674/0003-0031\(2007\)157\[74:ELACSO\]2.0.CO;2](https://doi.org/10.1674/0003-0031(2007)157[74:ELACSO]2.0.CO;2)
- Amyot, J. P., & Downing, J. A. (1998). Locomotion in *Elliptio complanata* (Mollusca: Unionidae): A reproductive function? *Freshwater Biology*, 39(2), 351–358. <https://doi.org/10.1046/j.1365-2427.1998.00289.x>
- Anthony, J. L., Kesler, D. H., Downing, W. L., & Downing, J. A. (2001). Length-specific growth rates in freshwater mussels (Bivalvia : Unionidae): extreme longevity or generalized growth cessation? *Freshwater Biology*, 46, 1349–1359.
- Araujo, R., Campos, M., Feo, C., Varela, C., Soler, J., & Ondina, P. (2018). Who wins in the weaning process? Juvenile feeding morphology of two freshwater mussel species. *Journal of Morphology*, 279(1), 4–16. <https://doi.org/10.1002/jmor.20748>
- Asher, A. M., & Christian, A. D. (2012). Population Characteristics of the Mussel *Villosa iris* (Lea) (Rainbow Shell) in the Spring River Watershed, Arkansas. *Southeastern Naturalist*, 11(2), 219–238. <https://doi.org/10.1656/058.011.0205>
- Ashton, M., & Graves, P. (2013). Observation of Wild Host Use of American Eel by Eastern Elliptio, *Elliptio complanata* Lightfoot (1786), in Two Maryland Streams. *Ellipsaria*, 15(4).
- Bailey, R. C., & Green, R. H. (1988). Within-basin variation in the shell morphology and growth rate of a freshwater mussel. *Canadian Journal of Zoology*, 66(7), 1704–1708. <https://doi.org/10.1139/z88-246>
- Baird, M. S. (2000). Life history of the Spectaclecase, *Cumberlandia monodonta* Say, 1829 (Bivalvia, Unionidae, Margaritiferidae). Southwest Missouri State University.
- Barnhart, C. (2018). Propagation and Augmentation of the Ouachita Rock Pocketbook.
- Barnhart, M. Christopher. (1997). Fertilization Success in Freshwater Mussels.
- Barnhart, M. Christopher. (2001). Fish hosts and culture of mussel species of special concern: Annual report for 2000. <https://doi.org/10.13140/2.1.4596.7682>
- Barnhart, Miles Christopher. (2002). Propagation and Culture of Mussel Species of Concern: Annual Report for 2002.
- Barnhart, Miles Christopher. (2003). Final Report: Culture and Restoration of Special Concern Mussel Species. <https://doi.org/10.13140/2.1.4465.6967>

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Bauer, G. (1994). The adaptive value of offspring size among freshwater mussels (Bivalvia; Unionidae). *Journal of Animal Ecology*, 63(4), 933–944.
- Blalock-Herod, H. N., Herod, J. J., & Williams, J. D. (2002). Evaluation of conservation status, distribution, and reproductive characteristics of an endemic Gulf Coast freshwater mussel, *Lampsilis australis* (Bivalvia: Unionidae). *Biodiversity and Conservation*, 11(10), 1877–1887.
<https://doi.org/10.1023/A:1020362020903>
- Bloodsworth, K. H., Bosman, B. R., Sietman, B. E., & Hove, M. C. (2013). Host Fishes and Conservation Status of *Alasmidonta marginata* (Bivalvia: Unionidae) in Minnesota. *Northeastern Naturalist*, 20(1), 49–68.
<https://doi.org/10.1656/045.020.0105>
- Bosman, B. R., Christie, B., Hart, M., Morton, J., & Randklev, C. R. (2015). Host Confirmed for *Potamilus amphichaenus* and *Potamilus metnecktayi*. *Ellipsaria*, 17(4).
- Brown, K. M., & Daniel, W. M. (2014). The Population Ecology of the Threatened Inflated Heelsplitter, *Potamilus inflatus*, in the Amite River, Louisiana. *The American Midland Naturalist*, 171(2), 328–339.
<https://doi.org/10.1674/0003-0031-171.2.328>
- Bruenderman, S. A. (2014). Investigation into the Demise of the Freshwater Mussel Fauna of Marsh Creek, McCreary County, Kentucky: an Interagency Approach. *Ellipsaria*, 16(4).
- Bruenderman, S. A., & Neves, R. J. (1993). Life history of the Endangered Fine-Rayed Pigtoe *Fuscionia cuneolus* (Bivalvia: Unionidae) in the Clinch River, Virginia. *American Malacological Bulletin*, 10(1), 83–91.
- Burlakova, L. E., & Karatayev, A. (2011). Survey of Texas Hornshell Populations in Texas.
- Caldwell, M. L., Zanatta, D. T., & Woolnough, D. A. (2016). A multi-basin approach determines variability in host fish suitability for unionids in tributaries of the Laurentian Great Lakes. *Freshwater Biology*, 61(7), 1035–1048. <https://doi.org/10.1111/fwb.12756>
- Carey, C. S., Jones, J. W., Butler, R. S., & Hallerman, E. M. (2015). Restoring the endangered oyster mussel (*Epioblasma capsaeformis*) to the upper Clinch River, Virginia: An evaluation of population restoration techniques. *Restoration Ecology*, 23(4), 447–454. <https://doi.org/10.1111/rec.12195>
- Christian, A. D., Davidson, C. L., Posey, W. R. I., Rust, P. J., Farris, J. L., Harris, J. L., & Harp, G. L. (2000). Growth curves of four species of commercially valuable freshwater mussels (Bivalvia: Unionidae) in Arkansas. *Journal of the Arkansas Academy of Science*, 54, 41–50.
- Coon, T. G., Eckblad, J. W., & Trygstad, P. M. (1977). Relative abundance and growth of mussels (Mollusca: Eulamellibranchia) in pools 8, 9 and 10 of the Mississippi River. *Freshwater Biology*, 7(3), 279–285.
<https://doi.org/10.1111/j.1365-2427.1977.tb01675.x>
- Daniel, W. M., & Brown, K. M. (2012). Reproductive biology and host fishes of four unionids from the Lake Pontchartrain Basin, Louisiana, U.S.A. *Walkerana*, 15(1), 11–16.
- Davis, V. M., & Layzer, J. B. (2012). Life History of the Fluted Kidneyshell *Ptychobranthus subtentum*. *The American Midland Naturalist*, 167(1), 79–95. <https://doi.org/10.1674/0003-0031-167.1.79>

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Downing, J. A., Amyot, J. P., Perusse, M., & Rochon, Y. (1989). Visceral sex, hermaphroditism, and protandry in a population of the freshwater bivalve *Elliptio complanata*. *Journal of the North American Benthological Society*, 8(1), 92–99. <https://doi.org/10.2307/1467405>
- Downing, J. A., Rochon, Y., & Perusse, M. (1993). Spatial aggregation, body size, and reproductive success in the freshwater mussel *Elliptio complanata*. *Journal of the North American Benthological Society*, 12(2), 148–156.
- Dudding, J. F., Hart, M., Khan, J. M., Robertson, C. R., Lopez, R., & Randklev, C. R. (2020). Reproductive life history of 2 imperiled and 1 widely-distributed freshwater mussel species from the southwestern united states. *Freshwater Science*, 39, 156–168. <https://doi.org/10.1086/707774>
- Eads, C. B., Bogan, A. E., & Levine, J. F. (2006). Status and Life-History Aspects of *Villosa constricta* (Conrad 1838) (Notched Rainbow), in the Upper Neuse River Basin, North Carolina. *Southeastern Naturalist*, 5(4), 649–660.
- Eads, C. B., & Levine, J. F. (2013). Vertical migration and reproductive patterns of a long-term brooding freshwater mussel, *Villosa constricta* (Bivalvia: Unionidae) in a small piedmont stream. *Walkerana*, 16(1), 29–40. <https://doi.org/10.1016/j.proeng.2016.07.396>
- Eads, C. B., Price, J. E., & Levine, J. F. (2015). Fish Hosts of Four Freshwater Mussel Species in the Broad River, South Carolina. *Southeastern Naturalist*, 14(1), 85–97. <https://doi.org/10.1656/058.014.0120>
- Eckert, N. L. (2003). Reproductive biology and host requirement differences among isolated populations of *Cyprogenia aberti* (Conrad, 1850) (Master's Thesis, Southwest Missouri State University, Springfield, MO).
- Eckert, N. L., & Buening, J. T. (2013). Confirmation of Hosts and Additional Host Trials for the Cylindrical Papershell, *Anodontoides ferussacianus*. *Ellipsaria*, 15(4).
- Ehlo, C. A., & Layzer, J. B. (2014). Population Demographics and Life History of the Round Hickorynut (*Obovaria subrotunda*) in the Duck River, Tennessee. *The American Midland Naturalist*, 171(1), 1–15. <https://doi.org/10.1674/0003-0031-171.1.1>
- Fobian, T. B. (2007). Reproductive biology of the rabbitsfoot mussel (*Quadrula cylindrica*) (Say, 1817) in the upper Arkansas River system, White River system, and the Red River system (Master's Thesis, Missouri State Univeristy, Springfield, MO). Retrieved from http://biology.missouristate.edu/faculty_pages/Barnhart_pubs/Fobian_Thesis- Final Draft.pdf
- Ford, D. F., Plants-Paris, E. D., & Ford, N. B. (2020). Comparison of Louisiana Pigtoe (*Pleurobema riddellii*, Mollusca, Unionidae) growth at three different locations in the Neches River Basin of East Texas. *Hydrobiologia*, 847(9), 2021–2033. <https://doi.org/10.1007/s10750-020-04228-8>
- Franzem, T. P., Kugler, M., Larochele, R., Lord, P. H., Stich, D., & Gascho Landis, A. M. (2019). Reproductive Phenology of *Elliptio complanata* in an Upper Susquehanna River Tributary of New York. *Northeastern Naturalist*, 26(1), 119–128. <https://doi.org/https://doi.org/10.1656/045.026.0110>
- Fritts, A. K., & Bringolf, R. B. (2014). Host fishes for four federally endangered freshwater mussels (Unionidae) in the Apalachicola-Chattahoochee-Flint basin. *Walkerana*, 17(1), 24–40.

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Fritts, A. K., Fritts, M. W., Haag, W. R., DeBoer, J. A., & Casper, A. F. (2017). Freshwater mussel shells (Unionidae) chronicle changes in a North American river over the past 1000 years. *Science of the Total Environment*, 575, 199–206. <https://doi.org/10.1016/j.scitotenv.2016.09.225>
- Fritts, A. K., Fritts, M. W., Peterson, D. L., Fox, D. A., & Bringolf, R. B. (2012). Critical linkage of imperiled species: Gulf Sturgeon as host for Purple Bankclimber mussels. *Freshwater Science*, 31(4), 1223–1232. <https://doi.org/10.1899/12-081.1>
- Fritts, A. K., Sietman, B. E., Hove, M. C., Rudh, N. E., Davis, J. M., & Heath, D. J. (2012). Early life history and conservation status of the Monkeyface, *Theliderma metanevra* (Mollusca: Bivalvia) in Minnesota and Wisconsin. *Walkerana*, 15(2), 99–112. <https://doi.org/10.3758/s13428-018-1117-5>
- Galbraith, H. S., Lellis, W. A., Cole, J. C., Blakeslee, C. J., & St. John White, B. (2016). Population Demographics for the Federally Endangered Dwarf Wedgemussel. *Journal of Fish and Wildlife Management*, 7(2), 377–387. <https://doi.org/10.3996/112014-JFWM-084>
- Galbraith, H. S., & Vaughn, C. C. (2011). Effects of Reservoir Management on Abundance, Condition, Parasitism, and Reproductive Traits of Downstream Mussels. *River Research and Applications*, 27, 193–201. <https://doi.org/10.1002/rra.1350>
- Gascho Landis, A. M., Mosley, T. L., Haag, W. R., & Stoeckel, J. A. (2012). Effects of temperature and photoperiod on lure display and glochidial release in a freshwater mussel. *Freshwater Science*, 31(3), 775–786. <https://doi.org/10.1899/11-082.1>
- Gates, K. K., Vaughn, C. C., & Julian, J. P. (2015). Developing environmental flow recommendations for freshwater mussels using the biological traits of species guilds. *Freshwater Biology*, 60(4), 620–635. <https://doi.org/10.1111/fwb.12528>
- Gibson, T., Halmbacher, J., & Watters, G. T. (2014). Laboratory-determined Hosts for the Ohio Pigtoe, *Pleurobema cordatum* (Rafinesque, 1820). *Ellipsaria*, 16(4).
- Gibson, T., Halmbacher, J., & Watters, G. T. (2015). New or Confirmed Hosts for Freshwater Mussels. *Ellipsaria*, 17(4).
- Haag, W. R. (2012). *North American Freshwater Mussels: Natural History, Ecology and Conservation*. In Cambridge University Press. Cambridge University Press.
- Haag, W. R. (2013). The role of fecundity and reproductive effort in defining life-history strategies of North American freshwater mussels. *Biological Reviews*, 88(3), 745–766. <https://doi.org/10.1111/brv.12028>
- Haag, W. R., & Rypel, A. L. (2011). Growth and longevity in freshwater mussels: Evolutionary and conservation implications. *Biological Reviews*, 86(1), 225–247. <https://doi.org/10.1111/j.1469-185X.2010.00146.x>
- Haag, W. R., & Staton, J. L. (2003). Variation in fecundity and other reproductive traits in freshwater mussels. *Freshwater Biology*, 48(12), 2118–2130. <https://doi.org/10.1046/j.1365-2427.2003.01155.x>
- Haag, W. R., Warren, Jr., M. L., & Shillingsford, M. (1999). Host Fishes and Host-Attracting Behavior of *Lampsilis altilis* and *Villosa vibex* (Bivalvia: Unionidae). *The American Midland Naturalist*, 141(1), 149–157.

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Haag, W. R., & Warren, M. L. (1997). Host Fishes and Reproductive Biology of 6 Freshwater Mussel Species from the Mobile Basin, USA. *Journal of the North American Benthological Society*, 16(3), 576–585.
<https://doi.org/10.2307/1468145>
- Haggerty, T. M., Garner, J. T., Crews, A. E., & Kawamura, R. (2011). Reproductive seasonality and annual fecundity in *Arcidens confragosus* (Unionidae: Unioninae: Anodontini) from Tennessee River, Alabama, USA. *Invertebrate Reproduction and Development*, 55(4), 230–235.
<https://doi.org/10.1080/07924259.2011.574845>
- Haggerty, T. M., Garner, J. T., Patterson, G. H., & Jones, L. C. (1995). A quantitative assessment of the reproductive biology of *Cyclonaias tuberculata* (Bivalvia: Unionidae). *Canadian Journal of Zoology*, 73, 83–88. <https://doi.org/10.1139/z95-010>
- Haggerty, T. M., Garner, J. T., & Rogers, R. L. (2005). Reproductive phenology in *Megaloniaias nervosa* (Bivalvia: Unionidae) in Wheeler Reservoir, Tennessee River, Alabama, USA. *Hydrobiologia*, 539(1), 131–136.
<https://doi.org/10.1007/s10750-004-3915-2>
- Hanlon, S. D., & Levine, J. F. (2004). Notes on the Life History and Demographics of the Savannah Lilliput (*Toxolasma pullus*) (Bivalvia: Unionidae) in University Lake, NC. 3(2), 289–296.
- Hanson, J. M., Mackay, W. C., & Prepas, E. E. (2019). Effect of Size-Selective Predation by Muskrats (*Ondatra zebithicus*) on a Population of Unionid Clams (*Anodonta grandis simpsoniana*). *Journal of Animal Ecology*, 58, 15–28.
- Harris, J. L., & Bogan, A. E. (2016). *Lasmigona costata* (Rafinesque 1820) Flutedshell. In *North American Mussel Atlas*.
- Heath, D. J., Benjamin, R. L., Endris, M. B., Kenyon, R. L., & Hove, M. C. (2000). Determination of the basic reproductive characteristics of the winged mapleleaf mussel (*Quadrula fragosa*) relevant to recovery. Job 1: Determination of gravidity period.
- Henley, W. F., Pinder, M. J., Watson, B. T., & Neves, R. J. (2013). Status of freshwater mussels in the Middle Fork Holston River, Virginia. *Walkerana*, 16(2), 68–80.
- Hinch, S. G., Bailey, R. C., & Green, R. H. (1986). Growth of *Lampilis radiata* (Bivalvia: Unionidae) in sand and mud: A reciprocal transplant experiment. *Canadian Journal of Fisheries & Aquatic Sciences*, 43, 548–552.
- Hinkle, E. (2018). Suitable host fish, population structure, and life-history characteristics for the state-listed, Louisiana pigtoe, *Pleurobema riddellii*. (Master's Thesis, The University of Texas at Tyler, Tyler, TX). Retrieved from <http://hdl.handle.net/10950/1187>
- Hoggarth, M. A. (1999). Descriptions of some of the glochidia of the Unionidae (Mollusca: Bivalvia). *Malacologia*, 4(1), 1–118.
- Hornbach, D. J., Hove, M. C., Liu, H.-T., Schenck, F. R., Rubin, D., & Sansom, B. J. (2014). The influence of two differently sized dams on mussel assemblages and growth. *Hydrobiologia*, 724, 279–291.
<https://doi.org/10.1007/s10750-013-1743-y>
- Hornbach, D. J., Kroese, J., & Miller, B. (1998). Examination The Larval Stage (Glochidia) Of the Winged Mapleleaf Mussel (*Quadrula fragosa*). Report to U.S. Fish and Wildlife Service, Bloomington, MN.

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Hove, M., Burstein, K., Davis, M., Marr, Sh., Pletta, M., Williams, J., Wagner, T., & Sietman, B. (2016). *Ligumia subrostrata* Glochidia Metamorphose on Centrarchids and Other Fish Species. *Ellipsaria*, 18(3).
- Hove, M. C., Larson, D., Berg, M., Jensen, H., Palmquist, C., Curtin, J., Larsen, N., Klemann, N., Duncan, M., Fiedler, H., Swenson, A., Hornbach, D., & Sietman, B. (2016). Natural and Suitable Glochidial Hosts for the Creek Heelsplitter (*Lasmigona compressa*). *Ellipsaria*, 18(2), 18–21.
- Hove, M. C., & Neves, R. J. (1994). Life History of the endangered James spiny mussel *Pleurobema collina* (Conrad, 1837) (Mollusca: Unionidae). *American Malacological Bulletin*, 11(1), 29–40.
- Hove, M. C., Sietman, B. E., Bakelaar, J. E., Bury, J. A., Heath, D. J., Pepi, V. E., Kurth, J. E., Davis, J. M., Hornbach, D. J., & Kapuscinski, A. R. (2011). Early Life History and Distribution of Pistolgrip (*Tritogonia verrucosa* (Rafinesque, 1820)) in Minnesota and Wisconsin. *The American Midland Naturalist*, 165(2), 338–354. <https://doi.org/10.1674/0003-0031-165.2.338>
- Hove, M., Sietman, B., Berg, M., Bump, S., Davis, M., Hansen, H., Keogh, S., Luebke, C., Marr, S., Maynard, A., Murphy, K., Secrist, Z., & Hornbach, D. (2013). *Pleurobema sintoxia* Early Life History. *Ellipsaria*, 16(3).
- Howells, R. G. (2013). Comparative Ranges of Freshwater Mussels and Freshwater Drum in Texas: Clues to Possible Host Relationships. *Ellipsaria*, 15(2).
- Hyde, J. M., Niraula, B. B., Miller, J. M., Garner, J. T., & Stewart, P. M. (2017). Estimation of Apparent Survival, Detectability, and Density of Three Federally Threatened Mussel Species in a Small Watershed. *Freshwater Mollusk Biology and Conservation*, 20(1), 20–31.
- Jirka, K. J. (1986). Reproductive biology and comparative growth rates of selected species of freshwater mussels (Bivalvia: Unionidae) in the New and Greenbrier Rivers, Virginia and West Virginia. (Master's Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA).
- Johnson, J. A., Wisniewski, J. M., Fritts, A. K., & Bringolf, R. B. (2012). Host Identification and Glochidia Morphology of Freshwater Mussels from the Altamaha River Basin. *Southeastern Naturalist*, 11(4), 733–746. <https://doi.org/10.1656/058.011.0411>
- Jones, J. W. (2009). Genetics, demography and modeling of freshwater mussel (Bivalvia: Unionidae) populations in the Clinch River, U.S.A. (Ph.D. dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA).
- Jones, J. W., & Neves, R. J. (2002). Life history and ecology of the endangered fanshell (*Cyprogenia stegaria*) (Bivalvia: Unionidae). *Journal of the North American Benthological Society*, 21(1), 76–88.
- Jones, J. W., & Neves, R. J. (2011). Influence of life-history variation on demographic responses of three freshwater mussel species (Bivalvia: Unionidae) in the Clinch River, USA. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 21, 57–73. <https://doi.org/10.1002/aqc.1161>
- Jones, J. W., Neves, R. J., Ahlstedt, S. A., Hubbs, D., Dan, H., Ostby, B. J. K., & Johnson, M. (2010). Life History and Demographics of the Endangered Birdwing Pearlymussel (*Lemiox rimosus*) (Bivalvia: Unionidae). *The American Midland Naturalist*, 163(2), 335–350. <https://doi.org/10.1674/0003-0031-163.2.335>
- Jones, J. W., Neves, R. J., Ahlstedt, S. A., & Mair, R. A. (2004). Life history and propagation of the endangered dromedary pearlymussel (*Dromus dromas*) (Bivalvia: Unionidae). *Journal of the North American*

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

Benthological Society, 23(3), 515–525. [https://doi.org/10.1899/0887-3593\(2004\)023<0515:LHAPOT>2.0.CO;2](https://doi.org/10.1899/0887-3593(2004)023<0515:LHAPOT>2.0.CO;2)

- Jones, J. W., Neves, R. J., & Hallerman, E. M. (2012). Population performance criteria to evaluate reintroduction and recovery of two endangered mussel species, *Epioblasma brevidens* and *Epioblasma capsaeformis* (Bivalvia: Unionidae). *Walkerana*, 15(1), 27–44. <https://doi.org/10.1111/j.1460-9568.1995.tb01156.x>
- Kennedy, T. B., & Haag, W. R. (2005). Using morphometrics to identify glochidia from a diverse freshwater mussel community. *Journal of the North American Benthological Society*, 24(4), 880–889.
- Lambert, S. D., & Martel, A. L. (2012). A Summary of Glochidia Hosts for *Pyganodon cataracta* (Say, 1817) and Evidence of Additional Fish Hosts (*Fundulus diaphanus* and *Apeltes quadracus*) from Nova Scotia. *Ellipsaria*, 14(3).
- Leonard, P., Hove, M. C., Davis, B., Wanner, E., Van Susteren, G., Sietman, B. E., Berg, M., Handy, A., Thoreen, A., Rod, K., Hanson, M., Pochman, R., Nelson, S., LaMere, W., & Hornbach, D. (2014). Flutedshell (*Lasmigona costata*) Natural Hosts and Glochidia Release Behavior. *Ellipsaria*, 16(4).
- Levine, T. D. (2009). Consequences of life history variation in freshwater mussels: Demography and host relationships. (Ph.D. dissertation, Miami University, Oxford, OH).
- McCuaig, J. M., & Green, R. H. (1983). Unionid growth curves derived from annual rings: A baseline model for Long Point Bay, Lake Erie. *Canadian Journal of Fisheries and Aquatic Sciences*, 40(4), 436–442. <https://doi.org/10.1139/f83-062>
- McLeod, J. M., Jelks, H. L., Pursifull, S., & Johnson, N. A. (2017). Characterizing the early life history of an imperiled freshwater mussel (*Ptychobranthus jonesi*) with host-fish determination and fecundity estimation. *Freshwater Science*, 36(2), 338–350. <https://doi.org/10.1086/692096>
- McMurray, S. E., Faiman, J. S., & Bruenderman, S. A. (2012). A qualitative freshwater mussel (Bivalvia: Unionidae) survey of the Lamine and Blackwater River Basins, Missouri. *Walkerana*, 15(1), 45–59.
- Mcmurray, S. E., Schuster, G. A., & Ramey, B. A. (1999). Possible Decline in Reproduction in a Freshwater Unionid (Mollusca: Bivalvia) Community in the Licking River at Butler, Kentucky. *Journal of the Kentucky Academy of Science*, 60(2), 67–72.
- Michaelson, D. L., & Neves, R. J. (1995). Life History and Habitat of the Endangered Dwarf Wedgemussel *Alasmidonta heterodon* (Bivalvia: Unionidae). *Journal of the North American Benthological Society*, 14(2), 324–340.
- Mitchell, Z. A., McGuire, J., Abel, J., Hernandez, B. A., & Schwalb, A. N. (2018). Move on or take the heat: Can life history strategies of freshwater mussels predict their physiological and behavioural responses to drought and dewatering? *Freshwater Biology*, February, 1579–1591. <https://doi.org/10.1111/fwb.13187>
- Moles, K. R., & Layzer, J. B. (2008). Reproductive ecology of *Actinonaias ligamentina* (Bivalvia: Unionidae) in a regulated river. *Journal of the North American Benthological Society*, 27(1), 212–222. <https://doi.org/Doi 10.1899/07-006.1>
- Morrison, P. (2012). New Record for *Simpsonaias ambigua* in the Ohio River Mainstem in West Virginia. *Ellipsaria*, 14(1).

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Nico, L. G., Williams, J. D., & Jelks, H. L. (2005). Black Carp: Biological synopsis & Risk Assessment of an Introduced Fish. American Fisheries Society.
- O'Brien, C. a., & Box, J. B. (1999). Reproductive Biology and Juvenile Recruitment of the Shinyrayed Pocketbook, *Lampsilis subangulata* (Bivalvia: Unionidae) in the Gulf Coastal Plain. The American Midland Naturalist, 142(1), 129–140. [https://doi.org/10.1674/0003-0031\(1999\)142\[0129:RBAJRO\]2.0.CO;2](https://doi.org/10.1674/0003-0031(1999)142[0129:RBAJRO]2.0.CO;2)
- O'Brien, C. A., & Williams, J. D. (2002). Reproductive biology of four freshwater mussels (Bivalvia: Unionidae) endemic to eastern Gulf Coastal Plain drainages of Alabama, Florida, and Georgia. American Malacological Bulletin, 17(1–2), 147–158.
- O'Brien, C., Nez, D., Wolf, D., & Box, J. B. (2013). Reproductive Biology of *Anodonta californiensis*, *Gonidea angulata*, and *Margaritifera falcata* (Bivalvia: Unionoida) in the Middle Fork John Day River, Oregon. Northwest Science, 87(1), 59–72. <https://doi.org/10.3955/046.087.0105>
- Pandolfo, T. J., Kwak, T. J., & Cope, W. G. (2016). Microhabitat suitability and niche breadth of common and imperiled Atlantic Slope freshwater mussels. Freshwater Mollusk Biology and Conservation, 19, 27–50.
- Parker, R. S., Hackney, C. T., & Vidrine, M. F. (1984). Ecology and Reproductive Strategy of a South Louisiana Freshwater Mussel, *Glebulia rotundata* (Lamarck) (Unionidae: Lampsilini). Freshwater Invertebrate Biology, 3(2), 53–58.
- Paterson, C. G. (1985). Biomass and Production of the Unionid, *Elliptio complanata* (Lightfoot) in an Old Reservoir in New Brunswick, Canada. Freshwater Invertebrate Biology, 4(4), 201–207.
- Paterson, C. G., & Cameron, I. F. (1985). Comparative Energetics of Two Populations of the Unionid, *Anodonta cataracta* (Say). Freshwater Invertebrate Biology, 4(2), 79–90.
- Payne, B. S., & Miller, A. C. (1989). Growth and Survival of Recent Recruits to a Population of *Fusconaia ebena* (Bivalvia : Unionidae) in the Lower Ohio River. The American Midland Naturalist, 121(1), 99–104.
- Payton, S. L., Johnson, P. D., & Jenny, M. J. (2016). Comparative physiological, biochemical and molecular thermal stress response profiles for two unionid freshwater mussel species. The Journal of Experimental Biology, 219(22), 3562–3574. <https://doi.org/10.1242/jeb.140129>
- Perles, S. J., Christian, A. D., & Berg, D. J. (2003). Vertical migration, orientation, aggregation and fecundity of the freshwater mussel *Lampsilis siliquoidea*. Ohio J. Sci., Vol. 102,(4), 73–78.
- Pilarczyk, M. M., Stewart, P. M., Shelton, D. N., Heath, W. H., & Miller, J. M. (2005). Contemporary survey and historical freshwater mussel assemblages in southeast Alabama and northwest Florida and life history and host fish identification of two candidate unionids (*Quincuncina burkei* and *Pleurobema strodeanum*).
- Porter, H. J., & Horn, K. J. (1980). Freshwater mussel glochidia from Lake Waccamaw, Columbus County, North Carolina. The Bulletin of the American Malacological Union, Inc., 13–17.
- Price, J. E., & Eads, C. B. (2011). Brooding Patterns in Three Freshwater Mussels of the Genus *Elliptio* in the Broad River in South Carolina. American Malacological Bulletin, 29(1–2), 121–126. <https://doi.org/10.4003/006.029.0203>
- Randklev, C. R., Bosman, B., Miller, T., Skow, K., & Lopez, R. (2016). Survey Results and Habitat Use for *Lampsilis bracteata* (Texas fatmucket) in the Colorado River Drainage, Texas.

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Randklev, C. R., Johnson, M. S., Tsakiris, E. T., Rogers-Oetker, S., Roe, K. J., Harris, J. L., McMurray, S. E., Robertson, C., Groce, J., & Wilkins, N. (2012). False Spike, *Quadrula mitchelli* (Bivalvia: Unionidae), is not extinct: First account of a live population in over 30 years. *American Malacological Bulletin*, 30(2), 327–328. <https://doi.org/10.4003/006.030.0213>
- Reátegui-Zirena, E. G., Stewart, P. M., & Miller, J. M. (2013). Growth Rates and Age Estimations of the Fuzzy Pigtoe, *Pleurobema strodeanum*: A Species Newly Listed Under the Endangered Species Act. *Southeastern Naturalist*, 12(1), 161–170. <https://doi.org/10.1656/058.012.0113>
- Rogers, S. O., Watson, B. T., & Neves, R. J. (2001). Life history and population biology of the endangered tan riffleshell (*Epioblasma florentina walkeri*) (Bivalvia: Unionidae). *Journal of the North American Benthological Society*, 20(4), 582–594. <https://doi.org/10.2307/1468089>
- Sansom, B. J., Atkinson, C. L., & Vaughn, C. C. (2016). Growth and longevity estimates for mussel populations in three Ouachita Mountain rivers. *Freshwater Mollusk Biology and Conservation*, 19(2), 19–26.
- Schroeder, L., Edgcumbe, A., Murphy, K., Bump, S., Londo, A., Sietman, B. E., Hove, M. C., & Van Susteren, G. (2014). Host Fishes and Glochidia Release Behavior of *Elliptio dilatata*. *Ellipsaria*, 16(4).
- Seagroves, L. A., Barnhart, M. C., Hardy, T., & Schwalb, A. N. (2019). Reproductive ecology of the threatened and endemic freshwater mussel *Lampsilis bracteata*. *Aquatic Conservation: Marine and Freshwater Ecosystems*, July, aqc.3154. <https://doi.org/10.1002/aqc.3154>
- Shiver, M. A. (2002). Reproduction and propagation of the Neosho mucket, *Lampsilis rafinesqueana*. (Master's Thesis, Southwest Missouri State University, Springfield, MO).
- Sietman, B., Davis, M., Hove, M., Pletta, M., Wagner, T., Marr, S., Secrist, Z., Freeburg, M., Scheunemann, A., Krupp, K., Hagemeyer, E., Franzen, A., Swanson, C., & Sampson, A. (2017). *Cumberlandia monodonta* – Host Enigma Resolved. *Ellipsaria*, 19(3).
- Smith, D. G., Lang, B. K., & Gordon, M. E. (2003). Gametogenetic Cycle, Reproductive Anatomy, and Larval Morphology of *Popenaias popeii* (Unionoida) from the Black River, New Mexico. *The Southwestern Naturalist*, 48(3), 333–340. [https://doi.org/https://doi.org/10.1894/0038-4909\(2003\)048<0333:GCRAAL>2.0.CO;2](https://doi.org/https://doi.org/10.1894/0038-4909(2003)048<0333:GCRAAL>2.0.CO;2)
- Spooner, D. E., & Vaughn, C. C. (2008). A trait-based approach to species' roles in stream ecosystems: Climate change, community structure, and material cycling. *Oecologia*, 158(2), 307–317. <https://doi.org/10.1007/s00442-008-1132-9>
- St. John, M. E. M. K. (1973). Shell growth and variation in the *Actinonaias ligamentina* (Lamarck, 1819) complex (Mollusca: Bivalvia: Unionidae). (Ph.D. dissertations, The Ohio State University, Columbus, OH).
- Stodola, K. W., Stodola, A. P., & Tiemann, J. S. (2017). Survival of Translocated Clubshell and Northern Riffleshell in Illinois. *Freshwater Mollusk Biology and Conservation*, 20, 89–102.
- Strayer, D. L., Cole, J. J., Likens, G. E., & Buso, D. C. (1981). Biomass and annual production of the freshwater mussel *Elliptio complanata* in an oligotrophic softwater lake. *Freshwater Biology*, 11, 435–440.
- Strober, Q. J. (1972). Distribution and Age of *Margaritifera margaritifera* (L.) in a Madison River (Montana, U.S.A.) Mussel Bed. *Malacologia*, 11(2), 343–350.

- Swanson, C., Hove, M., Franzen, A., Hornbach, D., Davis, M., & Sietman, B. (2018). *Ligumia subrostrata* Host Fishes and Geospatial Associations. *Ellipsaria*, 20(4).
- Tang, M., Jiao, Y., & Jones, J. W. (2014). A hierarchical Bayesian approach for estimating freshwater mussel growth based on tag-recapture data. *Fisheries Research*, 149, 24–32. <https://doi.org/10.1016/j.fishres.2013.09.005>
- Tillery, J., Franzen, A., Davis, M., Hove, M., Johnson, K., Marconie, S., Marr, S., Pletta, M., Sampson, A., Sietman, B., Swanson, C., & Wagner, T. (2017). *Ligumia subrostrata* Metamorphose on Centarchids, Esocids, Fundulids, and Some Cyprinids in the Laboratory. *Ellipsaria*, 19(2), 34–35.
- Trdan, R. J., & Hoeh, W. R. (1982). Eurytopic host use by two congeneric species of freshwater mussel (Pelecypoda: Unionidae: Anodonta). *The American Midland Naturalist*, 108(2), 381–388.
- Tsakiris, E. T., Randklev, C. R., Blair, A., Fisher, M., & Conway, K. W. (2017). Effects of translocation on survival and growth of freshwater mussels within a West Gulf Coastal Plain river system. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 27(6), 1240–1250. <https://doi.org/10.1002/aqc.2817>
- U.S. Fish and Wildlife Service. 2004. Ouachita Rock Pocketbook (*Arkansia wheeleri* Ortmann and Walker, 1912) Recovery Plan. Albuquerque, New Mexico. vi + 83p. + A-1-85p.
- Vannote, R. L., & Minshall, G. W. (1982). Fluvial processes and local lithology controlling abundance, structure, and composition of mussel beds. *Proceedings of the National Academy of Sciences*, 79, 4103–4107.
- Vaughn, C. C., & Pyron, M. (1995). Population ecology of the endangered Ouchita rock-pocketbook mussel, *Arkansia wheeleri*, (Bivalvia: Unionidae), in the Kiamichi River, Oklahoma. *American Malacological Bulletin*, 11(2).
- Watters, G. T. (2002). The kinetic conglutinate of the creeper freshwater mussel, *Strophitus undulatus* (Say, 1817). *Journal of Molluscan Studies*, 68(2), 155–158. <https://doi.org/10.1093/mollus/68.2.155>
- Watters, G. T. (2008). The morphology of conglutinates and conglutinate-like structures in North American freshwater mussels: a scanning-electron microscopy survey. *Novapex*, 9(6), 1–20.
- Weaver, L. R., Pardue, G. B., & Neves, R. J. (1991). Reproductive Biology and Fish Hosts of the Tennessee Clubshell *Pleurobema oviforme* (Mollusca: Unionidae) in Virginia. *American Midland Naturalist*, 126(1), 82–89. <https://doi.org/10.2307/2426152>
- White, M. P., Blalock-Herod, H. N., & Stewart, P. M. (2008). Life history and host fish identification for *Fusconaia burkei* and *Pleurobema strodeanum* (Bivalvia: Unionidae). *American Malacological Bulletin*, 24(1/2), 121–125. <https://doi.org/10.4003/0740-2783-24.1.121>
- Williams, J. D., Bogan, A. E., & Garner, J. T. (2008). Freshwater mussels of Alabama and the Mobile Basin in Georgia, Mississippi and Tennessee. University of Alabama Press. <https://doi.org/10.5860/choice.46-3251>
- Wolf, K., Hove, M., Sietman, B., Boyer, S., & Hornbach, D. (2012). Additional Minnows and Topminnow Identified as Suitable Hosts for the Sheepnose, *Plethobasus cyphus* (Rafinesque, 1820). *Ellipsaria*, 14(3).
- Woody, C. A., & Holland-Bartels, L. (1993). Reproductive characteristics of the Washboard Mussel *Megaloniais nervosa* (Rafinesque 1820) in the Upper Mississippi River. *Journal of Freshwater Ecology*, 8(1), 57–66.

Moore et al 20XX

Bibliography for studies included in the freshwater mussel database

- Yeager, B. L., & Neves, R. J. (1986). Reproductive cycle and fish hosts of the rabbit's foot mussel, *Quadrula cylindrica strigillata* (Mollusca:Unionidae) in the upper Tennessee River drainage. In American Midland Naturalist (Vol. 116, Issue 2, pp. 329–340). <https://doi.org/10.2307/2425741>
- Yeager, B. L., & Saylor, C. F. (1995). Fish Hosts for Four Species of Freshwater Mussels (Pelecypoda: Unionidae) in the Upper Tennessee River Drainage. The American Midland Naturalist, 133(1), 1–6.
- Yokley, P. J. (1972). Life history of *Pleurobema cordatum* (Rafinesque 1820) (Bivalvia: Unionacea). Malacologica, 11(2), 351–364.
- Young, M. R., & Williams, J. D. (1984). The reproductive biology of the freshwater pearl mussel *Margaritifera margaritifera* in Scotland. I. Field Studies. Archiv Für Hydrobiologie, 99.
- Zale, A. V., & Neves, R. J. (1982). Reproductive Biology of Four Freshwater Mussel Species (Mollusca: Unionidae) in Virginia. Freshwater Invertebrate Biology, 1(1), 17–28.
- Zanatta, D. T., & Murphy, R. W. (2006). Evolution of active host-attraction strategies in the freshwater mussel tribe Lampsilini (Bivalvia: Unionidae). Molecular Phylogenetics and Evolution, 41(1), 195–208. <https://doi.org/10.1016/j.ympev.2006.05.030>
- Ziuganov, V., San Miguel, E., Neves, R. J., Longa, A., Fernández, C., Amaro, R., Beletsky, V., Popkovitch, E., Kaliuzhin, S., & Johnson, T. (2000). Life Span Variation of the Freshwater Pearl Shell: A Model Species for Testing Longevity Mechanisms in Animals. Ambio, 29(2). [https://doi.org/10.1639/0044-7447\(2000\)029](https://doi.org/10.1639/0044-7447(2000)029)