

Performance of fine fescue cultivars and selections in a fairway height turf trial seeded September 5, 2014 at St. Paul, MN. (Includes 2014 National Fine Fescue Test – NTEP)

Cultivar or Selection	Species <sup>1</sup>	----- Turfgrass Quality <sup>2</sup> -----																----- %LGC <sup>3</sup> -----		Spring	Color <sup>5</sup>	Dollar	
		----- No Traffic -----										----- Traffic -----						No Traffic	Traffic	Green-Up <sup>4</sup>		Spot <sup>6</sup>	
		2015 - 2016 Avg.	2015 Avg.	2016 Avg.	April 2016	May 2016	June 2016	July 2016	Aug. 2016	Sept. 2016	Oct. 2016	2016 - Avg.	June 2016	July 2016	Aug. 2016	Sept. 2016	Oct. 2016	Oct. 2016	Oct. 2016	April 2016	Sept. 2016	Aug. 2016	
1	Resolute	HDF	7.5	7.2	7.8	8.0	7.7	8.3	7.7	7.7	7.3	8.3	5.4	6.7	5.3	5.7	4.0	5.3	99.0	90.0	4.3	7.0	7.7
2	C14-OS3	CHF	7.3	7.1	7.5	6.7	7.0	7.7	7.7	8.0	7.3	8.0	5.1	6.0	4.7	4.7	4.7	5.7	97.7	91.3	5.0	5.0	8.3
3	DLFPS-FRC/3057	CHF	7.2	6.9	7.4	7.3	6.3	8.0	8.3	6.7	7.0	8.3	5.2	5.7	5.3	4.3	5.3	5.3	98.3	94.3	5.0	6.3	7.7
4	Gladiator	HDF	7.0	7.2	6.7	7.0	6.3	7.3	7.3	6.3	6.0	6.7	4.3	5.7	4.3	3.7	3.3	4.3	98.7	86.0	3.7	5.7	8.0
5	BAR 6FR 126	CHF	7.0	7.3	6.6	6.7	6.0	6.7	6.3	6.3	7.0	7.3	5.0	6.0	5.7	3.7	4.0	5.7	97.7	92.0	6.0	4.3	7.7
6	Radar	CHF	6.9	7.0	6.9	7.3	7.7	7.7	7.3	5.7	5.3	7.3	5.1	6.0	5.0	4.7	4.7	5.3	97.7	92.0	5.0	7.0	6.0
7	BAR VV-VP3-CT	CHF	6.9	7.2	6.6	6.0	6.7	7.0	6.7	6.3	6.0	7.7	5.3	6.0	5.0	5.3	4.3	6.0	98.3	90.3	7.0	6.3	8.0
8	PPG-FRC 114	CHF	6.9	7.0	6.7	6.3	6.7	7.3	6.7	6.0	5.7	8.3	5.2	6.3	4.7	4.7	4.7	5.7	98.0	96.7	5.3	8.0	6.0
9	PPG-FRC 113	CHF	6.9	6.9	6.8	6.7	7.0	7.7	6.7	6.0	6.0	8.0	4.9	6.0	4.3	4.0	4.7	5.7	96.7	90.7	6.0	6.3	6.7
10	BAR FRT 5002	SLCRF	6.9	7.1	6.6	6.7	7.0	7.3	6.7	5.0	5.7	8.0	5.2	6.3	5.0	4.3	4.3	6.0	96.0	91.7	3.0	2.0	5.7
11	DLFPS-FRC/3060	CHF	6.8	6.8	6.9	6.7	6.3	8.0	7.3	6.3	5.3	8.0	5.4	6.7	5.0	4.7	4.7	6.0	97.3	93.0	6.7	6.0	6.3
12	RAD-FC32	CHF	6.7	6.8	6.6	7.0	7.7	7.7	7.3	4.7	4.7	7.3	4.8	6.3	4.7	4.0	4.0	5.0	94.7	85.3	2.7	7.0	5.3
13	DLFPS-FL/3060	HDF	6.7	6.6	6.8	7.0	6.0	7.0	7.3	6.7	6.3	7.3	5.3	6.3	5.7	5.0	4.3	5.0	98.3	92.7	4.7	5.3	7.7
14	DLFPS-FL/3066	HDF	6.6	6.6	6.6	6.3	5.3	6.0	6.7	7.3	7.0	7.3	4.3	5.0	4.7	4.3	3.3	4.3	98.7	86.7	4.0	7.3	8.3
15	Beacon	HDF	6.5	6.7	6.4	6.7	6.0	7.0	6.3	6.3	5.7	7.0	4.3	5.7	4.3	4.0	3.3	4.3	97.0	83.7	4.7	5.7	8.0
16	DLF-FRC 3338	CHF	6.5	6.5	6.6	7.0	7.7	7.0	7.0	5.0	5.0	7.3	4.5	5.7	4.7	3.3	4.0	4.7	96.3	84.0	5.0	5.7	5.7
17	PPG-FRT 101	SLCRF	6.4	6.5	6.3	6.7	6.3	6.3	6.7	5.3	5.7	7.0	5.7	6.3	5.7	5.3	5.0	6.0	97.3	95.0	6.7	5.3	6.0
18	Jetty	HDF	6.4	6.5	6.4	6.3	5.3	6.3	6.3	6.7	6.3	7.0	4.7	5.3	5.0	5.0	3.7	4.7	95.7	83.0	3.3	6.3	8.3
19	RAD-FC44	CHF	6.4	6.3	6.6	6.3	6.7	7.3	7.3	5.3	5.3	7.3	4.2	5.3	4.0	3.3	3.7	4.7	93.3	83.0	3.7	6.7	6.3
20	Sword	HDF	6.3	6.3	6.2	6.3	5.3	6.3	6.0	6.3	6.3	7.0	4.5	5.3	4.3	4.7	3.7	4.7	97.7	87.0	4.0	6.3	8.0

(continued)

21	MNHD-14	HDF	6.2	6.3	6.1	6.3	5.3	5.7	6.0	6.7	6.3	6.7	4.5	5.0	4.7	4.7	4.0	4.3	98.7	93.3	3.3	6.7	8.0
22	Minimus	HDF	6.2	6.3	6.1	7.0	6.3	6.0	5.7	5.3	5.3	6.7	4.1	5.3	4.3	4.3	3.0	3.7	92.7	77.0	4.3	6.3	7.3
23	Beudin	HDF	5.8	5.8	5.8	5.7	7.0	6.7	6.3	4.0	4.0	6.7	4.9	5.7	5.7	4.0	3.7	5.3	88.0	81.3	3.0	1.0	4.3
24	Quatro	SHF	5.6	5.5	5.6	6.0	4.0	5.3	5.0	5.7	6.3	7.0	4.2	4.7	3.7	4.0	4.0	4.7	96.3	85.0	5.0	4.3	7.7
25	7C34	STCRF	5.4	5.9	4.9	5.3	6.0	6.3	5.3	3.3	3.0	5.3	3.9	5.7	4.7	3.0	2.7	3.7	87.7	83.0	4.3	4.3	4.0
26	PST-4BND	HDF	5.3	5.6	5.1	5.7	4.3	4.7	4.3	5.3	5.0	6.3	4.3	4.7	4.0	4.3	4.0	4.7	96.3	88.0	3.3	6.3	8.0
27	Cascade	CHF	5.1	5.4	4.9	4.3	4.7	5.0	4.7	4.7	5.3	6.0	4.6	4.7	4.3	4.3	4.3	5.3	97.0	91.0	7.3	5.3	7.3
28	Seabreeze GT	SLCRF	5.1	5.1	5.1	5.0	5.0	6.0	6.0	4.0	4.0	5.7	4.6	5.3	4.7	4.3	4.0	4.7	94.7	89.3	4.7	3.7	4.7
29	PST-4BEN	CRF	4.9	5.5	4.4	4.7	5.7	6.0	5.3	3.3	2.3	3.7	3.3	5.0	3.7	2.7	2.0	3.3	77.3	70.3	5.7	5.3	3.7
30	DLF-FRR 6162	CRF	4.9	5.4	4.4	5.3	5.0	5.3	5.0	2.3	3.0	4.7	3.6	4.7	4.3	3.0	2.7	3.3	86.3	84.3	5.7	4.0	3.0
31	Navigator II	STCRF	4.9	5.5	4.3	5.3	5.3	5.3	4.3	2.7	3.0	4.3	3.4	5.0	4.0	2.7	2.3	3.0	83.7	75.7	6.0	5.0	3.7
32	K3-BIFF-8		4.8	4.8	4.9	5.0	4.3	4.3	4.3	5.3	5.0	5.7	4.3	4.3	4.3	4.0	4.3	4.7	97.0	94.7	9.0	3.3	7.0
33	RAD-FR33R	STCRF	4.8	5.4	4.2	4.7	5.3	5.3	4.3	2.7	2.7	4.3	3.1	4.0	3.3	3.0	2.0	3.3	83.3	72.3	6.3	6.0	3.7
34	DLFPS-FRR/3069	STCRF	4.7	5.3	4.1	4.3	5.0	4.7	4.7	3.0	2.7	4.7	3.5	4.7	4.3	2.7	2.3	3.3	83.0	72.0	4.7	3.7	4.3
35	DLFPS-FRR/3068	STCRF	4.6	5.5	3.9	4.7	5.0	5.3	4.0	2.3	2.3	3.3	3.1	5.0	3.7	2.3	1.7	2.7	81.0	72.0	3.7	4.3	2.7
36	PPG-FRR 111	STCRF	4.6	5.0	4.3	4.7	4.3	5.7	5.3	3.0	2.7	4.3	3.5	4.7	4.3	3.3	2.7	2.7	81.0	71.0	6.0	5.3	4.0
37	Marvel	STCRF	4.5	4.8	4.4	4.7	5.3	6.0	5.0	3.0	2.7	4.0	3.5	5.0	4.3	2.7	2.0	3.3	76.0	72.7	6.3	4.0	3.0
38	RAD-FR47	CRF	4.5	5.0	4.1	4.7	5.0	5.7	4.3	2.7	2.3	4.0	3.3	4.7	4.0	3.0	2.0	3.0	80.3	72.3	5.3	5.7	3.7
39	Kent	STCRF	4.5	4.9	4.1	4.3	3.7	5.7	5.0	3.0	3.0	4.3	3.3	4.7	4.0	2.3	2.0	3.3	84.0	67.7	6.3	4.0	3.7
40	PST-4DR4	CRF	4.5	4.9	4.0	5.3	5.3	5.3	4.3	2.0	2.0	4.0	3.1	4.7	3.7	2.7	2.0	2.7	76.0	74.3	6.7	4.3	2.3
41	PST-4ED4	CRF	4.4	5.2	3.6	4.3	4.7	5.3	4.0	2.0	2.0	3.0	2.8	4.0	3.7	2.3	1.7	2.3	82.0	74.0	5.0	4.3	2.7
42	K3-BIFF-15		4.3	5.0	3.7	4.0	4.0	2.3	3.3	4.0	4.0	4.3	3.0	2.3	3.0	3.7	3.0	3.0	95.0	90.3	3.0	7.7	8.7
43	PST-4RUE	CRF	4.2	4.7	3.7	4.7	4.7	5.0	4.3	2.7	1.7	3.3	2.8	4.0	3.7	2.3	1.3	2.7	71.7	59.7	5.3	5.3	2.7
44	K3-BIFF-14		4.1	4.2	4.1	3.7	3.3	3.7	4.3	5.0	4.0	4.7	3.7	3.7	4.0	4.0	3.0	3.7	95.0	90.7	6.7	4.0	7.7
45	K3-BIFF-5		4.1	4.5	3.8	4.3	3.7	3.3	3.3	4.0	4.0	4.0	3.2	3.0	3.3	3.0	3.3	3.3	93.7	89.0	6.0	4.0	7.0
46	K3-BIFF-11		4.0	3.9	4.2	4.3	3.7	4.3	3.7	4.7	4.0	4.7	3.5	3.7	3.7	3.7	3.0	3.3	88.0	86.3	6.7	4.7	7.3
47	Boreal	STCRF	4.0	4.1	3.9	4.3	4.0	4.7	4.3	3.7	2.7	3.3	3.5	4.7	3.7	3.3	2.3	3.3	79.7	82.3	4.7	2.7	4.7
48	K3-BIFF-13		3.5	4.1	3.0	3.7	2.3	2.3	2.7	3.3	3.3	3.0	2.7	2.3	2.7	3.3	3.0	2.3	94.3	94.0	2.0	8.0	8.3
49	K3-BIFF-10		3.5	4.1	2.8	3.0	2.0	2.0	3.0	3.3	3.3	3.0	2.5	2.0	3.0	3.3	2.3	2.0	95.3	90.7	2.7	7.3	8.0
50	K3-BIFF-17		3.5	4.0	3.0	4.0	2.7	2.0	2.7	3.0	3.3	3.0	2.5	2.3	2.3	3.0	2.7	2.3	93.3	88.7	3.0	7.3	7.7

(continued)

51	K3-BIFF-9	3.3	3.9	2.7	3.3	2.3	2.0	2.3	2.7	3.3	3.0	2.5	2.0	2.7	3.0	2.3	2.3	93.7	90.0	3.0	6.0	8.7
52	K3-BIFF-4	3.3	3.9	2.8	4.0	2.7	2.0	2.7	3.0	2.7	2.3	2.4	2.0	2.7	2.7	2.7	2.0	94.7	90.0	4.0	7.7	8.3
53	K3-BIFF-23	3.3	3.7	2.8	3.0	2.7	2.0	2.3	3.0	3.7	3.0	2.1	2.0	2.0	2.3	2.3	2.0	92.7	88.7	3.0	8.7	8.3
54	K3-BIFF-18	3.2	3.6	2.9	3.7	2.3	2.0	2.7	3.0	3.3	3.0	2.3	2.0	2.3	2.7	2.3	2.0	95.7	92.3	3.3	7.3	8.3
55	K3-BIFF-24	3.2	3.8	2.7	3.0	2.0	2.3	2.0	3.0	3.3	3.0	2.2	2.3	2.0	2.3	2.3	2.0	96.7	92.7	2.7	8.0	7.7
56	K3-BIFF-3	3.2	3.6	2.8	3.7	2.7	2.7	2.7	3.3	2.3	2.3	2.1	2.0	2.0	2.7	2.0	2.0	96.3	91.3	4.0	7.3	8.0
57	K3-BIFF-22	3.1	3.4	2.7	3.3	2.3	2.0	2.3	2.7	3.0	3.3	2.2	2.0	2.0	2.3	2.0	2.7	90.7	89.3	3.0	7.7	8.3
58	K3-BIFF-1	3.1	3.6	2.6	3.0	2.7	2.3	2.0	3.0	2.7	2.7	2.1	1.7	2.0	2.0	2.7	2.0	96.3	86.3	3.0	6.7	8.0
59	k3-BIFF-2	3.0	3.3	2.7	3.3	2.7	2.3	2.7	2.7	2.7	2.7	2.3	2.0	2.3	2.7	2.0	2.3	94.0	92.0	5.0	7.0	8.0
60	K3-BIFF-19	2.9	3.4	2.5	3.3	2.7	1.7	2.0	2.7	2.7	2.7	2.0	1.7	1.7	2.3	2.3	2.0	94.3	92.3	3.7	8.7	8.0
LSD P=.05		0.6	0.7	0.7	0.9	1.0	1.3	1.2	1.3	1.0	1.1	0.6	1.0	1.0	0.9	0.9	0.9	7.3	9.6	1.4	1.0	1.2

<sup>1</sup> CHF = Chewings Fescue, CRF = Creeping Red Fescue, SLCRF = Slender Creeping Red Fescue, STCRF = Strong Creeping Red Fescue, HDF = Hard Fescue, SHF = Sheep Fescue

<sup>2</sup> 9 = best turfgrass quality

<sup>3</sup> % =percentage of area covered by desired species

<sup>4</sup> 9 = best spring green-up

<sup>5</sup> 9 = darkest green color

<sup>6</sup> 9 = lowest incidence of dollar spot